


The Home Manager

Plan a Monthly **Budget**

Compare Investment and Financing **Alternatives**

Recipe Filing



A Mini-Word **Processor**

Auto Maintenance Scheduling

Safeguard **Your Valuables**



Guild of the Kingmaker, PALETTEable

Color Mixing, Technical Q & A, 10 New Product Reviews, and More!





From Computer Plus to YOU...

Safter PLUS after PL



Tandy 1400 LT \$1239 Tandy 102 24K \$379 Tandy 200 24K \$429



Color Computer 3 w/128K Ext. Basic \$159



Tandy 1000 HX \$539 Tandy 1000 TX \$889







BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS

COMME		•				
Tandy	1000	HX 1	Drive	256	(539.00
Tandy	1000	TX 1	Drive	640K		889.00
Tandy	1000	SX 1	Drive	384K		649.00
Tandy	3000	HL 1	Drive	512K		899.00
Tandy	4000	1 Dri	ve 1 l	Meg.	Ram1	959.00
				-		

DRINTERS

PRINTERS	
Radio Shack DMP-106 80 CPS	169.00
Radio Shack DMP-130A 120 CPS	279.00
Radio Shack DMP-440 300 CPS	539.00
Radio Shack DWP-230 Daisy Whee	1349.00
Tandy LP-1000 Laser Printer	1699.00
Star Micronics NX-1000 144 CPS	229.00
Star Micronics NX-15 120 CPS	359.00
Panasonic P-1080i 144 CPS	199.00
Panasonic P-1091i 194 CPS	229.00
Panasonic P-1092i 240 CPS	349.00
Okidata 182 + 144 CPS	259.00
Okidata 192 + 200 CPS	359.00
Okidata 292 240 CPS	479.00

MODEMS	
Radio Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Practical Peripheral 2400 Baud	229.00
Practical Peripheral 1200 Baud	149.00

COLOR COMPUTER MISC.	
Radio Shack Drive Controller	99.00
Extended Basic Rom Kit	14.95
64K Ram Upgrade Kit	39.00
Radio Shack Deluxe Keyboard Ki	24.95
HI-RES Joystick Interface	8.95
Color Computer Deluxe Mouse	44.00
Multi Pak Interface	89.00
Multi Pak Pal Chip for COCO 3	14.95
CM-8 6' Extension Cable	19.95
Serial to Parallel Conv.	59.95
Radio Shack Deluxe Joystick	26.95
Magnavox 8515 RGB Monitor	329.00
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack VM-4 Green Monito	r 99.00
PBJ 512K COCO 3 Upgrade	99.00
Tandy 512K COCO 3 Upgrade	129.00
Mark Data Universal Video Driver	29.95

COLOR COMPUTER SOFTW	ARE	
	TAPE	DISK
The Wild West (CoCo3)		25.95
Worlds Of Flight	34.95	34.95
Mustang P-51 Flight Simul.	34.95	34.95
Flight 16 Flight Simul.	34.95	34.95
COCO Util II by Mark Data		39.95

COCO Max II by Colorware	79.95
COCO Max III by Colorware	79.95
AutoTerm by PXE Computing 29.95	39.95
TelePatch III by Spectrum	29.95
TW-80 by Spectrum (CoCo3)	39.95
TeleWriter 64 49.95	59.95
Elite Word 80	79.95
Elite Calc 3.0	69.95
CoCo3 512KRam Disk by CerComp	19.95
Home Publisher by Tandy (CoCo	3)35.95
Sub Battle Sim. by Epyx (CoCo3)	26.95
Thexder by Sierra (CoCo3)	22.45
Kings Quest III by Sierra (CoCo3)	31.45
Flight Sim. II by SubLogic (CoCo.	3)31.45
OS-9 Level II by Tandy	71.95
OS-9 Development System	89.95
Multi-View by Tandy	44.95
VIP Writer (disk only)	69.95
VIP Integrated Library (disk)	149.95

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.

CALL TOLL FREE -800-343-8124

- OWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE








P.O. Box 1094 480 King Street Littleton, MA 01460 **SINCE 1973**

IN MASSACHUSETTS CALL (617) 486-3193

RANBOW

Table of Contents


April 1988 Vol. VII No. 9



99
Easy as Pie
Raymond Lueders
Help for the amateur
BASIC programmer

112 The Home Trinancial Analyst

Daniel Piersma
Tax time help for organizing
income, expenses and
banking accounts



124

Features

20 Operation **>** Child Protect

James A. Upperman Generate a form to grant authorization for the medical treatment of a minor

28 Good Things Are Cookin' on CoCo

Brad Spencer A database for all your old family recipes

58

34 Financial Time Conversions

Dale Tinklepaugh
A "personal finance tool box"
to manage your resources

42 Home Inventory Manager Bill Tottingham

Keep track of your valuables and their I.D. numbers

48 Color Correspondent

Arthur S. Hallock
A mini word processor for your letter-writing needs


58 CoCo's Auto 🏖 Maintenance Manager

Larry Anderson
Keep maintenance schedules
for up to five vehicles

86 Guild of 🍑 the Kingmaker

Scott Miller and Mike Cushing It's medieval mayhem as guildmasters battle it out

124 PALETTEable Color Mixing H. Allen Curtis A utility to make color selection easier



Novices Niche Columns

72 **Backup and Restore**

Carl England

73 Undercover CoCo David Compton

74 CoCo Caliber Brian DeMarco

74 A CoCo Pop-Up Calendar Fred Kolesar

75 **High-Tech Quilting Bee** Bernice M. Shoobs

The cassette tape/disk symbols beside features and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAIN-BOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ad on Page 41.

Departments

Advertisers Index	192
Back Issue	
Information	103
CoCo Gallery	_ 18
Corrections 14	1, 30
Letters to Rainbow_	_ 6
Maxwell Mouse	_ 44
One-Liner	123
One-Liner Contest	
Information	164
Racksellers	190
Rainbow Info	_ 10
Received & Certified	140
Scoreboard	_ 76
Scoreboard	
Pointers	_ 78
Submitting Material	
to Rainbow	162
Subscription Info	_ 16

80 **BASIC Training**

Joseph Kolar Typing down memory lane

Building April's Rainbow

Jutta Kapfhammer Managing Editor's notes

142 CoCo Consultations Marty Goodman Just what the doctor ordered

Delphi Bureau

Cray Augsburg Database downloads, and Hutchison's database report

149 Doctor ASCII Richard Esposito

The question fixer

Education Notes Steve Blvn Presidential election preview

12 PRINT#-2.

Lawrence C. Falk Editor's notes

Turn of the Screw Tony DiStefano

Build a half-megabyte ROM disk

146 Wishing Well Fred Scerbo Revising the reservoir

Rainbowtech

170 Barden's Buffer

William Barden, Jr. Hands-on Hershey

160 KISSable OS-9

Dale L. Puckett New tools, new toys

Product Reviews

Avatex 1200e/Cinsoft	134
Banker II/J&R Electronics	133
Chemistry Tutor/A to Z Unlimited	136
CoCo Max III/Colorware	129
CoCo XT/Burke & Burke	137
ColorVenture RAMdisk/Dr. Preble's Programs	138
The Director/SEESOF	138
Flight Sim I/Tandy Corporation	135
GrafFind/RainyDay Software	137
Phantomgraph/Tandy Corporation	135

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW and RAINBOWfest logotypes are registered ** trademarks of FALSOFT, Inc. •* Second class postage paid Prospect, KY and additional offices. USPS N. 705-5050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. • Entire contents copyright ** by FALSOFT, Inc., 1988. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered ** trademarks of the Tandy Corp. • Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. • Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.

The Rainbow

Editor and Publisher Lawrence C. Falk

Managing Editor Jutta Kapfhammer Associate Editor Jody Gilbert Reviews Editor Judi Hutchinson

Submissions Editor Angela Kapfhammer Copy Editor Lauren Willoughby

Technical Editors Cray Augsburg, Ed Ellers

Editorial Assistants Sue H. Evans, Wendy Falk, Toni Frank, Monica Wheat

Contributing Editors

William Barden, Jr., Steve Blyn, Tony DiStefano, Richard Esposito, Martin Goodman, M.D., Joseph Kolar, Dale Puckett, Fred Scerbo, Richard White

Art Director Heidi Maxedon Designers Robert Hatfield, Jr., Denise Webb

Typesetter Jody Doyle

Falsoft, Inc.

President Lawrence C. Falk General Manager Bonnie Frowenfeld Asst. General Mgr. for Finance Donna Shuck

Admin. Asst. to the Publisher Sarah Levin Executive Editor James E. Reed

Editorial Director John Crawley Senior Editor T. Kevin Nickols **Production Coordinator** Cynthia L. Jones

Chief Bookkeeper Diane Moore Dealer Accounts Judy Quashnock Asst. General Manager For Administration Sandy Apple

Word Processor Manager Patricia Eaton

Customer Service Representative Beverly Beardon

Development Coordinator Ira Barsky Chief of Printing Services Melba Smith Director of Production Jim Cleveland Dispatch Tony Olive, Sharon Smith **Business Assistant** Laurie Falk Advertising Coordinator Doris Taylor **Advertising Representatives**

Belinda Kirby, Kim Vincent Advertising Assistant Debbie Baxter (502) 228-4492

For RAINBOW Advertising and Marketing Office Information, see Page 192

Cover illustration copyright @ 1988 by Fred Crawford

Letters to the RAINBOW

Incentive to Upgrade

Editor:

I have been a fairly regular reader of THE RAINBOW since May of 1986, just a month or two after buying a 16K CoCo 2. I have since "graduated" to a CoCo 3 (128K) and added a printer. Hopefully, I'll be adding a disk drive next month. (I've been ordering hardware and software from advertisers in THE RAINBOW, with excellent results!)

I want to commend all of your staff for a most helpful magazine! I save each issue, as I want to be able to refer to articles and programs from time to time. For example, when I first started reading it, I could not use any program that required more than 16K standard BASIC (with cassette file storage only). So when I acquired my CoCo 3, I had a large assortment of "brand new" programs to type in! This situation will repeat itself, obviously, when I have a disk drive! So, I don't get discouraged when a program I especially like is beyond my present system capabilities — it just gives me added incentive to upgrade! Hopefully, other readers feel the same way.

One thing that has caused me some concern is Radio Shack's dropping of some CoCo accessories — the CCR-82 cassette recorder, the S/S cartridge and the RS-232 Program Pak (for communications) come to mind. The RS-232 Pak is the easiest way (for me) to connect my Modemfone 100 to the CoCo — although I have made an adapter to connect it directly to the serial port. I have had lots of fun with the Sound/Speech cartridge in connection with Fred Scerbo's programs in "The Wishing Well." I hope that there will be enough such programs in the future to make Radio Shack consider restoring that accessory to its catalogs. Perhaps if enough of us RAINBOW readers (and other CoCo users!) contacted Radio Shack about the various discontinued items, Radio Shack would at least consider making them once again available.

> Bill Swartz Washington, D.C.

Controlling the Controller

Editor:

I recently purchased an appliance and light controller for the Color Computer from Radio Shack. Although it is by far the most versatile way I have found of controlling many electrical devices, I am slightly disappointed in the lack of documentation, which significantly limits its potential uses. The instructions for the device describe only manual operation of the controller or manually programmed operation of the controller through its ROM cartridge program.

Obviously, automatic operation of the controller by a user-developed program is also possible. Possible applications might include security systems, control systems, or use as a very inexpensive system clock. It

would also be convenient to know how to fully access the controller's memory so that programmed information can be printed out or automatically altered by the computer as the amount of daylight throughout the year changes.

I have had no luck finding information describing the format for direct communication with the controller, nor have I found any information regarding the ROM cartridge subroutines that can be accessed to carry out communications and operating functions with the controller. Does anyone know where to obtain this information? Perhaps an article on the subject would be of interest to other readers, as well.

Gary L. Beatty Hookstown, PA

4,600 of these controllers were given away at the recent Princeton RAINBOWfest, so it shouldn't be long before readers start submitting such articles to THE RAINBOW.

How 'bout it, folks?

REVIEWING REVIEWS

Editor:

I wish to thank Kerry Armstrong for his January 1988 review of Kung-Fu Dude, but there is one modification that has since been made, which I want to be known. Kung-Fu Dude has been patched to now allow colors on the RGB monitor. This means that no longer will you get the black-and-white stripes on your Tandy CM-8 monitor. All new orders shipped will have this patch, but those who have the older version and want to upgrade can do so by sending their disk, a copy of their receipt and \$5 (including shipping) to cover expenses, to Sundog Systems. Thank you.

Glen R. Dahlgren President Sundog Systems

ADOS-3 Version 1.00

Editor:

Recently I received reports of incompatibilities between SpectroSystems' ADOS-3 Version 1.00 and two games for the CoCo 3: Pyramix (Dr. Preble's Programs) and The Wild West (Novasoft). In both cases, the programs would begin to load, then there would be banging of the drive head, then a message claiming "This is a backup copy" would appear. As I am quite proud of ADOS-3's virtual 100 percent compatibility record with commercial software, I was concerned about these reports. Upon investigation, it developed that both games were protected by Sugar Software's Piratector copy protection scheme, and that some rather exotic disk operations performed by Piratector conflicted with ADOS-3's fix for the head-banging bug in Disk BASIC.

Fortunately, a simple fix for "Piratected" programs is available that will allow them to be used under ADOS-3 Version 1.00. The fix consists of a line that must be added to the BASIC program that LOADMs the main file, to be placed immediately before the LOADM statement. This line is as follows:

IF PEEK(&HD809) = &H2A THEN POKE &HD809,&H20

If the main file is normally LOADMed directly, as with *The Wild West*, place a BASIC program on the disk consisting of the above line followed by the LOADM of the main file, and run this program instead of using LOADM.

I also suggest that ADOS-3 users add another line to this BASIC loader program, consisting of the ADOS-3 command FAST. I have found that loading time of "Piratected" programs is cut by about 2/3 when the FAST (2 MHz) processor speed is used. (ADOS-3's disk I/O routines support 2 MHz disk operations, which are normally unreliable under standard Disk BASIC.)

I have passed along this information to the distributors of the two games mentioned above, and hope that they and other software vendors who are using *Piratector* will add the above fix to the commercial versions of their "Piratected" programs. (It will not affect compatibility with non-ADOS-3 systems.) I also expect shortly to make a minor revision to ADOS-3 so that new copies designated as Version 1.01 will be compatible with unmodified "Piratected" programs.

Arthur J. Flexer Owner, SpectroSystems and author of ADOS

HINTS AND TIPS

Editor:

One of your readers, Myrtis F. Trexler, requested my assistance to add a feature to my program, *Christmas List* ("Making a Christmas Address List," December 1987, Page 66).

I was asked how to make the left-hand margin greater for the purpose of printing envelopes. If Line 235 is added and Line 270 changed, the printer will print at TAB (T) where T is the desired left-hand margin.

235 INPUT"HOW MANY SPACES FOR LEFT MARGIN"; T

270 PRINT#-2,PRINT#-2,TAB(T); N\$(A):PRINT#-2,TAB(T);A\$(A): PRINT#-2,TAB(T);C\$(A);","; S\$(A):PRINT#-2,TAB(T);Z\$(A); PRINT#-2

This may be used for labels, envelopes or form letters with the appropriate value for T. For letters and/or envelopes where there is no width restriction, the ZIP code may be

COCO 2 8 3

AUTOTERM

TURNS YOUR COLOR COMPUTER INTO THE

WORLD'S SMARTEST TERMINAL!



YOU'LL ALSO USE AUTOTERM FOR SIMPLE WORD PROCESSING & RECORD KEEPING

EXTRA FEATURES ON COCO 3 DISK

80 char. screen, 2400 baud thru serial port, 95,000 to 475,000 character buffer.

EASY COMMUNICATION + WORD PROCESSING + TOTAL AUTOMATION

Full prompting and error checking. Step-by-step manual has examples. Scroll text backward and forward. No split words on screen or printout. Save, load, delete files while on line. Print, save all or any part of text. 300 or 1200 baud. All 128 ASCII characters. Works with D.C. Hayes or any modem. Screen widths of 32, 40, 42, 51, 64.

DISK VERSION SUPPORTS RS232 PAK, XMODEM and SPLIT SCREEN FOR PACKET RADIO.

Please hire the mentally retarded.
They are sincere, hard working and appreciative. Thanks!

Phyllis.

Editing is super simple with the cursor. Find strings instantly too! Insert printer control codes. Specify page size and margins. Switch quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text or files, download information, file it, and sign-off; then edit the receive data, print it in an attractive format, and/or save it on file. Compatible with TELEWRITER.

CASSETTE \$29.95 DISKETTE \$39.95

Add \$3 shipping and handling MC/VISA/C.O.D.

Advanced system of keystroke macros lets you automate any activity, such as dial via modem, sign-on, interact, sign-off, print, save. Perform entire session. Act as message taker. At start-up, disk version can automatically set parameters, dial, sign-on, interact, read/write disk, sign-off, etc. Timed execution lets AUTOTERM work while you sleep or play. No other computer can match your COCO's intelligence as a terminal.

PXE Computing 11 Vicksburg Lane Richardson, Texas 75080 214/699-7273

placed on the *city, state* line by changing Line 270 as follows:

270 PRINT#-2:PRINT#-2,TAB(T); N\$(A):PRINT#-2,TAB(T);A\$(A): PRINT#-2,TAB(T);C\$;", ";S\$;" ":Z\$:PRINT#-2;PRINT#-2

These changes may be of interest to others.

George F. Saunderson

Houston, TX

Calendar Modifications

Editor:

I am submitting some changes I have incorporated in William Holdorf's calendar program ("Appointment Calendar," January 1988, Page 100), which may be of interest to other readers. The following lines are additions and/or changes I have made:

900 POKE 359,57:POKE65314,85 1355 POKE282,0 1395 POKE282,255 1380 IF AN\$="End" THEN 1430 1390 IF AN\$="Skip" THEN 1530 1530 POKE282,255:CLS5 2290 PRINT#-2,CHR\$(27); CHR\$(16);CHR\$(2);CHR\$(160);

Line 2290 is changed for use with the DMP-105 printer.

The first four screens can be edited to

upper- and lowercase as desired for true lowercase printing.

R.M. (Bob) Drost Dawson Creek, British Columbia

Pump Up the Volume

Editor:

I have modified Airplane ("CoCo's Daring Flying Machine," January 1988, Page 73) to make it more realistic. I thought that demonstrating just the graphics capabilities of our beloved CoCo is not enough, so I added sound effects in these lines:

330 DRAW "A0"+P\$:EXEC 43345 350 DRAW "A1"+P\$:EXEC 43345 370 DRAW "A2"+P\$:EXEC 43345 390 DRAW "A3"+P\$:EXEC 43345

Take note that deleting the 43345s in lines 350, 370 and 390 will prevent the modification from working. You will get longer sounds if you do not specify what you are EXECuting. Another tip is to use a POKE 140,× before the four modified lines, where × is any value from 1 to 255.

Werner Daniel Streidt Cairo, Egypt

UV Light Protection

Editor:

Dr. Larry Preble should be commended for his most informative article on "the hazards of spending long hours at the computer" ("A Healthy Interface," February 1988, Page 118). I want all your glasses-wearing readers to know of an extraordinarily effective aid in protecting one's eyes from computer-related fatigue. To a significant degree, such eye strain is caused by accumulated exposure to ultraviolet light emit-

ted by television sets and monitors. Computer users who wear glasses can have an invisible, permanent coating sprayed on their lenses to deflect this ultraviolet radiation, thereby greatly reducing eye irritation and discomfort. This service is provided by your local optometrist or vision care center. The cost is \$10 to \$15 and requires only a few minutes' time for the entire process.

David Mills (DAVIDMILLS) Huntington, WV

INFO PLEASE

Editor:

I have been trying to contact Hemphill Electronics, but have had no luck. Have they moved, gone out of business, or what?

Kyle Hagaward Los Angeles, CA

Hemphill Electronic's new address is 334 Paseo Tesoro, Walnut, CA 91789, (717) 598-7799.

KUDOS

Editor:

I'd like to take this opportunity to rave about one of your article writers, Nancy Ewart. I am sure I, like many others, got more from her "Stalking the Fire-Breathing Dragon" OS-9 dissertation (January 1988, Page 156) than from any other source. An example is her explanation of creating a 40-track, double-sided system disk using DSave. God only knows the hours I've spent

with the manuals, other articles and OS-9 bibles trying to accomplish what she explained in one paragraph plus the clarity of her printed command: dsave(space)-b(space)/d0(space)/d1(space)!(space)shell. We need more articles from this very proficient writer who knows how to take the fog-level out of difficult subjects. Tandy's writers and most of the other experts writing tech-info should take lessons from Nancy. Let us have more articles from this lady who gets stars from me on her report card!

Michael Bernardi Sarasota, FL

Monitor Madness

Editor:

I just want to thank you guys. I was about to buy a monitor for my new CoCo 3 when the model number sparked my memory. Turning to a back issue, I discovered that the model I was about to buy, the Motorola 8CM562, wouldn't work. If it hadn't been for your magazine and one line in an article on monitors, I would have made a \$300 mistake. Again, thanks.

Paul R. Broshear (GROUCHY) San Angelo, TX

PEN PALS

• I'm 17 years old. I have a CoCo 3 and a disk drive, printer, cassette recorder and modem. I'm looking for pen pals, whatever their system, age or country.

Ana M. Rodriguez D #F-17 Torremolinos Guaynabo, PR 00657

 My address has changed, but I still want pen pals!

> Norman L. Morris, Jr. 7743 S. Paulina Chicago, IL 60620

 I would like to have some pen pals. I am 16 years old and own a 64K CoCo, a printer and a disk drive.

> Bosman Andreas Hoge Burg 52 9371 Dendebelle Lebbeke Belgium

• I am a late 40's single mother who would enjoy other single pen pals of my age bracket. I own a CoCo 2 and a 512K CoCo 3 with monitor and cassette, two disk drives, a CGP 115 and 220, a DMP-130 and a modem. I also speak French.

Nicole Pouliot Coors 5059 Chauntecleer Ct. Mobile, AL 36693

• I live in a small town about 40 miles north of Atlanta. I have a CoCo 3, FD-501 disk drive, CM-8 color monitor, DMP-106 printer, CCR-81 recorder and deluxe joysticks. I wish to correspond with all Co-Coers. I have had my CoCo for only four

months and am just getting to know it. I would appreciate any pointers anyone might have in respect to graphics and animation. I will respond to any and all letters.

Mike Tracey 1220 Sherry Drive Alpharetta, GA 30201

• I am a young 38-year-old stained glass artist and game, Adventure and utility fanatic. I have a CoCo 2, Epson RX-80 printer, two drives and Multi-Pak, etc. I'll answer everyone and would especially like people who can talk to my printer as I cannot. Write soon.

Kim Sinrod 16 Scranton Ave. Lynbrook, NY 11563

• I am 34 years old and am looking for pen pals from the U.S.A. and around the world. I have a Color Computer 2 with 64K, and a Multi-Pak Interface. I also have two disk drives, a cassette recorder and a DMP-430 printer.

Paul Nelson Dolliver 115 Peach St. Snyder, TX 79549

• I am 19 years old and have a 128K CoCo 3, a 64K CoCo 2, disk drive, Multi-Pak, DMP-105 printer and a DCM-3 modem. I am looking for pen pals from the United States and Canada.

J.M. Whynot P.O. Box 50 Port Medway, Nova Scotia Canada B0J 2T0

• I am 18 years old and would like to pen pal with anyone in the world. I have a CoCo 2, FD 501 drive, CCR-81 recorder, DMP-105 printer, and I am going to buy a CoCo 3 in the near future.

Tito Voysest Malecon Cisneros 124 DPTO 902 Lima, Peru

BULLETIN BOARD SYSTEMS

• There is a new BBS in southeastern Kentucky. It includes Xmodem downloading and uploading, a peek and pokes section, online games and more. Online from 10 p.m. to 8 a.m. Call (606) 439-1853.

Kenny Napier P.O. Box 387 Bulan, KY 41722

• Call the Grand Rapids BBS Wyoming Pubb, (616) 538-8229. The BBS operates under the OS-9 and UNIX operating systems on a CoCo 2 with 512K RAM.

Robert M. Worth, Jr. 1726 Millbank S.E. Grand Rapids, MI 49508

• You are cordially invited to call The Highlandtown International Airport BBS at (301) 675-7626 (300/1200-7/E/I). Online and open for incoming flights since June I, 1986, running highly modified *Colorama* BBS software. Instant access after filling out

the new-user application. A donation is required for higher access.

Tim Krahling, SysOp 2930 E. Fayette St. Baltimore, MD 21224

• The Franklin County Data Center has changed its online operating hours. We operate from 10 p.m. to 7 a.m., seven days a week. Call (703) 365-2018 at 300 baud, 7-E-1 or 8-N-1.

Ricky Sutphin Rt. 1, Box 20 Henry, VA 24102

• There's a new CoCo BBS in Connecticut, "Strictly CoCo," running at 300/1200 baud, operating 24 hours a day, seven days a week. Running on a CoCo 2 with four disk drives under CoBBS with Xmodem upload/download file section and expanding message bases. Call (203) 378-1572 with 8/N/1.

Tom Cowley (SysOp) 445 Stonybrook Road Stratford, CT 06497

• Omega BBS of Cincinnati is now online with *TuBBS 2.4* software, running on a CoCo 3. We support the CoCo with downloads, online games, multiple message bases and 24-hour operation. Call (513) 671-2049, 300/1200 baud, 8/N/1 protocol.

Thomas Altum 1746 Continental Shatconville, OH 45246


• I operate a bulletin board for the Canadian Forces Base (CFB) Summerside Computer Club.

The C.F.B. Summerside BBS is online at (902) 436-2281; ask for Local 583. The system runs on the club's Model III with multiple drives. The system features Xmodem up/downloads for all computers, five messages bases, information, and soon, online games. Parameters are 8-N-1, 300 baud, and the system is up 24 hours, seven days a week. There is no charge, and new users instantly receive access. SysOps are John Cunningham and Philippe Comeau.

John Cunningham 10 Glover's Shore Road Summerside, P.E.I., Canada C1N 4G4

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RAI to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.



Power Unleashed! Unlike other word-processors, Word Power 3.1 is written from scratch for the CoCo3. It bridges the gap between "what is" and "what should be" in word-processors. No other word processor offers such a wide array of features that are so easy to learn and use.

DISPLAY

The 80-column display with true lowercase lets you view the full width of a standard page. All prompts are displayed in plain English in neat colored windows (see display above). The current column number, line number, page number and percentage of free memory is displayed on the screen at all times. The program even displays the bottom margin perforation so you know where one page ends and the other begins. You can also change foreground/background color of screen and select menu and carriage return colors to suit your needs! Carriage returns can be visible or invisible. Word Power 3.1 runs at double clock speed and can be used with RGB/composite/monochrome monitors as well as TV.

AVAILABLE MEMORY

No other word processor gives you so much memory. Word Power 3.1 gives you over 72 K on a 128 K machine and over 450 K on a 512 K machine to store text.

EDITING FEATURES

Word Power 3.1 has one of the most powerful and user-friendly full-screen editors with word-wrap. All you do is type. Word Power 3.1 takes care of the text arrangement. It even has a built-in Auto-Save feature which saves the current text to disk at regular intervals; so you know that your latest version is saved to disk. Here are some of the impressive editing features of Word Power 3.1:

Insert/Overstrike Mode (Cursor style changes to indicate mode); OOPS recall during delete; Type-ahead buffer for fast typers; Keyrepeat (adjustable) and Key-click; Four-way cursor control and scrolling; Cursor to beginning of text, end of text, beginning of line, end of line, top/bottom of screen, next/previous word; Page up/down; Delete character, previous/next word, beginning/end of line, complete line, text before and after cursor; Locate/Replace with wild-card search with auto/manual replace; Block Mark, Unmark, Copy, Move and Delete; Line Positioning (Left/Center/Right); Set/Reset120 programmable tab stops; Word count. Define left, right, top and bottom margins and page length. You can also highlight text (underline—with on-screen underlining, bold, italics, superscripts, etc). Word Power 3.1 even has a HELP screen which can be accessed any time during edit.

MAIL MERGE

Ever try mailing out the same letter to 50 different people or sending out several resumes? Could be quite a chore. Not with Word Power 3.1. Using this feature, you can type a letter, follow it with a list of addresses and have Word Power 3.1 print out personalized letters It's that easy!

SAVING/LOADING TEXT

Word Power 3.1 creates ASCII format files which are compatible with almost all terminal, spell-checking and other word-processing programs. It allows you to load, save, append and kill files and also to create and edit Basic, Pascal, C and Assembly files. You can select files by simply cursoring through the disk directory. Supports double-sided drives and various step rates.

PRINTING

Word Power 3.1 drives almost any printer (DMP series, EPSON, GEMINI, OKIDATA, etc). Allows print options such as baud rates line spacing page pause, partial print, page numbers, page number placement, linefeed option, multi-line headers/footers, right justification and number of copies (see display above). The values for these parameters and the margins can be changed anytime in the text by embedding Printer Option Codes Word Power 3.1 has the WHAT YOU SEE IS WHAT YOU GET feature which allows you to preview the text on the screen as it will appear in print. You can see margins, page breaks, justification and more

SPELLING CHECKER

Word Power 3.1 comes with a 50,000 word spelling checker/dictionary which finds and corrects mistakes within your text. You can add words to or delete from the dictionary or create a dictionary of your own.

PUNCTUATION CHECKER

This checker will proofread your text for punctuation errors such as capitalization, spaces after periods/commas, double words and much more. It's the perfect addition to any word processor.

DOCUMENTATION

Writing with Word Power 3.1 is a breeze. Word Power 3.1 comes with a well- written, easy-to-comprehend instruction manual which will lead you step-by-step through the program.

Word Power 3.1 comes on an UNPROTECTED disk and is compatible with RS DOS 1.0/1.1 and ADOS. Only \$79.95.

(Word Power 3 owners can get the 3.1 version by sending proof of purchase and \$10.00 to cover the cost of shipping and the manual.)



MICROCOM SOFTWARE

P.O. Box 214

Fairport, NY 14450 Phone (716) 223-1477

To Place Credit Card Orders Call Toll Free 1-800-654-5244 9 AM-9 PM EST 7 days a week

NY, Canada, Foreign Orders, Information, Technical Advice and Order Status call 1-716-223-1477

All orders within Continental US shipped by UPS 2 nd Day Air at no extra charge.

VISA, MC, AMEX, Check, MO. No CODs Please add \$3.00 S&H (USA & Canada), other countries \$5.00 S&H. NYS residents please add sales tax.



RAINBOW Info

How To Read Rainbow

Please note that all the BASIC program listings in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, do read the text before

you start typing.

Finally, the little disk and/or cassette symbols on the table of contents and at the beginning of articles indicate that the program is available through our RAINBOW ON DISK or RAINBOW ON TAPE service. An order form for these services is on the insert card bound in the magazine.

What's A CoCo?

CoCo is an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

However, when we use the term CoCo, we refer to both the Tandy Color Computer and the TDP System-100 Computer. (While many TDP-100s are still in service, the TDP Electronics division of Tandy no longer markets the CoCo look-alike.) It is easier than using both of the "given" names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and Tandy Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

and press ENTER to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since Rainbow Check PLUS counts spaces and punctuation, be sure to type in the listing exactly the

way it's given in the magazine.

10 CLS:X=256*PEEK(35)+178 20 CLEAR 25,X-1 30 X=256*PEEK (35)+178 40 FOR Z=X TO X+27

50 READ Y:W=W+Y:PRINT Z,Y;W

60 POKE Z,Y:NEXT

70 IFW=7985THEN80ELSEPRINT "DATA ERROR": STOP

80 EXEC X: END

90 DATA 182, 1, 106, 167, 140, 60, 134 100 DATA 126, 183, 1, 106, 190, 1, 107 110 DATA 175, 140, 50, 48, 140, 4, 191

120 DATA 1, 107, 57, 129, 10, 38, 38 130 DATA 52, 22, 79, 158, 25, 230, 129 140 DATA 39, 12, 171, 128, 171, 128

150 DATA 230, 132, 38, 250, 48, 1, 32 160 DATA 240, 183, 2, 222, 48, 140, 14

170 DATA 159, 166, 166, 132, 28, 254 180 DATA 189, 173, 198, 53, 22, 126, 0

190 DATA 0, 135, 255, 134, 40, 55

200 DATA 51, 52, 41, 0

doing so, however, boot the OS-9 operating system according to the documentation from Radio Shack.

- 1) Type load dir list copy and press ENTER.
- 2) If you have only one disk drive, remove the OS-9 system disk from Drive 0 and replace it with the OS-9 side of RAINBOW ON DISK. Then type chd/d0 and press ENTER. If you have two disk drives, leave the system master in Drive 0 and put the RAINBOW ON DISK in Drive 1. Then type chd/d1 and press ENTER.
- 3) List the read.me.first file to the screen by typing list read.me.first and pressing ENTER.
- 4) Entering dir will give you a directory of the OS-9 side of RAINBOW ON DISK. To see what programs are in the CMDS directory, enter dir cmds. Follow a similar method to see what source files are in the SOURCE directory.
- 5) When you find a program you want to use, copy it to the CMDS directory on your system disk with one of the following commands:

One-drive system: copy /d0/cmds/ filename /d0/cmds/ filename -s

The system will prompt you to alternately place the source disk (RAINBOW ON DISK) or the destination disk (system disk) in Drive 0.

Two-drive system: copy /d1/cmds/filename /d0/cmds/filename

Once you have copied the program, you execute it from your system master by placing that disk in Drive 0 and entering the name of the file.

The Rainbow Seal



The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has actually been seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.


Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

Rainbow Check PLUS counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use Rainbow Check PLUS, type in the program and save it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW

OS-9 and RAINBOW ON DISK

The OS-9 side of RAINBOW ON DISK contains two directories: CMDS and SOURCE. It also contains a file, read.me.first, which explains the division of the two directories. The CMDS directory contains executable programs and the SOURCE directory contains the ASCII source code for these programs. BASICO9 programs will only be offered in source form so they will only be found in the SOURCE directory.

OS-9 is a very powerful operating system. Because of this, it is not easy to learn at first. However, while we can give specific instructions for using the OS-9 programs, you will find that the OS-9 programs will be of little use unless you are familiar with the operating system. For this reason, if you haven't "learned" OS-9 or are not comfortable with it, we suggest you read *The Complete Rainbow Guide to OS-9* by Dale Puckett and Peter Dibble.

The following is not intended as a course in OS-9. It merely states how to get the OS-9 programs from RAINBOW ON DISK to your OS-9 system disk. Use the procedures appropriate for your system. Before

COCO 3 UTILITIES GALORE

(All utilities support 40/80 columns for CoCo 3) (CoCo 2 versions are available for most utilities)



SUPER TAPE/DISK TRANSFER



Disk-to-Disk Copy (1-3 passes)
 Tape-to-Disk Copy
 Tape-to-Disk Automatic Relocate
 Disk-to-Tape Copy
 Tape-to-Tape Copy
 Tape-to-Tape Copy
 Tape-to-Disk Sustem (Disk to Disk Copy requires

Copies Basic/ML programs and DATA files. CoCo 1, 2 & 3, 32 K Disk System (Disk to Disk Copy requires 64 K). Disk Only \$24.95

OS9 LEVEL II RAMDISK

Lightning Fast Ramdisk with Auto Formatting. A must for any OS9 Level II User. Req. 512 K \$29.95. (Only \$14.95 with the purchase of 512 K Upgrade & Ramdisk!!).

HI-RES JOYSTICK SOFTWARE

Wish you could use the hi-res joystick interface from Basic? You can now. This program will let you access 640 x 640 pixels from your joystick for extra precision. CoCo 3 Disk \$14.95

COCO NEWSROOM

Now available for the CoCo III! You can design your own newspaper with Banner Headlines/6 articles using sophisticated Graphics, Fonts and Fill Patterns. Comes with 22 fonts & 50 pictures! Over 140 K of code. Disk only \$49.95

MAILLIST PRO

The ultimate mailing list program. Allows you to add, edit, view, delete, change, sort(by zipcode or name) and print labels. Its indispensible! Disk Only \$19.95 (CoCo 2 version included)

DISK LABEL MAKER

Allows you to design professional disk labels! Allows elongated, normal and condensed format for text, double-strike, border creation and multiple-label printing. Its a MUST for any user with a disk drive. Disk Only \$19.95. Supports DMP105/110/120/130/430, GEMINI, STAR, EPSON and compatibles. (CoCo 2 version included)

COMPUTERIZED CHECKBOOK

Why bother with balancing your checkbook? Let the CoCo do it for you! Allows you to add, view, search, edit, change, delete and printout (in a table or individual entry format) checkbook entries. Updates balance after each entry. Allows files for checking, saving and other accounts. Disk Only \$19.95 (CoCo 2 version included)

BOWLING SCORE KEEPER

An excellent utility to keep track of your bowling scores. Allows you to save scores under individuals or teams. You can edit, change, delete and compare scores. A must for anyone who wants to keep track of his or her bowling performance. Disk \$19.95 (CoCo 2 version included).

VCR TAPE ORGANIZER

Organize your videocassettes with this program! Allows you to index cassettes by title, rating, type, play time and comments. Also allows you to sort titles alphabetically and view/print selected tapes. If you own a VCR, this program is a must. Disk Only \$19.95 (CoCo 2 version included).

SCREEN DUMP

32, 40, 80 column text dump, PMODE 4 Graphics Dump. Single Keystroke Operation allows you to take snapshots of screens even when programs are running! Works on DMP's, Epson and Gemini. CoCo 1, 2 and 3. Disk Only \$24.95



HOME BILL MANAGER

Let the CoCo keep track of your bills. Allows you to enter bills under various categories and reminds you when they are due. Disk Only. \$19.95



CALENDAR MAKER

Generate monthly calendars on your printer for any year in the 20th century. Disk Only. \$19.95



COCO UTIL II

(Latest Version): Transfer CoCo Disk files to IBM compatible computer. Transfer MS-DOS files to CoCo. Req. 2-Drive IBM compatible. \$39.95

SPIT'N IMAGE

Makes a BACKUP of ANY disk \$32.95

ADOS3

Advanced Disk Operating System for CoCo 3. \$34.95 ADOS \$27.95

RGB PATCH

Displays most games in color on RGB monitors. For CoCo 3 Disk \$24.95

All orders \$50 and above shipped by UPS2nd Day Air within Continental US at no extra charge. No CODs. We accept Visa, MC, Amex, Check or MO. Please add \$3.00 S&H (USA/Canada). Other countries \$5.00 S&H. NYS residents please add sales tax

OS 9 PRODUCTS

OS 9 LEVEL II OPERATING SYSTEM

Supports 512K RAM dual speed, multi-tasking multiple windows and more! Comes with disk and complete documentation. Only \$89.95

MULTI-VUE

User friendly graphics interface with multiple "window" applications for Level II. Only \$54.95

WIZ

OS9 Level II Terminal Package with 300-19200 baud rate and windowing capability. Requires 512 K and RS-232 Pack Only \$79.95

SCREEN STAR

Best OS9 Word Processor. Implements WordStar (R) editing capabilities. Even has a built in spelling checker. Use with OS-9 Text Formater to get beautiful printouts. For OS9 Level 1 and 2. Disk Only \$49.95. OS-9 Text Formatter: Printout beautiful documents from any ASCII file. Only \$34.95. Both Screen Star and OS-9 Text Formatter: \$74.95

DATA MASTER

Excellent database for OS9. Features include: windows, pull down menus, sorting, etc. Requires OS9 Level II & 512K. Only \$64.95

PC-Xfer UTILITIES

NEWS

Programs to format and transfer files to/from MS-DOS diskettes on CoCo Under OS9 Level 1 or 2. Requires SDISK or SDISK3. Only \$44.95

SDISK 3

Standard disk drive module replacement allows full use of 40/80 track double sided drives. Req. 0S9 Level II. Only \$29.95

SDISK

Same as SDISK 3 except for OS9 Level I. Only \$29.95

OS9 LEVEL II RAMDISK

\$29.95

BOOKS

Inside OS9 Level II: \$39.95
Rainbow Guide To OS9 Level II: \$19.95
Rainbow Guide To OS9 Level II Disk: \$19.95
OS9 is a trademark of Microware and Motorola, Inc.

MAF

MICROCOM SOFTWARE P.O. Box 214


Fairport, N.Y. 14450 Phone (716) 223-1477







To Place Credit Card Orders, Call Toll Free 1-800-654-5244 9 AM - 9 PM EST 7 days a week NY, Canada, Foreign Orders, Information, Technical Advice and Order Status call 1-716-223-1477



Seasons of Change

here have been some pretty big changes taking place around here in the last month and I thought you would like to know something about them.

First of all, we staged Falsoft's first "retirement" party ever when General Manager Pat Hirsch — who was the company's first paid employee (she got paid even before I did) — was honored at a luncheon the middle of February. Pat's last day was February 15.

Bonnie Frowenfeld, who has been assistant general manager for fulfillment services, has moved into Pat's office. Bonnie brings a wealth of experience to the position and I know you will all join me in wishing her well at her new post.

I know that many of you who have met Pat at RAINBOWfests will also join me in wishing her the best in her "retirement." As an old lady of 45 (it has always been a great source of pleasure to me that she is six full months older than I am), Pat intends to spend more time traveling with her husband to pickle patches around the world and sharpening up her tennis game.

Some explanation is in order for the first statement; a clarification for the second.

"Mr. Pat," Ken Hirsch, is the head honcho at Paramount Foods here in Louisville, a firm that makes and sells pickles, relishes and other stuff like that. Additionally, Ken (known, obviously, as "Pickle" to many of his friends) is an Important Person in the International Pickle Packer's Association and needs to make numerous trips for them as well as his own business. Pat's duties at Falsoft had limited her ability to accompany him. Now they won't. (Incidentally, Pat is *not* known as "Mrs. Pickle." Their eldest daughter, Lisa, however, is known as "Little Pickle.")

500 POKEs, PEEKs, 'N EXECs

FOR THE TRS-80 COCO

NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HIQUALITY Basic and ML programs. SO WHY WAIT?? This 80-page book includes POKES, PEEKs and EXECs to:

- * Autostart your basic programs
- * Disable Color Basic/ECB/Disk
 Basic commands like LIST,
 LLIST, POKE, EXEC, CSAVE(M),
 DEL, EDIT, TRON, TROFF,
 PCLEAR, DLOAD, RENUM, PRINT
 USING, DIR, KILL, SAVE, LOAD,
 MERGE, RENAME, DSKINI,
 BACKUP, DSKI\$, and DSKO\$.
- BACKUP, DSKI\$, and DSKO\$.

 * Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
- * Generate a Repeat-key.
- * Transfer ROMPAKS to tape (For 64K only).
- ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes
- ★ Merge two Basic programs.
- * AND MUCH MUCH MOREIII COMMANDS COMPATIBLE WITH 16K/32K/64K/COLOR BASIC/ECB/DISK BASIC SYSTEMS and CoCo 1, 2, & 3.

ONLY \$16.95

SUPPLEMENT to 500 POKES, PEEKS 'N EXECS

ONLY \$9.95

200 additional Pokes, Peeks'n Execs to give you MORE PROGRAMMING POWER. Includes commands for:

- Rompak Transfer to disk
- PAINT with 65000 styles!
- Use of 40 track single/double sided drives with variable step-rates
- High-Speed Cassette Operation
- Telewriter 64°. Edtasm+° and CoCo Max°
 Enhancements
- Graphics Dump (for DMP printers) & Text Screen Dump
- AND MUCH MUCH MORE!
- 500 POKES, PEEKS'N EXECS is a prerequisite

PEEKS'N EXECS FOR THE COCO III

Get more POWER for your CoCo III. Includes commands for.

- 40/80 Column Screen Text Dump
- Save Text/ Graphics Screens to Disk
- Command/Function Disables
- Enhancements for CoCo 3 Basic
- 128 K/512 K Ram Test Program
- HPRINT Character Modifier
- AND MANY MORE COMMANDS



ONLY \$19.95

"MUST" BOOKS

UNRAVELLED SERIES: These books provide a complete annotated listing of the BASIC/ECB and DISK ROMs. EXTENDED COLOR BASIC UNRAVELLED: \$39.95 DISK BASIC UNRAVELLED: \$19.95 **BOTH UNRAVELLED BOOKS: \$49.95** SUPER ECB (CoCo3) UNRAVELLED: \$24.95 ALL 3 UNRAVELLED BOOKS: \$59.95 COCO 3 SERVICE MANUAL \$39.95 COCO 2 SERVICE MANUAL: \$29.95 INSIDE OS9 LEVEL II \$39.95 RAINBOW GUIDE TO OS9 LEVEL II ON COCO 3: \$19.95 RAINBOW GUIDE TO 089 II DISK: \$19.95 INSIDE 089 LEVEL II DISK: \$20.00 COCO 3 SECRETS REVEALED: \$19.95 ASSEMBLY LANGUAGE PROGRAMMING*: \$18.00

ADDENDUM FOR COCO 3: \$12.00
UTILITY ROUTINES VOL 1 BOOK: \$19.95

GAMES (Disk Only) (CoCo 1, 2, & 3 except where mentioned)
WILD WEST (CoCo 3 Only) \$24.95
VEGAS SLOTS (CoCo 3 Only) \$29.95

VEGAS GAME PACK: \$24.95 FLIGHT 16: \$34.95

IN QUEST OF STAR LORD
(Animated Graphics Adventure

CoCo 3): \$34.95

WHITE FIRE OF ETERNITY: \$19.95
PYRAMIX (Cubix for CoCo 3): \$24.95
P-51 MUSTANG SIMULATION: \$34.95

WORLDS OF FLIGHT: \$34.95 KUNG FU DUDE: \$24.95

APPROACH CONTROL SIMULATION: \$34.95
TREASURY PACK #1: Lunar Rover Patrol,

Cubix, Declathon, Qix, Keys of Wizard, Module Man, Pengon, Space Wrek and

Pengon, Space Wrek and Roller Controller all in one package! Only \$29.95

TREASURY PACK #2: Lancer, Ms. Gobbler, Froggie, Madness and Minotaur, Ice Castles,

Galagon, Devious and Syzygy all in one package! Only \$29.95



COCO GRAPHICS DESIGNER

Greeting Cards Signs Banners

The CoCo Graphics Designer allows you to create beautifully designed Greeting Cards, Signs and Banners for holidays, birthdays, parties, anniversaries and other occasions. Comes with a library of predrawn pictures. Also includes utilities which allow you to create your own character sets, borders and graphic pictures. Requires a TRS-80 COLOR COMPUTER I, II OR III OR TDP-100 with a MINIMUM OF 32K, ONE DISK DRIVE and a PRINTER compatible with DISK BASIC 1.0/1.1, ADOS 1.0/1.1 AND JDOS. Supports the following printers: DMP 100/105/110/130/430, CGP 220, EPSON RX/FX, GEMINI 10X, SG-10, NX-10 & OKIDATA

DISK ONLY \$29.95

PICTURE DISK #1: 100 more pictures for CGD: \$14.95

FONT DISK #1: 10 extra fonts! \$19.95 COLORED PAPER PACKS \$24.95

COCO MAX III (with hi-res interface): \$79.95 COCO MAX II: Disk \$77.95 Tape \$67.95 MAX PATCH An excellent software patch to run COCO MAX II on COCO III. Req. RS Hi-res Joystick Interface. No chip replacements or

soldering Disk only \$24.95
BOTH MAX PATCH & HI-RES INTERFACE:
\$34.95

COLOR MAX 3 DELUXE: \$69.95 COLOR MAX 3: \$59.95

Telewriter-64: Best Word Processor for CoCo 1 & 2 (Cas) \$47.95 (Disk) \$57.95

TW-80: 80 Column Display & more features for TW-64. CoCo 3 Disk \$39.95

TELEFORM: Mail Merge & Form Letters for TW-64, \$19.95

Autoterm: Superb Terminal Program Works with any modem! (Cas) \$29.95 (Disk) \$39.95 Pro Color File * Enhanced*: Multi-feature Database \$59.95 Sidewise: \$24.95

Pro-Color Dir: \$24.95

EDT/ASM 64 D: Best Disk Based Editor-

Assembler for CoCo\$59.95 (Specify CoCo 1, 2 or 3) THE SOURCE: Best Disassembler for CoCo\$34.95

THE SOURCE III: \$49.95

CBASIC: Most powerful Basic Program Complier

\$149.95 (Specify CoCo 1, 2 or 3)



MICROCOM SOFTWARE P.O. Box 214

Fairport, N.Y. 14450 Phone (716) 223-1477 All orders \$50 and above shipped by UP\$2 nd Day Air within Continental US at no extra charge. No CODs. We accept Visa, MC, Amex, Check or MO. Please add \$3.00 S& H (USA/Canada). Other countries \$5.00 S& H. NYS residents please add sales tax



To Place Credit Card Orders, Call Toll Free 1-800-654-5244 9 AM-9 PM EST 7 days a week NY, Canada, Foreign Orders, Information, Technical Advice and Order Status call 1-716-223-1477

My second comment, concerning tennis, is probably untrue. If Pat gets much better at tennis than she is, she may be banned from local courts. Her serve broke my secretary's arm one day. Bob Albrecht, the famous writer, once challenged her to a match until he found out how good she was. He backed out.

* * *

Another big change here sees a sort of triple shift, brought about by Jim Reed's decision to "explore new horizons" in the publishing world.

Jim was the first managing editor of RAINBOW and guided it through its important stages of growth and development. His depth of knowledge of magazines and publications was a vital element in its metamorphosis from a "newsletter" to a slick magazine.

Jim moved to other duties about six months ago, as executive editor for the company. Jutta Kapfhammer then moved into the editorial coordinator's job and became managing editor of RAINBOW.

With Jim's departure, Jutta will

devote full time to her managing editor's position. John Crawley, who has been with Falsoft for almost five years, becomes director of editorial services. For those of you who wonder, John will also continue as editor of ScoreCARD, our sports weekly.

"Change means that we are getting new blood, new ideas and looking at new ways to solve problems."

Jim's departure means we have placed, for now, anyway, our Color Computer history book on the back burner. We may move it back up front at any time, however, so stay tuned.

While Jim will no longer work directly with the magazines, he will continue to oversee our operations on Delphi. So, he'll still be an important part of our CoCo Community.

* * *

We will miss Pat and Jim, but, despite that, I think change is, essentially, good. Change means that we are getting new blood, new ideas and looking at new ways to solve problems that we didn't have before. This is certainly not to say that the "old" ways didn't work or were no good, it is just that a fresh approach is always a good one.

To that end, I remember a poem that Mrs. Howard, who taught Library at Crestline Grammar School, once made us learn. The essential part of it went:

> Make new friends; But keep the old. One is silver; And the other gold.

I think it most appropriate to consider those sentiments at this time.

- Lonnie Falk



Corrections (See Page 30 for additional corrections.)

"Making a Christmas Address List" (December 1987, Page 66): George Saunderson has written to correct a bug that will cause an AO Error to occur if certain conditions are met when running XMASLIST. To correct the problem, re-enter Line 440 as follows:

44Ø NEXT A:GOTO 42Ø

"A Christmas Potpourri" (December 1987, Page 100): One of the HDRAW codes is missing from Line 2460 of XMASPORI. That line should be altered as follows:

246Ø HDRAW"BR1Ø;BU2;XZY\$;BR8;BD6;BD1;XE\$;BR9;BU2;XA\$;BR3;BD1;XR\$;"

"A Smooth Operator" (January 1988, Page 78): As written, SMOOTHY does not work properly on 512K CoCo 3s. To fix this problem, change the value of 25 in Line 170 to a value of 217. Also, change the value of 24 in Line 220 to a value of 216.

"Taking Care of CoCo 3 Bugs" (Hint, February 1988, Page 115): The hint incorrectly states that if a value greater than 23 and less than 127 is given as the vertical coordinate of the HPRINT command, the text to be printed will appear on the first screen line. Actually, any value greater than 23 but less than or equal to 127 will cause the message to be printed on the bottom line, as it should. When the vertical coordinate is greater than 127 and less than or equal to 151, however, the text will be printed on the first screen line.

For quicker reference, Corrections will be posted on Delphi as soon as they are available in the Info on Rainbow topic area of the database. Just type DATA at the CoCo SIG> prompt and INFO at the TOPIC> prompt.

DISK DRIVES.

Double Sided Double Density 360 K40 Track ½ Ht Disk Drives for CoCo2 and 3. Buy from someone else and all you get is a disk drive. Buy from us and not only do you get a quality disk drive but also \$60 worth of disk utility software (Super Tape/Disk Transfer and Disk Tutorial) and our DISKMAX utility which allows you to use BOTH sides of our disk drives. Its like buying TWO disk drives for the price of ONE!!

Drive 0 (with J & M Controller & Cable): \$229.95 Drive 1: \$149.00

TWO ½ ht Drives in one case with cable & controller: \$339.95 Single Power-Supply & Case: \$59.95

Disk Drive Power Supply 'Y" Cables: \$8.95

(90 day warranty on all drives)

J&M Controller (with RSDOS): \$79.95 DISTO Super Controller: \$99.95

4 Drive Cable: \$39.95

Mini Eprom Programmer Add-On: \$54.95 Real Time Clock & Parallel Printer Interface Add-on: \$39.95

DISTO Super Controller II: \$129.95

\$19.95 2 Drive Cable: \$24.95 4 Drive (For Drives, add \$7.00 S&H in USA/Canada)

HARD DRIVES

Finally! Hard Drive Interface for Basic and OS9 from Burke & Burke!!

CoCo XT: Use up to 25-120 Meg Hard Drives. You buy WD1002-WX1 or WD1002-27 X Controller, Case and drive from your PC dealer and use CoCo XT to hook the drive up to your CoCo. Includes drivers for OS9/Basic and complete documentation. \$69.95.

HYPER I/O: Modifies RSDOS to allow use of floppy and hard drives. If you are using hard drives from Basic, you will need HYPER I/O to access the hard drives. Disk Only \$24.95.

COCO XT ROM: Installs in hard disk controller. Boots OS9 from hard/floppy drive. \$19.95.

CoCo XT-RTC: Same as CoCo XT with Real Time Clock/battery backup: \$99.95. Please note you need a 64 K CoCo or CoCo 3 and Multipak for all versions.

COMMUNICATIONS EXTRAVAGANZA

1 Drive Cable: \$19.95

1) AVATEX 1200e MODEM: Fully Hayes compatible 300/1200 Baud, Auto-Dial/Answer/Redial (Reg. \$129.95)

2) MODEM CABLE (Reg. \$19.95)

3) AUTOTERM TERMINAL SOFTWARE

4) FREE COMPUSERVE OFFER and Access Time

5) UPS 2 nd DAY AIR Shipping. ONLY \$149.95

(With AVATEX 1200 hc instead of

AVATEX 1200: \$174.95)

AVATEX 2400: \$229.95

CABLES/INTERFACE/ ____ADAPTERS ____

RS232 Y CABLE: Hook 2 devices to the serial port ONLY \$18.95

Y CABLE: Use your Disk System with CoCo Max, DS69, etc. ONLY \$24.95
15' PRINTER/MODEM EXTENDER CABLE: ONLY \$16.95

MODEM CABLE: 4 pin to DB 25: \$19.95 15" MULTIPAK/ROMPAK EXTENDER CABLE: \$29.95

3-POSITION SWITCHER: \$37.95 WICO TRACK BALL: \$34.95

RS HI-RES JOYSTICK INTERFACE: \$11.99 MAGNAVOX 8505/8515/8CM643 Analog RGB Cable: \$24.95

CM-8 RGB Analog Ext. Cable: \$19.95 SONY Monitor Cable: \$39.95

VIDEO DRIVER: For Monochrome or Color. Specify CoCo 1 or 2. \$34.95

VIDEO CLEAR: Reduce TV interference. \$19.95

SERIAL TO PARALLEL INTERFACE: With 6 switch selectable baud rates (300-9600) Comes with all cables. \$44.95

EPROM _

INTRONICS EPROM PROGRAMMER: Best EPROM Programmer for the CoCo. Lowest Price Anywhere. \$137.95

EPROM ERASER (Datarase): Fast erase of 24/28 pin EPROMs. \$49.95

EPROMS: 2764 – \$8.00, 27128 – \$9.00 Call for other EPROMS.

BOTH EPROM PROGRAMMER and ERASER: \$179.95

ROMPAK w/ Blank PC Board 27 xx Series: \$12.95

KEYBOARDS/ACCESSORIES

KEYBOARD EXTENSION CABLE: Our keyboard extender cable allows you to move your keyboard away from the computer and type with ease. You can use your existing keyboard with this cable or leave your present keyboard intact and use a second keyboard. A MUST for all CoCo Users. Only \$39.95. Cable with CoCo II keyboard: \$49.95 COCO 3 KEYBOARD (includes FREE FUNCTION KEYS software value \$19.95) \$39.95 CoCo II keyboard: \$19.95

CHIPS, ETC.

Disk Basic Rom 1.1 (Needed for CoCo III) \$29.95. 68 B09 E Chip: \$14.95 ECB Rom 1.1: \$29.95. Multi-Pak PAL Chip for CoCo 3 \$19.95 PAL Switcher: Now you can switch between the CoCo II and CoCo III modes when using the Multi-Pak You need the OLDER and NEW PAL chip for the 26-3024 Multipak Only \$39.95 With NEW PAL Chip \$49.95 51/4" DS/DD Disks: \$0.45 each

512K UPGRADE FOR COCO III

Fast 120ns chips. Fully tested. Easy installation. No soldering. Comes with complete documentation and RAM test program on disk.



ONLY \$89.95



(With purchase of our 512 K RAMDISK program below) 512 K Upgrade without chips \$44.95

512K RAMDISK \$24.95

Have 2 superfast RAMDISKs & a print spooler.

64 K Upgrade for 26-3134 A/B CoCo II:\$39.95 64 K Upgrade for CoCo I's, CoCo II's with Cat #26-3026/7, 26-3134 & 26-3136: \$29.95



MICROCOM SOFTWARE

P.O. Box 214 Fairport, N.Y. 14450 Phone (716) 223-1477 All orders \$50 and above (except Disk Drives) shipped by UPS 2 nd Day Air within Continental US at no extra charge. No CODs. We accept Visa, MC, Amex, Check or MO. Please add \$3.00 S&H (USA/Canada). Other countries \$5.00 S&H. NYS residents please add sales tax

VISA




To Place Credit Card Orders, Call Toll Free 1-800-654-5244 9 AM – 9 PM EST 7 days a week NY, Canada, Foreign Orders, Information, Technical Advice and Order Status call 1-716-223-1477

About Your Subscription

Your copy of THE RAINBOW is sent second class mail. You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an account number and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.



Building April's Rainbow

Our favorite "home helper"...

. . . deserves a home of its very own!

far as I know, home builders are not yet incorporating computer rooms into their house plans, except when a house is custom designed, but Jim Reed insists that architects will soon be sketching in computer rooms in the same routine manner they add utility rooms, breakfast nooks, half baths and sun rooms. I agree. And when that does become commonplace, what do you suppose the "standard" computer room will include, and where will it be?

My first thought is that it would be nice to have the computer room look in on the family room, much as some kitchens are designed so you can look in on family members as you cook, or even follow what they're watching on TV. I guess the computer room's window might need to be closed if you fire up a loud printer or if the family room activity becomes too distracting, but I dislike being separated from the rest of the household when I am computing.

A friend down in Florida is building a house right now, and the computer room is one of his central interests. He is having *three* phone lines put in. One is to be a voice line while the other two are data lines. Two data lines? Well, he says, if he is running a BBS, how else will he be able to access other BBS systems or the online services? Obviously, all of us would have a bunch of electrical outlets, but he also says his computer stuff will be on a completely separate circuit from the rest of the house. He's even having 25-conductor, RS-232 cable run throughout the house with five leads going into the computer room.


While I'd prefer to stay in touch with family activities, he wants to be in the remotest part of the house. He is also having acoustical insulation installed so any late night tap, tap, tap on the keyboard will not disturb those who think the wee hours are for sleeping.

Regardless of where the room is located, the custom computer room for the home should, I would think, be laid out so that screen reflections from windows, lamps, ceiling fixtures or even other monitors would be minimized. Such things as carpeting, home intercom, shelving (make sure to know where the studs are for later addition of more shelves) and wall decor are, of course, a matter of individual taste. In discussing it around the office, though, a surprising consensus developed that it would be great to have built-in counters and sit on high stools to compute! While none of the technical people around here have such a setup, all agreed they'd like to. In fact, such a prospect created more excitement than any other idea.

Someone suggested a very large table be in the middle of the room (which all agree needs to be at least 10-by-14); the table would eliminate the hassle of where to put printouts and odds and ends. One programmer even wants a "whiteboard wall" in order to do flow-charting and the like on one entire wall. Everyone seemed in favor of allotting space for stereo equipment, if not cable TV as well. An easy chair and reading lamp for going over manuals met with wide agreement, but most felt one dreamer's desire for a cathedral ceiling and skylights was "pie in the sky." Still, if you are designing the ultimate computer room for your own needs, and the budget permits, why not?

If you are one of the lucky ones who do get the chance to design your very own custom computer room, I'll offer this familiar recommendation: Allocate a place for storing all the back issues of THE RAINBOW and include enough room for a lot of issues yet to come. And, since this is our "Home Help" issue, why not have a subscription "installed" for even greater convenience!

- Jutta Kapfhammer



HOW DO YOU GIVE A RAINBOW?

It's simple — Give a RAINBOW gift certificate . . .

Let a gift subscription to THE RAINBOW carry the premier Color Computer magazine right to your friends' doorsteps. THE RAINBOW is *the* information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year 'round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — more than 200 pages loaded with as many as 24 programs, 15 regular columns and lots of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more tracking down borrowed copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

Get your order to us by April 25 and we'll begin your friends' subscriptions with the June issue of RAINBOW.

Please begin	a one-year	(12	issues)	gift	subscription	to
THE RAINBOW	for:					

Mail to

Rainbow Gift Certificate, The Falsoft Building, P.O. Box 385, Prospect, KY 40059


For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax. U.S. currency only, please. All subscriptions begin with the current issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.


CoCo Gallery




This scene expressing tranquility at its best was developed with CoCo Max III. Wally and his wife have four children and three grandchildren; they live in Hamilton, Ohio.



Michael, who is 21 years old and has cerebral palsy, used BASIC and the CoCo 3 to create this graphic illustration. His main hobby is working with the CoCo; he lives in Port Orange, Florida.




Philip, of Lauderhill, Florida, used CoCo Max III to show the beauty of this Scarlet Macaw. Philip is an engineering supervisor for a machinery building company in Miami and his hobbies include snorkeling, horticulture and CoCoing.



We are taking "CoCo Gallery" to RAINBOWfest Chicago!
See Page 49 for details.

Eddie, a freshman in college, used CoCo Max II to create these views of a Lamborghini. He lives in Hanford, California.



CoCo Max II converted for the CoCo 3 through CC-3-MAX, from Lomiq, was used to illustrate this aggression. Francis, whose hobbies include drawing, roleplaying games and computers, lives in the village of St-Honore, Quebec, Canada.

SHOWCASE YOUR BEST! You are invited to nominate original work for inclusion in upcoming showings of "CoCo Gallery." Share your creations with the CoCo Community! Be sure to send a cover letter with your name, address and phone number, detailing how you created your picture (what programs you used, etc.) and how to display it. Also, please include a few facts about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere. A digitized copy of a picture that appears in a book or magazine is not an original work.


We will award two first prizes of \$25, one for the CoCo 3 and one for the CoCo 1 and 2; one second prize of \$15 and one third prize of \$10. Honorable Mentions may also be given.

Please send your entry on either tape or disk to the CoCo Gallery, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Remember, this is a contest and your entry will not be returned. - Angela Kapfhammer, Curator

19



Generate a form to grant authorization for the medical treatment of a minor



Operation Child Protect

By James A. Upperman

magine you and your spouse are away on a trip while your children are staying at home with relatives. Or perhaps your child is on a camping trip with a friend's family. What would happen if your child were badly injured or became seriously ill? What if your child needed immediate medical treatment?

If the illness or injury could cause

death or loss of limb, the doctors would start medical treatment without delay. At the same time, they would make every effort to contact you to find out if your child has any medical conditions that might affect the treatment.


On the other hand, if the situation were not quite as serious but still definitely required medical treatment — and your child is a minor — there would be a serious complication. The doctors cannot — by law — start the necessary treatment until you are contacted and have given your consent. While the doctors try to reach you, your child must wait, without medical treatment, for hours or even days, until you are

finally located. Only after you have given your consent can the doctors treat your child's injury or illness.

Of course, when you and your children are apart, the people caring for your children should know how to reach you at all times. However, if you think there is a chance you may be hard to contact, you can temporarily assign the authority to approve your child's unexpected medical treatment to another adult in your place. The adult can be a relative, neighbor, minister or scoutmaster — anyone over the age of 18 who will be with your child or who can be reached easily in case of an emergency.

James Upperman is an architect in Columbus, Ohio, and has had his Color Computer for almost four years. He is a past president of the Central Ohio Color Computer Club.

The Amazing A-BUS



An A-BUS system with two Motherboards A-BUS adapter in foreground

The A-BUS system works with the original CoCo, the CoCo 2 and the CoCo 3.

About the A-BUS system:

- . All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory. In BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)
- . They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
- . A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

Relay Card

Includes eight industrial relays. (3 amp contacts, SPST) individually controlled and latched. 8 LED's show status. Easy to use (OUT or POKE in BASIC). Card address is jumper selectable.

Reed Relay Card RE-156: \$99 Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

Analog Input Card AD-142: \$129
Eight analog inputs. 0 to +5V range can be expanded to 100V by adding a resistor. 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use.

12 Bit A/D Converter AN-146: \$139 This analog to digital converter is accurate to .025%. Input range is -4 V to +4V. Resolution: 1 millivolt. The on board amplifier boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple. strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card).

Digital Input Card The eight inputs are optically isolated, so it's safe and easy to connect any "on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK).

24 Line TTL I/O Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for input, latched output, strobed output, strobed input, and/or bidirectional strobed I/O. Uses the 8255A chip.

Clock with Alarm Powerful clock/calendar with: battery backup for Time, Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal format. Lithium battery included.

Touch Tone® Decoder PH-145: \$79 Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE. Use for remote control projects, etc.

A-BUS Prototyping Card PR-152: \$15 31/2 by 41/2 in. with power and ground bus. Fits up to 10 I.C.s

Plug into the future

With the A-BUS you can plug your PC (IBM, Apple, TRS-80) into a future of exciting new applications in the fields of control, monitoring, automation, sensing, robotics, etc.

Alpha's modular A-BUS offers a proven method to build your "custom" system today. Tomorrow, when you are ready to take another step, you will be able to add more functions. This is ideal for first time experimenting and teaching.

A-BUS control can be entirely done in simple BASIC or Pascal, and no knowledge of electronics is required!

An A-BUS system consists of the A-BUS adapter plugged into your computer and a cable to connect the Adapter to 1 or 2 A-BUS cards. The same cable will also fit an A-BUS Motherboard for expansion up to 25 cards in any combination.

The A-BUS is backed by Alpha's continuing support (our 11th year, 50000 customers in over 60 countries).

The complete set of A-BUS User's Manuals is available for \$10.








RF-140



IN-141



Smart Stepper Controller sc-149: \$299

World's finest stepper controller. On board microprocessor controls 4 motors simultaneously. Incredibly, it accepts plain English commands like "Move arm 10.2 inches left". Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control coordinate (relative or absolute), ramping, speed, step type (half, full, wave), scale factor, units, holding power, etc. Many inputs: 8 limit & "wait until" switches, panic button, etc. On the fly reporting of position, speed, etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer

Remote Control Keypad Option RC-121: \$49 To control the 4 motors directly, and "teach" sequences of motions. **Power Driver Board Option** PD-123: \$89

Boost controller drive to 5 amps per phase. For two motors (eight drivers). **Breakout Board Option** BB-122: \$19 For easy connection of 2 motors 3 ft, cable ends with screw terminal board

Stepper Motor Driver ST-143: \$79 Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V, bidirectional, 4 phase, 350mA per phase) Special Package: 2 motors (MO-103) + ST-143: PA-181: \$99

Stepper Motors MO-103: \$15 or 4 for \$39 Pancake type, 24" dia, 1/4" shaft, 7.5°/step. 4 phase bidirectional. 300 step/sec, 12V, 36 ohm, bipolar, 5 oz-in torque, same as Airpax K82701-P2

Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter. Counter Timer, Voice Recognition.

A-BUS Adapters for:

IBM PC, XT, AT and compatibles. Uses one short slot AR-133...\$69 Tandy 1000, 1000 EX&SX, 1200, 3000. Uses one short slot. AR-133...\$69 AR-134...\$49 Apple II, II+, IIe. Uses any slot. TRS-80 Model 102, 200 Plugs into 40 pin "system bus" AR-136...\$69 Model 100. Uses 40 pin socket. (Socket is duplicated on adapter). AR-135...\$69 TRS-80 Mod 3,4,4D. Fits 50 pin bus. (Withhard disk, use Y-cable). AR-132.\$49 TRS-80 Model 4P. Includes extra cable. (50 pin bus is recessed). AR-137..\$62 TRS-80 Model I. Plugs into 40 pin I/O bus on KB or E/I. AR-131...\$39 Color Computers (Tandy) Fits ROM slot. Multipak. or Y-cable. AR-138..\$49

A-BUS Cable (3 ft, 50 cond.) CA-163: \$24 Connects the A-BUS adapter to one A-BUS card or to first Motherboard. Special cable for two A-BUS cards: CA-162: \$34

A-BUS Motherboard MB-120: \$99 Each Motherboard holds five A-BUS cards. A sixth connector allows a

second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card guides included.

. The A-BUS is not a replacement for the Multi-pak

Add \$3.00 per order for shipping. Visa, MC, checks, M.O, welcome. CT & NY residents add sales tax. C.O.D. add \$3.00 extra. Canada: shipping is \$5 Overseas add 10%



ALPHA Products

242-W West Avenue, Darien, CT 06820

Technical info: (203) 656-1806 Orders only Except in CT 800 221-0916 Connecticut orders: (203) 348-9436 All lines open weekdays 9 to 5 Eastern time



WITH YOUR COCO MAX III ORDER:

- FREE DEMO DISK
- FREE COCOSHOW PROGRAM
- FREE EXTRA FONTS DISK



Coo Hax III



must be the most enjoyable, useful, and awesome program you've ever seen or your money back. no questions asked.

CALL NOW TOLL FREE 1-800 221 Mon-Fri AND LET THE FUN BEGIN

A FEW QUOTES:

An outstanding program that almost turns your CoCo into a replica of the Macintosh. Terrific hi-res color, very easy to learn and use.

- Family Computing

There is absolutely nothing else on the Color Computer that is comparable to CoCo Max's power and ease of use. The most enjoyable time with a computer I ever had.

Computerware Review

In Everyone's book, CoCo Max is rated again and again as the most incredible product ever marketed for the CoCo. -CoCo America Club

I never expected to see anything like it on my CoCo screen. There isn't a single command to remember. Even a person who has no drawing ability like myself can create a presentable picture. I've spent hours just doodling enjoying all the things from silly to the serious. Fascinating experience. Buy it, you won't be sorry.

6809 Express

"The best program ever written for the Color Computer"

That's how thousands of enthusiastic users rated the CoCo Max II drawing program. With CoCo Max III we are ready to amaze them again. Instead of "patching" CoCo Max II, we rewrote it from scratch to take advantage of the CoCo Max III hardware. The results will knock your socks off! Below is a brief list of some of the new features, but some, such as animation, color sequencing, or the slide show, have to be seen. Send for the Demo Disk, and see for yourself.

Everybody's favorite drawing package features:

- A 50% larger editing window. - Zoom area 400% larger. - New drawing tools: rays, 3D cubes, arcs,... New editing tools: shadow,text size,... - Rotate by 1.5° steps - Select any 16 of the 64 possible colors (all 64 colors displayed at once!) - Powerful color mix: additive, subtractive, overlay,... - Full color editing of patterns and color changing patterns. - Incredible special effects with color cycling up to 8 colors with variable speed. -Animation adds the dimension of motion to your image. (Must be seen.) - Sophisticated data compression saves up to 70% of disk space when saving pictures.

In addition, there are dozens of enhancements to the multitude of features that made CoCo Max II a best seller.

More about CoCo Max III

- · CoCo Max III is not an upgrade of CoCo Max II. It is entirely rewritten to take advantage of the new CoCo 3 hardware (More memory, resolution, colors, speed,...)
- The new CoCo Max III Hi-Res Interface and the CoCo Max II Hi-Res Pack are not interchangable.
- The new interface plugs into the joystick connector.
- The CoCo Max III disk is not copy protected.
- CoCo Max III only works with the CoCo 3.
- A Y-Cable or Multi-pak is not necessary.
- Colors are printed in five shades of gray.
- CoCo Max III can read CoCo Max II pictures.

Note: CoCo Max II (for the CoCo 2) is still available on disk (\$79.95). CoCo Max I is still available on tape (\$69.95). For details, refer to our double page ad in any Rainbow from January '86 to July '87

Toll Free operators are for orders only. If you need precise answers, call the tech line. (Detailled CoCo Max specs are included with the Demo Disk.)

Add \$3.00 per order for ahlpping. Visa, MC, checks, M.O. welcome. CT residents add sales tax. C.O.D. add \$3.00 extra. Canada: shipping is \$5 Overseas add 10%



* Beware of inferior imitations that DO NOT include a Hi-Res Interface or charge extra for each utility.



Imagine this picture in sixteen colors!

Guaranteed Satisfaction Use CoCo Max for a full month If you are not delighted with it, we will refund every penny.

System Requirements:

Any CoCo 3 disk system with a Joystick or a Mouse.

We apologize to tape users, CoCo Max III needs the flexibility of a disk.

The CoCo Max III system includes: • The special Hi-Res interface (for your mouse or joystick) • The CoCo Max III disk • Many utilities: (To convert Max II pictures, Max colors, etc.) . A detailled User's Manual. Complete system; nothing else to buy. CoCo Max III: \$79.95*

FREE DEMO DISK

Name

Street

City

State Zip

Printer used:

Please include \$2 to help defray Processing and Shipping costs. (Check, Money Order, etc. Sorry, no COD or Credit Cards). Coupon (or copy) must be mailled to:



COLORWARE

242-W West Avenue Darien, CT 06820

A division of Sigma Industries, Inc.

Medical Authorization is a program that produces the document with which you temporarily assign the authority to another adult to approve unexpected medical treatment. The form also contains medical information that should be known by the doctors along with the names and phone numbers of your child's pediatrician, family doctor and dentist. You can also note any treatment that you prefer not to be performed until you are contacted (such as major surgery).

You must sign the printed form and have your signature witnessed by an adult other than the adult to whom you are assigning the authority. The adult responsible for your child should keep the form handy and present it to the doctors if unexpected medical treatment is required.

Running the Program

When you load and run the program, the computer will display a title and your child's name. Please note that the computer uses a POKE 282,0 in Line 210 to place you in lowercase when you type.

You will be asked to enter the name of the person you are making responsible. Then you are asked to enter the date on which the authorization expires.

Next, the medical history permanently contained in the program is displayed. You are asked whether you want to add to the information. If you press Y (Yes), you will be prompted to type in up to 250 characters. Do not worry about the printout format—lines 620 to 670 contain a short wordwrap routine that ends each printed line at a space rather than in the middle of a word.

Finally, the program displays the parents' names and asks which parent is signing the form. You will then be prompted to set up the printer and press ENTER when ready.

Typing in the Program

If you have two or more children, you are required to have a separate form for each child. All information that relates directly to one child can easily be edited to create a version for another child. The MED in the sample program name should be changed to the child's initials or some other means of identification. The programs for my two children are AUTH CJU and AUTH EMU.

When you type in the program, insert the permanent information concerning your child into the strings in lines 1000

AUTHORIZATION TO CONSENT FOR TREATMENT OF A MINOR I hereby grant to: Mrs. Rachel Smith Authority to give an informed consent for the treatment of: John E. Doe Jr. Born: January 1, 1978 Should such child require medical care of any nature by reason of any condition or incident, except that the following procedures should not be performed without my consent unless the concurring medical opinion of two physicians is that such procedures are necessary to relieve the suffering or preserve the life or limb of such child and I cannot be reached after reasonable attempts. A> Major Surgery B> Treatment with penicillin based antibiotics Facts concerning the child's history, including allergies, physical impairments and medications being taken, to which a physician should be alerted are as follows: John Jr. is allergic to Penicillin. John is taking oral antibiotics for an infected sore on his left hand. He also had a tetanus booster on Feb. 12. Our Pediatrician is: A. Kiddedoc M.D. Phone: (614) 555-1234 I. Kurem, M.D. Our family physician is: Phone: (614) 555-5678 Our Dentist is: I Yankum D.D.S. Phone: (614) 555-9012 Our Hospital of choice is: County General Hospital West Our Health Insurance Plan is: Blue Cross I.D. Number: 1122-33445 This authorization expires at noon on February 28, 1986 Witness Parent's Signature Date Mrs. Jane Doe 123 E. Main St. Anytown, Ohio 43210 Home Phone: (614) 555-9876 Work Phone: (614) 555-2345

Figure 1

to 1200. Note that the information shown in the listing is only a sample to show the format of the entries. Do not use these entries; rather, substitute the information concerning your child in their places. Your permanent information will include your child's name; date of birth; any treatment you want restricted; permanent medical history; the names and phone numbers of your pediatrician, family doctor and dentist; hospital of choice; hospitalization; and the parents' names along with home and work phone numbers.

Again, please note that the program uses POKE 282,0, so you should input all information in lower- and uppercase letters. You should use the SHIFT-0 combination before and after typing in the information that is printed in lowercase in the listing. This gives a uniform printout that looks quite distinguished. (See Figure 1.)

When you are typing in your child's medical history (HI\$ in Line 1030), you do not have to worry about how the

information will print out. I have included another simple wordwrap routine in lines 550 to 600.

You may not have anything to include for a particular entry. Perhaps your family physician is caring for your child and you do not have a specific pediatrician. In this case, you may omit that particular line at the end of the program. Preferably, though, you should place an apostrophe (') or the command REM after the line number to make that line into a remarked statement. This would allow you to use that entry in the future if the occasion arises.

The computer will usually skip all lines referring to the omitted entry on the form. If the medical history section or the hospital of choice entry is omitted, the form will contain a note stating that there are no specific instructions at this time. This is to prevent confusion by emergency personnel who may think the information was accidentally omitted rather than deliberately deleted.

Also, you can change or add to the

doctors listed in the sample program. For example, you may want to list a specific allergist. You should change or add to the doctors' identification strings at the end of the program, along with the printing instructions located in lines 690 to 710. The format used should be the same as for the other doctors.


Special printer control codes are not required for the printing of the document, which makes the program easy to use by owners of all types of printers. A form feed, CHR\$(12), is used in Line 830 to advance the paper when printing is done; this can be deleted if your printer does not accept it. You can add

special codes, as you wish, to dress up the document. Be careful, though, in adding too many features to the form: When the permanent medical history string and the additional information entry are both near maximum length, the form uses almost the entire length of an 11-inch sheet of paper.

The document generated by this program is based on a form distributed as a public service by Riverside Methodist Hospital in Columbus, Ohio. It is the kind of form that every family should keep on hand and fill out whenever parents or children will be away from home. Unfortunately in my case,

when I need a form such as this one, I usually have no idea where I've put my copy for "safekeeping," or I've already used my last copy without making a duplicate blank. By using this program, you can make a ready copy quickly, without having to look up names and phone numbers and without accidentally omitting important information.

(Questions or comments regarding this program may be directed to the author at 5201 Wilcox Road, Amlin, OH 43002. Please enclose an SASE when writing for a response.)



The listing: MED FORM

2Ø 'AUTHORIZATION TO CONSENT

3Ø 'FOR THE TREATMENT OF A MINOR

1 ***************

'PROGRAM BY J. A. UPPERMAN

6Ø 'BASED ON AN AUTHORIZATION

7Ø 'FORM BY RIVERSIDE METHODIST

'HOSPITAL, COLUMBUS, OHIO

1 ********* 9Ø

15Ø 'ENTER THE INFORMATION THAT

16Ø 'APPLIES TO YOU AND YOUR

'CHILD STARTING AT LINE 1000 17Ø

180 ***************

200 CLEAR 1500:GOSUB 1000

21Ø POKE 282,Ø

22Ø CLS: PRINT"AUTHORIZATION TO C ONSENT FOR": PRINT"TREATMENT OF:"

:PRINT CH\$:GOSUB 88Ø

23Ø PRINT"NAME OF PERSON BEING A

GUARDIAN?" PPOINTED

24Ø LINE INPUT GA\$: IF GA\$="" THE N SOUND 100,1:SOUND 50,2:GOTO 23

Ø ELSE GOSUB 88Ø

250 PRINT"AUTHORIZATION EXPIRES

ON NOON": PRINT"OF WHAT DATE?" 26Ø LINE INPUT EX\$:IF EX\$="" THE

N SOUND 15Ø,1:SOUND 1ØØ,2:GOTO 2

5Ø ELSE GOSUB 88Ø

27Ø PRINT"MEDICAL HISTORY ON FIL E:": IF HI\$="" THEN PRINT:PRINT"

<<NOTHING ON FILE AT THIS TIME>>

":PRINT:GOTO 29Ø

28Ø PRINT HI\$

29Ø PRINT"DO YOU WISH TO ADD TO

INFORMATION <y/n>"; THIS 300 INPUT YN\$: IF YN\$="n" OR YN\$= "N" THEN 33Ø ELSE IF YN\$<>"Y" AN D YN\$<>"Y" THEN 29Ø 31Ø CLS: PRINT"TYPE IN ADDITIONAL INFORMATION": PRINT" (250 CHARACT ERS MAXIMUM) ": PRINT 32Ø LINE INPUT MH\$ 33Ø GOSUB 88Ø: PRINT"PARENT SIGNI NG FORM:" 34Ø PRINT"1> "; PA\$(1): PRINT"2> " ;PA\$(2):INPUT"ENTER 1 OR 2";PN

35Ø IF PN<>1 AND PN<>2 THEN 33Ø

SolidDriv by Vidicom Corp


SolidDrive" - a ramdisk that doesn't forget! Fully Static, battery backed CMos ram makes SolidDrive" ready to use instantly. You can forget formatting and copying work files to ramdisk then copying back your changes to floppy. You can forget fear of power failures. The instant power loss occurs, Solidorive write-protects itself and valuable work. your ŠolidDrive" gives you state-of-the-art surface mount technology. That's why we have the best quarantee in the industry -Two years limited repair or replacement! SolidDrive" is compatible with Multi-Pak® and comes complete

with OS9® Level I or II device driver, formatter and self-test software. Available in 512K and 1 Megabyte versions. Factory upgrades available for 512K

SolidDrive by Vidicom Corp loaded version free on request! 1 Meg (1,048,576 bytes) \$695.00
Please add \$4.00 shipping
Arizona Residients add 5.5% Sales tax
Visa MasterCard and are visually as a reliable long-term storage available master and and are visually as a reliable long-term storage available master and and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and are visually as a reliable long-term storage available master and a reliable master and a reliab

Vidicom Corp 20 E. Main St. Suite 710 Mesa, AZ 85201 (602) 827-0107 Hours M-F 9:00 am - 5:00 pm MST

Visa MasterCard orders welcome



version. RSDos Driver now available, treats SolldDrive™ as 3 or 6 SSSD RS devices (4-6,4-9), Disk

Solid Drive" is the fastest, most reliable long-term storage available to the small computer user!

> OS9 is the trademark of Microware Systems Inc and Motorola Inc. Multi-pak is the trademark of Tandy Corp.

```
36Ø GOSUB 88Ø
37Ø PRINT"SET THE PRINTER TO THE
          THE PAPER"
 TOP OF
38Ø PRINT: INPUT"PRESS <ENTER> WH
EN READY."; YN$
390 1**************
400 'PRINTING FORM
41Ø CLS: PRINT"PLEASE WAIT - PRIN
TING FORM": GOSUB 88Ø
42Ø FOR CT=1 TO 2:PRINT#-2:NEXT
43Ø PRINT#-2, TAB(14) "AUTHORIZATI
ON TO CONSENT FOR TREATMENT OF A
MINOR"
44Ø PRINT#-2: PRINT#-2, TAB(8) "I h
ereby grant to: ";GA$
45Ø PRINT#-2:PRINT#-2, TAB(8) "Aut
hority to give an informed conse
nt for the treatment of: ": PRINT#
-2, TAB(12) CH$;" Born: ";DA$:PRI
NT#-2
46Ø PRINT#-2, TAB(8) "Should such
child require medical care of an
y nature by reason": PRINT#-2, TAB
(8) "of any condition or incident
, except that the following proc
edures": PRINT#-2, TAB(8) "should n
ot be performed without my conse
nt unless the concurring"
47Ø PRINT#-2, TAB(8) "medical opin
ion of two physicians is that su
ch procedures are": PRINT#-2, TAB(
8) "necessary to relieve the suff
ering or preserve the life or li
mb":PRINT#-2, TAB(8) "of such chil
d and I cannot be reached after
reasonable attempts."
48Ø PRINT#-2
49Ø PRINT#-2, TAB(12) "A> Major Su
rgery"
500 IF OT$<>"" THEN PRINT#-2, TAB
(12) "B> ";OT$
51Ø PRINT#-2
52Ø PRINT#-2, TAB(8) "Facts concer
ning the child's history, includ
ing allergies, ": PRINT#-2, TAB(8)"
physical impairments and medicat
ions being taken, to which a":PR
INT#-2, TAB(8) "physician should b
e alerted are as follows:"
53Ø PRINT#-2
54Ø IF HI$="" AND MH$="" THEN PR
INT#-2, TAB(12) "No special instru
ctions at this time. ": GOTO 68Ø
55Ø A$=HI$+" "
56Ø IF A$="" OR A$=" " THEN 61Ø
57Ø FOR CT=6Ø TO 1 STEP-1
58Ø IF MID$(A$,CT,1)<>" "THEN NE
XT
59Ø B$=LEFT$(A$,CT):PRINT#-2,TAB
(12);B$
600 A=LEN(A$):A$=RIGHT$(A$, (A-CT
```

```
)):GOTO 56Ø
61Ø PRINT#-2
62Ø C$=MH$+" "
63Ø IF C$="" OR C$=" " THEN 68Ø
64Ø FOR CT=6Ø TO 1 STEP-1
65Ø IF MID$(C$,CT,1)<>" "THEN NE
TX
66Ø D$=LEFT$(C$,CT):PRINT#-2,TAB
(12);D$
67Ø C=LEN(C$):C$=RIGHT$(C$,(C-CT
)):GOTO 63Ø
68Ø PRINT#-2
69Ø IF PE$<>"" THEN PRINT#-2, TAB
(8) "Our Pediatrician is: "; PE$:
PRINT#-2, TAB(12) "Phone: "; PP$: PRI
NT#-2
7ØØ IF FA$<>"" THEN PRINT#-2, TAB
(8) "Our family physician is: ";
FA$:PRINT#-2,TAB(12)"Phone:";FP$
:PRINT#-2
71Ø IF DE$<>"" THEN PRINT#-2, TAB
(8) "Our Dentist is: ";DE$:PRINT
#-2, TAB(12) "Phone: "; DP$: PRINT#-2
72Ø PRINT#-2, TAB(8) "Our Hospital
of choice is: ";
73Ø IF HO$="" THEN PRINT#-2,"No
specific Hospital":PRINT#-2 ELSE
PRINT#-2, HO$: PRINT#-2
74Ø IF HE$<>"" THEN PRINT#-2, TAB
(8) "Our Health Insurance Plan is
: ";HE$:PRINT#-2,TAB(12)"I.D. Nu
mber: ";ID$:PRINT#-2
75Ø PRINT#-2, TAB(8) "This authori
zation expires at noon on "; EX$
76Ø PRINT#-2:PRINT#-2:PRINT#-2:P
RINT#-2, TAB(8) STRING$(24,"-");TA
B(4\emptyset); STRING$ (32,"-")
77Ø PRINT#-2, TAB(8) "Witness"; TAB
(4Ø); "Parent's Signature
Date"
78\emptyset PRINT#-2:PRINT#-2,TAB(4\emptyset);PA
$ (PN)
79Ø PRINT#-2, TAB(4Ø); ST$
8ØØ PRINT#-2, TAB(4Ø); CI$
81Ø PRINT#-2, TAB(4Ø); "Home Phone
: "; HP$
82Ø IF WP$(PN)<>"" THEN PRINT#-2
,TAB(4Ø) "Work Phone: ";WP$(PN)
83Ø PRINT#-2, CHR$(12); 'FORM FEE
D -OMIT IF YOUR PRINTER DOES NOT
   ACCEPT IT.
84Ø CLS:PRINT"THE FORM FOR ":PRI
NTCH$: PRINT"IS FINISHED PRINTING
. "
85Ø POKE 282,255
86Ø END
87Ø '***************
88Ø PRINT STRING$(32,"*"):RETURN
91Ø 'SUBSTITUTE THE INFORMATION
THAT APPLIES TO YOU AND YOUR
```

CHILD ON THE FOLLOWING LINES. 920 'note! ANY LINE THAT DOES NOT APPLY TO YOU OR YOUR CHILD. SUCH AS A SPECIFIC TYPE OF DOC-TOR OR PARENT'S WORK PHONE NUM-BER MAY BE OMITTED OR PRECEDED WITH AN APOSTROPHE <'>. COMPUTER WILL SKIP THAT ENTRY ON THE FORM. 1000 CH\$="John E. Doe Jr." LD'S NAME 1010 DA\$="January 1, 1978" 'CHIL D'S DATE OF BIRTH 1020 OT\$="Treatment with penicil lin based antibiotics"'OTHER TRE ATMENT RESTRICTED. 50 CHARACTERS MAXIMUM. 1030 HI\$="John Jr. is allergic t o Penicillin." 1040 'HI\$ IS THE CHILD'S MEDICAL HISTORY. 24Ø CHARACTER MAXIMUM LENGTH. 1050 PE\$="A. Kiddedoc M.D." 'PED IATRICIAN 1Ø6Ø PP\$="(614) 555-1234" 'PEDIA TRICIAN'S PHONE 1070 FA\$="I. Kurem, M.D. " 'FAM ILY DOCTOR 1Ø8Ø FP\$="(614) 555-5678" 'FAMIL Y DOCTOR'S PHONE 1090 DE\$="I Yankum D.D.S." 'FAMI LY DENTIST 11ØØ DP\$="(614) 555-9Ø12" 'DENTI ST'S PHONE 111Ø HO\$="County General Hospita 1 West" 'HOSPITAL OF CHOICE 1120 HE\$="Blue Cross" 'HEALTH IN SURANCE 113Ø ID\$="1122-33445" 'I.D. NUMB 114Ø PA\$(1)="Mr. John E. Doe, Sr ." 'FATHER'S NAME 115Ø PA\$(2)="Mrs. Jane Doe" 'MOT HER'S NAME 116Ø ST\$="123 E. Main St." 'STRE ET ADDRESS 117Ø CI\$="Anytown, Ohio 4321Ø" ' CITY AND STATE 118Ø HP\$="(614) 555-9876" 'HOME PHONE 119Ø WP\$(1)="(614) 555-5432" ' F ATHER'S WORK PHONE 12ØØ WP\$(2)="(614) 555-2345" ' M OTHER'S WORK PHONE

121Ø RETURN

Run VIP on your Color Computer 1, 2 or 3!

VIP Calc

'MORE USEABLE FEATURES"-Feb 1985 "Rainbow" Now every CoCo owner has access to a calculating and planning tool better than VisiCalc, containing all its features and commands and then some. VIP Calc displays 32, 51, 64 or 85 characters by 21 or 24 lines right on the screen. VIP Calc allows up to a 33K worksheet with up to 512 columns by 1024 rows! In addition, VIP calc has multiple windows which allow you to compare and contrast results of changes. Other features include 16 DIGIT PRECISION • trig. functions • averaging • algebraic functions • column and row ascending or descending SORTS · locate formulas or titles in cells · block move and replicate · global or local column width limitless programmable functions • works with any printer. Embed printer control codes for customized printing. Combine spreadsheet tables with VIP Writer documents to create ledgers, projections, statistical and financial budgets and reports. Requires 64K. TAPE \$49.95 DISK \$59.95

VIP Database "ONE OF THE BEST" JULY 1984 "RAINBOW"

The VIP Database features selectable screen displays of 51, 64 or 85 characters by 24 lines for maximum utility. It will handle as many records as will fit on your disks and is structured in a simple and easy to understand menu system with full prompting for easy operation. Your data is stored in records of your own design. All files are fully indexed for speed and efficiency. Full sort of records is provided for easy listing of names, figures, addresses etc., in ascending or descending alphabetic or numerical order. Records can be searched for specific entries, using multiple search criteria. With Database mail-merge you may also combine files, sort and print mailing lists, print form letters, address envelopes the list is endless. The built-in MATH package even performs arithmetic operations and updates other fields. VIP Database also has unlimited print format and report generation with embedable control codes for use with all printers. DISK \$49.95

Coming Soon: VIP Database III

VIP Terminal

RATED BEST IN JANUARY 1984 "RAINBOW" For your important communications needs you've got to go beyond software that only lets you chat. You need a smart terminal so that you can send and receive programs and messages and print them! The VIP Terminal features 32, 51, 64 or 85 characters by 21 or 24 lines on the screen and has a 43,000 byte buffer in a 64K computer to store information. TAPE \$29.95 DISK \$39.95 Requires 32K

CoCo 3 owners upgrade your VIP Calc, Database or Terminal to run on the CoCo 3 for \$30 +\$3 S/H. Send original product.

VIP Disk-Zap

RAVED ABOUT IN THE APRIL 1983 "RAINBOW" VIP Disk-Zap is the ultimate repair utility for simple and quick repair of most disk errors. Designed with the non-programmer in mind, the VIP Disk-Zap will let you retrieve all types of bashed files, BASIC and Machine Code programs. The 50 page tutorial makes the novice an expert. DISK \$24.95

SD Enterprises POB. 1233 Gresham, Or. 97030 (503) 663-2865 Please add \$3.00 for shipping, COD orders add an additional \$2.25. Personal checks allow 3 weels for delivery. All other orders shipped the same day.



A database for all your old family recipes

Good Things Are Cookin' on CoCo

By Brad Spencer

re you tired of the same sloppy, disorganized recipe box? With Recipe Filer you can say goodbye to all those greasy old cards and store your family secrets on your CoCo.

Recipe Filer allows you to save, load, edit and print out your recipes in a 3-by-5 card format. You can even categorize your concoctions so that finding them will be fast.

The program is user-prompting, menu-driven and very easy to use. On running the program, you are presented with the main menu and its six numbered options: Enter Recipe, List Recipe, Print Recipe, Save Recipe, Load Recipe and Edit Recipe. Just press a number — you won't need to press ENTER, as I used INKEY\$ instead of an INPUT command.


Filing It Away

Before you can do anything else with this program, you must enter a recipe.

Brad Spencer is a student in Crawfordsville, Indiana, and has been programming for the CoCo for four years. He enjoys making programs for the special education classes at his school. At the main menu, press 1 (Enter Recipe). You are dropped into the Categories submenu, where you must choose the category under which you will file your recipe — main dishes, cakes,

salads, pastry, soups, meats, etc.

There are 10 categories, including "Other" for dishes that don't fit into the categories I have provided. For the submenu prompts, I used INPUT com-



Telewriter-128 the Color Computer 3 Word Processor

For over 5 years now, Telewriter has been the #1 Color Computer word processor, both in popularity and in performance. Telewriter's near perfect mix of sophisticated professional features and a very natural user interface, has earned it the highest praise in numerous magazines, and an intensely loyal following among tens of thousands of Color Computer users all over the world.

HISTORY

Throughout the history of the Color Computer, Telewriter has pioneered software breakthroughs that set the standards.

In 1981, it was Telewriter 1.0 that first took the Color Computer's inadequate 32X16 all-uppercase display, and replaced it with a graphics-based 51X24 upper and lowercase display.

A few years later, Telewriter-64 added high density 64X24 and 85X24 displays and access to the full 64K of the newer Color Computers.

THE NEW AGE

Today, Telewriter-64 is recognized as the standard Color Computer word processor. It runs on all Tandy Color Computers — from the original Color Computer 1, to the Color Computer 2, and 3.

But the Color Computer 3 brings a whole new level of power to low cost computing and, so, a new Telewriter is here to put that power to work for you. We call it Telewriter-128.

TELEWRITER-128

You don't mess with a good thing, so Telewriter-128 is still Telewriter-64 at heart. The commands, and the user interface are essentially the same. If you know Telewriter-64, then you already know Telewriter-128. And, if you don't know Telewriter-64, you'll still have an easy time learning and using Telewriter-128.

80 COLUMNS

But there are major differences as well. First, Telewriter-128 uses the Color Computer 3's new 80 column screen display.

This means, simply, that using Telewriter-128 on a low cost Color Computer 3 will look a lot like using a more expensive word processor on a much more expensive IBM PC, PS/2, or clone.

SPEED

Second, Telewriter-128 is lightning fast. Telewriter-64 was fast in its own right, but, by accessing the Color Computer 3's video hardware directly, and by running the machine in double speed mode, Telewriter-128 is able to provide extremely fast scrolling and instant paging — functions whose speed is crucial to serious word processing. In this department, Telewriter-128 doesn't simply keep up with IBM-based word processors — it generally surpasses them!

EASE

Third, Telewriter-128 adds a host of new features big and small, that make it even easier to use.

Features like: Quick function key access to the editor or the menus — an instant on-line help screen summarizing all Telewriter commands and special characters — an option file where you store your personal set of format and screen settings so you only have to set them once!

Then, there's a quick save feature which allows you to save all your current work without leaving the editor. There's a simple way to cursor through the disk directory and read in a file by just hitting ENTER. And there's more.

NEW POWER

Telewriter-64 always had the power to handle any kind of serious writing, from letters to textbooks. But, here too, Telewriter-128 adds major features.

Like Macros — which let you insert whole words or phrases (even sets of control codes or format commands) into your text, with a single keypress. And every time you power up Telewriter-128, the macro definitions are automatically loaded*, so they're always there.

Then there's a Print Preview feature that shows you, on-screen, the way your printed text will look — with margins, headers, centering, justification, page numbering, and page breaks. This guarantees letter perfect documents every time, and makes tasks like widow/orphan line elimination, a breeze.

TELEWRITER-64 OR TELEWRITER-128

We could go on listing features, but the point is this: If you own a Color Computer, you already have the hardware for the most powerful, low cost word processor in town. All you need now is to add the heart and soul:

Telewriter-64, for the Color Computer 1 and 2, costs \$59.95 on disk, \$49.95 on cassette

Telewriter-128 for the Color Computer 3 costs \$79.95 on disk, \$69.95 on cassette.

To order by Mastercard or Visa call (619) 755-1258 anytime, or send check or money order plus \$2 shipping (Californians add 6% sales tax) to:

COGNITEC

704 Nob Ave. Del Mar, CA 92014

To upgrade from Telewriter-64 to Telewriter-128, return your original disk or cassette with \$39.95. (Add \$10 if you're also upgrading from cassette to disk. Deduct \$10 with proof of Oct '87 - Feb '88, purchase of Telewriter-64.)

When I first got Telewriter-64 last year, I was in heaven. I couldn't believe the program's versatility and ease of use. -The RAINBOW, Oct. 1985

TELEWRITER-64 FEATURES: Compatibility with <u>any</u> printer that works with the Color Computer; embedded control codes for underlining, boldface, sub/ superscript, variable fonts; format commands for headers, centering, margin and spacing changes anywhere in the document; Format menu to set margins, spacing, page numbering, BAUD rate, lines per page, justification; Chain printing for one shot printing of multi-file documents. Fast, full-screen editor with wordwrap, block copy/move/delete, global search and replace, wild card search, fast 4-way auto-repeat cursor, fast scrolling, forward and backward paging, text alignment, tabs, error protection, word and line counter. Insert or delete text anywhere on the screen. Simple, easy to remember commands. Optional ASCII files for compatibility with spell checkers, terminal programs,

and BASIC. Load, save, append, partial save files to disk or cassette. Kill, rename and list disk files. Cassette verify and auto-retry on error.

TELEWRITER-128 - ADDITIONAL FEATURES: Print preview from editor; multiple copy print; footers; hanging indents; cursor thru disk directory to load, append, rename and kill files; quick file save from editor; keyclick; key repeat; true block move; 24, 25, or 28 line screen; 40 or 80 column screen; dual speed cursor; on-line help; overstrike mode; word delete; wordwrap at margin; user definable macros; nested macros; instant status window for information on cursor position, word count, etc.; instant function key access to menus or editor; options menu for setting character and screen colors, key repeat and delay rates, definable foreign symbols.

IBM and PS/2 are trademarks of International Business Machines Inc. *disk version only

mands, so press ENTER after pressing the category number of your choice. (As you may notice, I have reserved four categories for sweets. If you are not as sweetly inclined, feel free to edit lines 80 and 140, substituting categories of your choice.)

After you choose the category, you are dropped into the "Enter Recipe" screen. As you are reminded onscreen, you have 30 lines in which to write your recipe, and are limited to a maximum of 40 characters per line. You'll notice the cursor blinking at the beginning of the first line — that means start typing! If you want upper- and lowercase capability, press the SHIFT-0 combination before you begin, but make sure you "turn it off" by pressing the combination again when you're finished.

When you have reached the end of your first line (which you will probably want to reserve for the title), press ENTER. If you entered too many characters, the program will tell you so and have you enter the line again. Just keep entering lines and pressing ENTER for each until you reach the 30th line. (Even if your recipe takes up only 10 lines, you must "use up" 30 lines — just keep pressing ENTER.) When you have en-

tered the 30th line, you are told you have no lines left and are booted back to the main menu. You've done it! The hard part is over!

Your Options

Now that you've entered a recipe, you'll probably want to look at it. Press 2 (List Recipe) at the main menu to list your creation. Your recipe slowly scrolls up the screen. Press any key to return to the main menu. If you noticed any mistakes in the recipe, you can correct them by pressing main menu's Option 6 (Edit Recipe).

From the Edit screen, you must choose to edit either the category name or a line. If you choose to edit a line, you will again see the recipe scroll by. Find the line that needs fixing and type in its number. If, for example, Line 5 needs editing, press 5 and then ENTER. A new, blank Line 5 appears; re-enter it. You are then booted back to the main menu. If there are more mistakes to correct, repeat the process.

When you have the recipe corrected, you will want to save it. Just press 4 (Save Recipe) at the main menu and follow the prompts. Recipe Filer was designed for a disk system, but if you

have a cassette, you can modify the program for your use: Change all occurrences of WRITE #1 to PRINT #1; INPUT #1 to INPUT#-1; OPEN #1 to OPEN#-1; and CLOSE #1 to CLOSE #-1.

Now that your recipe is saved, you can call it back into memory whenever you want by pressing 5 (Load Recipe) at the main menu and answering the prompts.

Trying to follow your recipe from a monitor in the kitchen would not be very practical, so I have included an option that prints out your recipe in a 3-by-5 inch format (in case you're missing those greasy cards). Just press 3 (Print Recipe) at the main menu and follow the prompts. Most printers should work fine.

You can cut out your new "cards" and store them in the old recipe box. But you won't have to worry about losing them or cramping your hand copying cooking instructions for dinner guests who must have your recipe!

(Questions or comments about this program may be directed to the author at #2 McCormick Drive, Crawfordsville, IN 47933. Please enclose an SASE when writing for a reply.)

Corrections (See Page 14 for additional corrections.)


"The Post Office" (March 1988, Page 104): Due to a production error, a portion of the Post Office program was inadvertently omitted from the magazine. The following lines should be added to the program. RAINBOW ON TAPE and RAINBOW ON DISK were not affected and include the complete program.

```
6485 IF A=Ø AND INSTR(DF$,SD$)>Ø
THEN FL(2)=1 RETURN
649Ø IF A=Ø AND INSTR(DO$,SD$)>Ø
 THEN FL(2)=1:RETURN
6495 RETURN
6500 '-- PRINT AND INPUT SUBROUT
INE --
65Ø5 PRINTTAB(TB)"
                              CODE:"
;:ATTR 1,Ø:PRINTV$(1)
651Ø PRINTTAB(TB)"
                             NAME:"
;:ATTR 1,Ø:PRINTV$(2)
6515 PRINTTAB(TB)"
                          ADDRESS:"
;:ATTR 1, Ø:PRINT V$(3)
652Ø PRINTTAB (TB) "
                             CITY:"
;:ATTR 1,Ø:PRINT V$(4)
6525 PRINTTAB(TB)"
                            STATE:"
;:ATTR 1,Ø:PRINTV$(5)
653Ø PRINTTAB(TB)"
                               ZIP:"
;:ATTR 1,Ø:PRINTV$(6)
6535 PRINTTAB(TB) " TELEPHONE #:"
;:ATTR 1,Ø:PRINTV$(7)
654Ø PRINTTAB (TB) "
                         F, L NAME:"
;:ATTR 1,Ø:PRINTV$(8)
6545 PRINTTAB (TB) "
                          COUNTRY: "
;:ATTR 1, Ø:PRINTV$(9)
655Ø LOCATE Ø,9
6555 GU=Ø:R=9:C=DC:L=1Ø:VN=1:GOS
UB 7000: IF GU=1 THEN 6555
656Ø GU=Ø:R=1Ø:C=DC:L=25:VN=2:GO
SUB 7000: IF GU=1 THEN 6555
```

```
ØØØ: IF GU=1 THEN 656Ø
657Ø GU=Ø:R=12:C=DC:L=25:VN=4:GO
SUB 7000: IF GU=1 THEN 6565
6575 GU=Ø:R=13:C=DC:L=1Ø:VN=5:GO
SUB 7000: IF GU=1 THEN 6570
658Ø GU=Ø:FL(3)=1:GOSUB 715Ø:GOS
UB 7Ø4Ø:R=14:C=DC:L=7:VNN=6:GOSU
B 7000: IF GU=1 THEN 6575
6585 GU=Ø:R=15:C=DC:L=14:VN=7:GO
SUB 7000: IF GU=1 THEN 6580
659Ø GU=Ø:R=16:C=DC:L=25:VN=8:GO
SUB 7000: IF GU=1 THEN 6585
6595 GU=Ø:R=17:C=DC:L=25:VN=9:GO
SUB 7000: IF GU=1 THEN 6590
6600 RETURN
66Ø5 '-- INPUT LIMIT SUB-ROUTINE
661Ø S$=""
6615 M=L+C
662Ø LOCATE C,R
6625 P=C-1
663Ø LOCATE P+1,R:GOSUB 719Ø
6635 IF IK$=CHR$(9) THEN 663Ø
664Ø IF IK$="^" THEN UA=1:RETURN
6645 IF IK$=CHR$(8) AND P=(C-1)
THEN S$="":GOTO 663Ø ELSE IF IK
$=CHR$(8) THEN LOCATE P,R:ATTR 3
,Ø:PRINT" ";:LOCATE P-1,R:P=P-1:
S$=MID$(S$,1,LEN(S$)-1):GOTO 663
```

6565 R=11:C=DC:L=25:VN=3:GOSUB 7

For quicker reference, Corrections will be posted on Delphi as soon as they are available in the Info on Rainbow topic area of the database. Just type DATA at the CoCo SIG> prompt and INFO at the TOPIC> prompt.



CoCo's AFFORDABLE.

CoCo III	\$145
Drive 0	\$175
Drive 0 (NEW)	\$199
CM-8 Monitor	\$248
Deluxe Joystick	\$ 24
Mouse	\$40
Joysticks (pair)	\$13
Disk storage box (50)	\$12.50
CCR-81 Cass. Rec.	\$42

Makins

Disks (SS) \$7.00 Disks (DS) \$7.50 *Includes free library case	
DMP-106 Special Offer \$145 DMP-130A (120 CPS) \$265 DMP-440 \$545	
Tandy 1000 SX Offer \$499 Tandy 1000 HX \$555 Tandy 1000 TX \$899	
VM-4 Monitor \$ 99 CM-5 Monitor \$240 CM-11 Monitor \$325	

CoCo 3 512K Upgrade	\$130
MultiPak Upgrade (26-3024)	\$ 10
MultiPak Upgrade (26-3124)	\$ 10
OS-9 Level 2	\$ 63.95

Minimum Order \$15.00

* Please Note - Our ads are submitted early, so prices are subject to change!!! We appreciate your cooperation & understanding in this matter.

Method of Payment: MC, Visa, Am.Ex. - Sorry, No Citiline! Certified Check or Money Order. Personal Checks - Allow 1 week to clear!

FREE PRICE LIST AVAILABLE

20 % OFF ALL TANDY SOFTWARE Min. 15% off all tandy Hardware

* Full TANDY

==> CALL <==

Warranty

In Pa:

100% TANDY

215 863-8911

PRODUCTS

In N.J.:

FREE UPS Shipping

ton orders over \$50.00 under \$50 add \$2.00

201 735-6138


C.O.D. ADD \$5.00

ALL PRICES

INCLUDE SHIPPING †!!!

(In Continental US)

100% TANDY EQUIPMENT WITH FULL RADIO SHACK WARRANTY



Laneco Plaza, Clinton, N.J. 08809

230 Moorestown Road, Wind Gap, PA 18091

11							_
V	100					24	9
	150					10	3
	260					14	7
	320						
	430					. 9	7
	540	920	7		1	. 4	17

The listing: RECIPES

10 ' RECIPE FILER 20 ' BY BRAD SPENCER 3Ø CLEAR 2ØØØ:DIM W\$(3Ø) 4Ø CLS:PRINT@41, "RECIPE FILER":P RINT@96,"1> ENTER RECIPE":PRINT "2> LIST RECIPE": PRINT "3> PRINT RECIPE": PRINT "4> SAVE RECIPE": PRINT "5> LOAD RECIPE": PRINT "6> EDIT RECIPE": PRINT@352, "SELECT (1-6):"; 5Ø A\$=INKEY\$:IF A\$="" THEN 5Ø 6Ø IF A\$<>"1" AND A\$<>"2" AND A\$ <>"3" AND A\$<>"4" AND A\$<>"5" AN D A\$<>"6" THEN 5Ø ELSE ON VAL(A\$) GOTO 8Ø, 18Ø, 23Ø, 37Ø, 44Ø, 52Ø 70 ' ENTER RECIPE 8Ø CLS:PRINT@9, "ENTER RECIPE":PR INT@64, "CATEGORIES: ": PRINT "1> B ROWNIES": PRINT "2> CAKES": PRINT "3> COOKIES": PRINT "4> DESSERTS" :PRINT "5> MAIN DISHES":PRINT "6 > MEATS":PRINT "7> PASTRY":PRINT "8> SALADS": PRINT "9> SOUPS": PR INT "1Ø> OTHER" 9Ø INPUT "CHOOSE (1-1Ø):";CA\$:IF VAL(CA\$)>1Ø THEN 9Ø ELSE IF VAL (CA\$)=1Ø THEN 13Ø ELSE CLS:PRINT @9, "ENTER RECIPE": PRINT@64, "LIMI T OF 3Ø LINES.":PRINT "(44 CHARA CTERS OR LESS) ": PRINT:LI=1:X=1:G OTO 14Ø 100 PRINT LI;"> ";:LINE INPUT "" ; W\$(X): IF LEN(W\$(X))>44 THEN PRI NT "TOO MANY CHARACTERS!": GOTO 1 ØØ ELSE 11Ø 110 IF W\$(X)="END" THEN 40 ELSE IF LI>29 THEN 12Ø ELSE LI=LI+1:X =X+1:GOTO 1ØØ 120 LI=LI+1: PRINT "NO MORE LINES LEFT.":FOR D=1 TO 1000:NEXT D:G OTO 4Ø 13Ø INPUT "NAME OF CATEGORY"; CB\$:IF LEN(CB\$)>13 THEN PRINT "13 C HARACTERS OR LESS!":GOTO 13Ø ELS E CLS: PRINT@9, "ENTER RECIPE": PRI NT@64, "LIMIT OF 3Ø LINES.": PRINT "(44 CHARACTERS OR LESS)":PRINT :LI=1:X=1:GOTO 100

14Ø IF CA\$="1" THEN CB\$="BROWNIE S" ELSE IF CA\$="2" THEN CB\$="CAK ES" ELSE IF CA\$="3" THEN CB\$="CO OKIES" ELSE IF CAS="4" THEN CBS= "DESSERTS" ELSE IF CA\$="5" THEN CB\$="MAIN DISHES" ELSE IF CA\$="6 " THEN CB\$="MEATS" ELSE 150 150 IF CA\$="7" THEN CB\$="PASTRY" ELSE IF CAS="8" THEN CBS="SALAD S" ELSE IF CA\$="9" THEN CB\$="SOU PS" ELSE IF CA\$<>"1" AND CA\$<>"2 " AND CA\$<>"3" AND CA\$<>"4" AND CA\$<>"5" AND CA\$<>"6" AND CA\$<>" 7" AND CA\$<>"8" AND CA\$<>"9" THE N CBS="BROWNIES" 16Ø GOTO 1ØØ 17Ø ' LIST RECIPE 18Ø CLS:PRINT@1Ø, "LIST RECIPE":P RINT@64, "CATAGORY: "; CB\$: PRINT: I F LI=3Ø THEN 2ØØ 19Ø FOR I=1 TO LI-1: PRINT W\$(I): FOR D=1 TO 400:NEXT D:NEXT I:GOT 0 210 200 FOR I=1 TO LI:PRINT W\$(I):FO R D=1 TO 400:NEXT D:NEXT I 21Ø PRINT: PRINT@452, "PRESS ANY K EY TO RETURN";: A\$=INKEY\$: IF A\$=" " THEN 210 ELSE GOTO 40 220 ' PRINT RECIPE 23Ø CLS:PRINT@9,"PRINT RECIPE":P RINT@228, "PRESS <CLEAR> TO PRINT 24Ø A\$=INKEY\$:IF A\$=CHR\$(12) THE N 25Ø ELSE 24Ø 25Ø CLS:PRINT@234,"PRINTING...": PRINT#-2,"----":PRINT#-2,"! RINT#-2,"!";TAB(4);CB\$;TAB(2Ø);" \":PRINT#-2,"! \":PRINT#-2,"!

26Ø PRINT#-2,"!";TAB(5Ø);"!":IF LI>16 THEN 31Ø 27Ø FOR I=1 TO LI-1: PRINT#-2,"! "; W\$(I); TAB(5Ø); "! ": NEXT I: IF L I=1 THEN LM=15 ELSE IF LI=2 THEN LM=14 ELSE IF LI=3 THEN LM=13 E LSE IF LI=4 THEN LM=12 ELSE IF L I=5 THEN LM=11 ELSE IF LI=6 THEN LM=1Ø ELSE IF LI=7 THEN LM=9 EL SE IF LI=8 THEN LM=8 28Ø IF LI=9 THEN LM=7 ELSE IF LI =10 THEN LM=6 ELSE IF LI=11 THEN LM=5 ELSE IF LI=12 THEN LM=4 EL SE IF LI=13 THEN LM=3 ELSE IF LI =14 THEN LM=2 ELSE IF LI=15 THEN LM=1 ELSE IF LI=16 THEN 3ØØ 29Ø FOR I=1 TO LM: PRINT#-2,"!";T AB(5Ø);"!":NEXT I 3ØØ PRINT#-2,"!";TAB(5Ø);"!":PRI NT#-2,"---------":GOTO 31Ø FOR I=1 TO 15:PRINT#-2,"! ; W\$(I); TAB(5Ø); "!": NEXT I: PRINT# -2,"!";TAB(5Ø);"!":PRINT#-2,"-------":PRINT#-2,"!";T AB(5Ø);"!" 32Ø FOR I=16 TO LI-1:PRINT#-2,"! "; W\$(I); TAB(5Ø); "!": NEXT I: IF LI=17 THEN LM=14 ELSE IF LI=18 T HEN LM=13 ELSE IF LI=19 THEN LM= 12 ELSE IF LI=2Ø THEN LM=11 ELSE IF LI=21 THEN LM=10 ELSE 33Ø IF LI=23 THEN LM=8 ELSE IF L I=24 THEN LM=7 ELSE IF LI=25 THE N LM=6 ELSE IF LI=26 THEN LM=5 E LSE IF LI=27 THEN LM=4 ELSE IF L I=28 THEN LM=3 ELSE IF LI=29 THE N LM=2 ELSE IF LI=3Ø THEN LM=1 E LSE IF LI=31 THEN 3ØØ 34Ø FOR I=1 TO LM: PRINT#-2,"!";T AB(5Ø);"!":NEXT I 35Ø GOTO 3ØØ 36Ø ' SAVE RECIPE 37Ø CLS:PRINT@1Ø, "SAVE RECIPE":P RINT:LINE INPUT "NAME OF FILE: " ;F\$ 38Ø PRINT@228, "PRESS <ENTER> TO SAVE.":A\$=INKEY\$:IF A\$=CHR\$(13) THEN 39Ø ELSE 38Ø 39Ø CLS:PRINT@234, "SAVING...":OP EN "O", #1, F\$: PRINT "CATEGORY:"; C B\$:WRITE #1,CB\$:IF LI=3Ø THEN 41 400 FOR I=1 TO LI-1:WRITE #1,W\$(I):NEXT I:GOTO 42Ø 41Ø FOR I=1 TO LI:WRITE #1, W\$(I) :NEXT I 42Ø CLOSE #1:PRINT "GOT IT!":FOR

D=1 TO 500:NEXT D:GOTO 40 430 ' LOAD RECIPE 44Ø CLS: PRINT@1Ø, "LOAD RECIPE": P RINT:LINE INPUT "NAME OF FILE: " 45Ø PRINT@228, "PRESS <ENTER> TO LOAD.":A\$=INKEY\$:IF A\$=CHR\$(13) THEN 460 ELSE 450 46Ø CLS:PRINT@233,"LOADING...":0 PEN "I", #1, F\$:LI=1:INPUT #1, CB\$: PRINT "CATEGORY: "; CB\$ 47Ø IF EOF(1) THEN 49Ø 48Ø INPUT #1, W\$(LI): PRINT W\$(LI) :LI=LI+1:GOTO 47Ø 49Ø CLOSE #1:PRINT:PRINT "GOT IT !":PRINT 500 PRINT@452, "PRESS ANY KEY TO RETURN": A\$=INKEY\$: IF A\$="" THEN 500 ELSE 40 51Ø ' EDIT RECIPE 52Ø CLS:PRINT@1Ø, "EDIT RECIPE":P RINT@64, "OPTIONS: ": PRINT@128, "1> CHANGE CATEGORY": PRINT "2> EDIT A LINE": PRINT@224, "SELECT:" 53Ø A\$=INKEY\$:IF A\$="1" THEN 54Ø ELSE IF A\$="2" THEN 55Ø ELSE 53 54Ø CLS:PRINT "OLD CATEGORY: ";C B\$:LINE INPUT "NEW CATEGORY: ";C B\$:GOTO 4Ø 55Ø CLS:IF LI=3Ø THEN 57Ø 56Ø FOR I=1 TO LI-1: PRINT I;") " ;:PRINT W\$(I):FOR D=1 TO 400:NEX T D:NEXT I:GOTO 58Ø 57Ø FOR I=1 TO LI:PRINT I;") ";: PRINT W\$(I):FOR D=1 TO 400:NEXT D:NEXT I 58Ø PRINT:LINE INPUT "WHICH LINE :"; L\$: IF VAL(L\$) > 3Ø THEN 58Ø 59Ø PRINT L\$;"> ";W\$(VAL(L\$)):PR INT L\$;"> ";:LINE INPUT "";W\$(VA L(L\$)) 600 GOTO 40

128K BASIC COCO 3 DISK or CASSETTE

THE DIRECTOR Produce hires picture, sound and Color Animation shows! Completely menu driven with full editing. Includes extra programs to Convert most hires pictures, and to Share your shows with others! Great for presentations and VCR's! Requires predrawn pictures. SAVE \$10..... Now only.... \$29.95

MY ARTIST Draw and Paint pictures in all 4 hires 320 & 640 by 192 modes with up to 16 colors and 64 hues! Simple, but Powerful keyboard & joystick commands for undistracted, Full Screen drawings! Fast ML save & load......\$14.95

SAVE \$15 Both the above... \$39.95

128/512K OS-9 L2 COCO 3 DISK

\$ ECONOMIST Perform Economic Analysis to compare different cost and income alternatives! Compute Present and Future Life Cycle Worths for various combinations of single, series and gradient dollar amounts. Quickly edit and recompute for Sensitivity Analysis! Display line graphs. Printout data and results. Pull-Down Menus, Windows and Prompts! Requires OS-9 L2 & BASICO9.....\$29.95

Send check or money order.

Please add \$2 shipping & handling. SEESOF PO Box 574, Beaufort, SC 29901

0

A "personal finance tool box" to help manage your resources


Financial Time Conversions

By Dale Tinklepaugh









Good management requires accurate knowledge upon which to base decisions. To compare investment or financing alternatives, it is necessary to compare their value or cost at the same point in time. This article describes a program that performs the types of time conversions needed to do these comparisons.

Dale Tinklepaugh is a software engineer for Hughes Aircraft Radar Systems Group and is pursuing a master's degree in computer engineering at USC.



The program begins with a main menu and four entries: Present Value, Uniform Series Value, Future Value and Interest Rate Conversions. To compute a present dollar amount, select the first menu entry by pressing the 1 key and then ENTER. A secondary menu then pops up, allowing conversion from a uniform series, a gradient series, a proportional series, or a future amount.

Similarly, the second and third main menu selections allow you to convert to uniform series values and future values, respectively. The fourth main menu selection allows you to convert between nominal annual and effective annual interest rates.

Present Value of Uniform Series

A uniform series is a set of equal payments for a number of time periods at a given rate of interest. Conversion from a uniform series to a present value is useful for determining how much money can be borrowed at a certain interest rate without overrunning your budget.

For example, consider Harvey and Bridget, a couple who want to purchase a house. They can afford payments of \$900 per month. After choosing the Uniform Series option in the Present Value menu, the couple would be prompted for the number of payment periods. For a 30-year loan, they would have 30 x 12 = 360 payment periods. After entering 360 they would be prompted for the interest rate per period. If the prevailing nominal annual interest rate were 12 percent, the periodic rate would be 12% / 12 = 1%. After entering 1 they would be prompted for the periodic amount, for which they would enter 900.

The result is \$87,496.50. So, depending on the amount of cash they have available for the down payment and closing costs, they can look at houses worth up to \$90,000 or \$95,000.

Note that in arriving at the monthly amount they can afford for a mortgage payment, the couple had to remember that there are other ownership costs besides the mortgage. Most significant are taxes and insurance. For an older home they would also want to budget a certain amount for maintenance and renovation. On the other side of the budgetary scale is the federal income tax savings resulting from interest payments and property taxes.

Present Value of Gradient Series

The next option in the Present Value menu, Gradient Series, begins with a payment of \$0 and increases by a fixed amount each period.

An example involving a gradient series is the calculation of the present value of the anticipated maintenance costs for an automobile. Suppose the owner's records indicate repair costs now average nearly \$50 a month and seem to be increasing at about \$2 per month. How much money would the owner have to put into his 7 percent savings account in order to cover all anticipated repairs for the next four years?

The costs can be broken into two parts. First, there is a uniform series of \$50 per month for 48 months at 7 percent annual or 0.583 percent monthly interest. This part can be solved in the same manner as the example above. To cover the \$50 per month, the program tells us the owner needs \$2,088.17 in his savings account.

Second, there is a gradient series for 48 months, increasing by \$2 a month. The program will ask for the periodic increase instead of a periodic amount as in the uniform series. The present value of this gradient series is \$1,869.82. The total the owner would need to deposit is \$3,957.99.

The confidence in the program output should be no greater than the confidence in the input data. The last example was done using estimates of unknown reliability. The actual costs could be much different for this particular car than would be predicted on the basis of its prior performance or of the performance of other cars of the same make.

If this were the owner of a fleet of taxicabs or commercial trucks, however, the chance variations in cost would tend to average out for the group. Therefore, the owner can know the present cost of maintaining his fleet and compare that with the cost of replacing it.

Present Value of Future Amount

An example of conversion of a future amount to a present amount involves the future trade-in value of a car. Harvey has learned that the kind of car he wants typically depreciates about 75 percent in four years. If that car lists for \$10,000 today, it will be worth about

\$2,500 after four years of average use. To see how \$2,500 four years from now compares with \$2,500 now, evaluate the present value of \$2,500 at 9 percent annual interest for 48 months. The interest rate should be that paid by an investment that could be made if the money were not tied up in the car. The monthly interest rate is .09/12 = .75 percent. The correct answer is \$1,746.54.

Uniform Series Value of a Present Sum

To determine the monthly payment for a loan, choose the Uniform Series Value of a Present Sum. This option can be used for annuities or other types of transactions, also. It has been labeled "Loan" because that is its most likely use. After the number of payment periods, interest rate per period and initial amount are entered, the program displays the uniform payment amount.

For example, the monthly payment on the \$10,000 car mentioned above is computed by selecting Option 2, Uniform Series Value, from the main menu and then selecting Option 1, Present Sum (Loan), from the secondary menu. Enter 48 for the number of pay periods, 1 for the interest rate per period and 8000 for the initial amount (allowing for \$2,000 down). The uniform monthly payment displayed is \$210.67.

Present Value of a Proportional Series

A proportional series is one in which the ratio of each payment to its predecessor is constant. One application for this conversion is the calculation of the present worth of a person's estimated lifetime earnings.

For example, Harvey will earn \$25,000 this year and expects raises to average about 5 percent a year. Since he is 25 years old, he expects to work 40 more years before retiring. He goes to his computer, runs this program, and selects Present Value of a Proportional Series.

When the program asks for the number of periods, he enters 40. The interest rate per period should be a rate that could be earned by a prudent but not overly cautious investor. Here we are talking about investing a large sum such as a life insurance settlement or court judgment based on permanent disability. We would not expect it all to be deposited in a passbook savings account. Harvey decides that 10 percent

would be reasonable and enters 10. For rate of increase he enters 5. Next, he enters the first period amount, 25000. The program displays the answer, \$422,225.98.

It is interesting to note the effects of varying the interest rate and rate of annual increase on the answer. A higher interest rate reduces the answer, and a higher annual raise increases it.

Interest Rate Conversions

There are two kinds of annual interest rates, nominal and effective. They are the same if the interest is compounded once a year. If not, the effective annual rate is derived as in the following example: If the nominal annual rate is 18 percent, the monthly rate is .18/12 = 1.5 percent. The effective rate is obtained by computing (1.015*12)-1 = 19.56181715%, which is the equivalent interest rate with annual compounding

To get the above result using the program, select the Nominal to Effective conversion, enter 12 for the number of compounding periods, and enter 18 for the nominal annual rate.

This can be checked by selecting the Effective to Nominal conversion and entering 12 and 19.56181715 when prompted. The answer is 18. Compounding may be less frequent (quarterly) or more frequent (daily). A special

case is called continuous compounding. For this case, entering 0 for the number of compounding periods per year causes the program to branch to use a different formula from that used for a finite number of periods.

UNIFORM SERIES VALUE OF PRESENT SUM

NUMBER OF PERIODS? 120
INTEREST RATE/PERIOD (%)? .8
PRESENT SUM? 12000
UNIFORM VALUE IS:
\$155.93
DO ANOTHER (Y OR N)?

FUTURE VALUE OF PRESENT SUM

NUMBER OF PERIODS? 96
INTEREST RATE/PERIOD? .6
PRESENT SUM? 1000
FUTURE VALUE IS:
\$1775.85
DO ANOTHER (Y OR N)?

Summary

The rest of the conversion options are similar to those we have discussed, and involve the same concepts. This program is intended to be your personal finance tool box. You can customize any or all subroutines for your personal use. The program has been written more

for readability and flexibility at the expense of memory. By leaving out comments and combining more statements onto one line, it should be possible to squeeze this program into 16K. If you do this, you will need to delete H4000+ from lines 105 and 125, and change H7F00 to H3F00 in Line 140. You may want to check your printer status directly instead of asking the user. The program is written for the DMP-105 printer from Radio Shack. The baud rate is set to 2400 in Line 107.


If you want to do only one or two of the conversions, you can type in just the relevent sections of the program. Comments are included in the program listing to identify subroutine functions. The mathematical formula for each conversion is usually accomplished in two or three program lines, so these subroutines should be easy to customize to your system and applications.

(Questions or comments may be directed to the author at 14684 Joshua Tree Ave., Sunnymead, CA 92388. Please enclose an SASE when writing for a reply.)

Reference

,Ø,&H2B,&HE3,&H7F,Ø,&H6F,&H39 125 FOR I=&H4ØØØ+16128 TO &H4ØØØ

Smith, G.W. Engineering Economy: Analysis of Capital Expenditures, 2nd Edition, Iowa State University Press, Ames, Iowa, 1973.



The listing: FINANCE

100 'FINANCIAL TIME VALUE CONVERSIONS
105 CLEAR 200,&H4000+16127 'SAVE SPACE FOR TEXT DUMP CODE
107 POKE 150,18 'SET PRINTER TO
2400
108 'TEXT DUMP ROUTINE
110 DATA &H86,&HFE,&HB7,0,&H6F,&H8E,4,0,&H5F,&H5C,&HA6,&H80,&H81,&H60
115 DATA &H2B,2,&H84,&HBF,&HAD,&H9F,&HA0,2,&HC1,&H20,&H2B,&HEF,&H86,&H0D
120 DATA &HAD,&H9F,&HA0,2,&H8C,6

+16128+40 13Ø READ A: POKE I, A 135 NEXT I 14Ø DEFUSRØ=&H7FØØ 142 CLS:PRINT"ARE YOU USING A PR INTER? (Y OR N)"; 143 Q\$=INKEY\$:IF Q\$="" GOTO 143 145 IF Q\$="Y" THEN QQ=1 ELSE QQ= Ø 147 PRINT 15Ø IF QQ=1 THEN PRINT "TYPE P T O PRINT RESULTS AFTER A CONVERSI ON, THEN TYPE Y OR N AS": PRINT"P ROMPT REQUESTED. ": PRINT: PRINT"HI T ANY KEY TO CONTINUE" 17Ø IF QQ=1 THEN A\$=INKEY\$:IF A\$ =""GOTO 17Ø 2Ø5 F1\$="\$\$#######.##":P\$="PRESE NT VALUE IS: ":U\$="UNIFORM VALUE IS: ":F\$="FUTURE VALUE IS: " 21Ø CLS 23Ø PRINT@5, "FINANCIAL CONVERSIO NS" 24Ø PRINT@7Ø, "BY DALE TINKLEPAUG H"

25Ø PRINT@131, "SELECT CONVERSION RESULT" 26Ø PRINT@197,"1 PRESENT VALUE" 27Ø PRINT@229,"2 UNIFORM SERIES VALUE" 28Ø PRINT@261,"3 FUTURE VALUE" 29Ø PRINT@293,"4 INTEREST RATE" 300 PRINT@385, "PRESS A NUMBER BE TWEEN 1 AND 4" 31Ø A\$=INKEY\$:IF A\$=""GOTO 31Ø 32Ø CASE=INSTR(1,"1234",A\$) 33Ø ON CASE GOSUB 1ØØØ,2ØØØ,3ØØØ ,4000 34Ø GOTO 21Ø 1000 'MENU FOR PRESENT VALUE 1010 CLS 1020 PRINT@64, "WHICH WOULD YOU L IKE TO CONVERT" 1030 PRINT@96, "TO A PRESENT VALU E?" 1040 PRINT@165,"1 UNIFORM SERIES 1050 PRINT@197,"2 GRADIENT SERIE 1Ø6Ø PRINT@229,"3 PROPORTIONAL S ERIES" 1070 PRINT@261,"4 FUTURE SUM" 1080 PRINT@293,"5 RETURN TO MAIN 1090 PRINT@385, "PRESS A NUMBER B ETWEEN 1 AND 5" 1100 A\$=INKEY\$:IF A\$=""GOTO 1100 1110 IF A\$="5" THEN RETURN 112Ø CASE=INSTR(1,"1234",A\$) 113Ø ON CASE GOSUB 12ØØ, 14ØØ, 16Ø Ø,18ØØ 114Ø GOTO 1ØØØ 1200 'PRESENT VALUE OF UNIFORM S ERIES 121Ø CLS 1215 PRINT"PRESENT VALUE OF UNIF ORM SERIES": PRINT 122Ø INPUT"NUMBER OF PERIODS";N 123Ø INPUT "INTEREST RATE/PERIOD (%)";IP 124Ø I=IP/1ØØ 125Ø INPUT "PERIODIC AMOUNT"; A $1260 Q = (1+I)^N$ 127Ø PA=(Q-1)/(I*Q) 128Ø P=PA*A 1285 PRINT P\$ 1290 PRINT USING F15;P 1300 PRINT"DO ANOTHER? (Y OR N)" 13Ø5 A\$=INKEY\$:IF A\$=""GOTO 13Ø5 1307 IF AS="P" AND OO=1 THEN A=U 131Ø IF A\$="Y" THEN GOTO 121Ø EL SE IF A\$="N" THEN RETURN ELSE GO TO 13Ø5

The Saint John Gallery

THE ASTRO FORTUNE TELLER

BASED UPON YOUR PERSONAL
PLANETARY CONFIGURATIONS
AFTER ENTERING YOUR GIVEN NAME
YOUR BIRITIONS THE PRESENT DAY
OF 30 PREDEFINED QUESTIONS
THOSE QUESTIONS OF LIFE - LOVE SUCCESS - MARRIAGE - FORTUNE MOST OFT ASHED BY MEN & WOMEN

THIS PHOGRAM IS OVER ISBY YET DUE
TO MODULAR APPROACH WILL HUN ON 32K-SIZK SYSTEMS
FORTHE SERIOUS INQUIRER ON EMEAT FOR PARTIES !!
The Astro Fortune Jeller & DISK \$21.95

WILL WORK WITH COCOS OWNSERIAL POILT &, ANY AUTO-ANWER MODEM - 1-4 DRIVES - 324 - 5124 DISK \$18.00

Jemple of Lost Atek + ADV: 324 (TEXT) DISK \$12.00

DISKS LIKE LARGE WORD PHOCEUSING FILES INSK \$ 18.00



THE ULTIMATE KARATE GAME. (64K)
DOZENS OF FULL COLDUR SMOOTHLY ANIMATED
ASSASSINS & NINJAS & HI-RES SCREENS
BATTLE SOLO OR ANOTHER PLAYER \$21.55



CITY BOMBER = PILOT 9 DIFFERENT FLYERS
9 SCREENS - 9 SCENARIOS - 3 SPEEDS - 3 LEVELS
100% ML PROGRAMING 32K Coco 1-2:083 DISK \$1850

THE SOUND MACHINE

HAVE YOUR COCO DIGITIZE AND SAVE YOUR SPEECH
DOZENS OF SAMPLES INCLUDED OUT SOUND MAX HEADROOM
THE FIRST OF BEST SOUND DIGITIZER
PLAY IT BACK - PLAY IT BACKWARDS
"CHIP-MONK' RE-SEQ. ETC. COMES WITH BASIC
INTERFACE. MIN REQ 52K DISK \$ 19.25

FROM COLORVENTURE PRINT SPONER 49-398K BUFFER WORK OR PLAY GAMES WHILE YOU PRINT-FAST-DISK \$10.00

FROM COLORVENTURE & FASTEST DISK DUPLICATION OUT COPYS IN ONE PASS & 35/40/80 TAK'S & 05-9 TIME TO FORMAT & WRITE EACH COPY-6MS RATE-40 STL. NO MORE DISK SHITCHING-EASY TO USE- DISK \$10.00

SEND CHEQUE Of M.O.+ \$1.75 P\$H(CANADA \$2.5) TOO ST. JOHN GALLERY, P.O. BOX 613 MT. SINAI NY. 11766

```
1400 'PRESENT VALUE OF GRADIENT
SERIES
14Ø5 CLS
1407 PRINT"PRESENT VALUE OF GRAD
IENT": PRINT"SERIES": PRINT
141Ø INPUT"NUMBER OF PERIODS"; N
1415 INPUT "INTEREST RATE/PERIOD
(%)"; IP
142Ø I=IP/1ØØ
1425 INPUT"PERIODIC INCREASE ($)
" : G
143Ø Q=(1+I)^N
1435 A=(Q-1)/(I*Q)
144Ø B=N/Q
1445 R=(A-B)/I
145Ø P=R*G
1455 PRINT P$: PRINTUSING F1$;P
1460 PRINT"DO ANOTHER? (Y OR N)" 1820 I=IP/100
1462 A$=INKEY$:IF A$="" THEN GOT
0 1462
1463 IF A$="P" AND QQ=1 THEN A=U
SRØ(Ø)
1464 IF A$="Y" AND QQ=1 THEN 140
5 ELSE IF A$="N" THEN RETURN ELS
E GOTO 1462
1465 RETURN
1600 'PRESENT VALUE OF PROPORTIO
NAL SERIES
16Ø5 CLS
1607 PRINT"PRESENT VALUE OF PROP
ORTIONAL": PRINT"SERIES": PRINT
161Ø INPUT "NUMBER OF PERIODS"; N
1615 INPUT"INTEREST RATE/PERIOD(
%)";IP
162Ø I=IP/1ØØ
1625 INPUT "RATE OF INCREASE(%)"
;RP
163Ø R=RP/1ØØ
1635 INPUT"FIRST PERIOD AMOUNT";
164Ø Q=I+1
1645 IF R=I THEN 17Ø5 ELSE IF R<
I THEN 1675 ELSE 165Ø
165Ø ' R>I
1655 X = ((1+R)/Q) - 1
166Ø FA=(((X+1)^N)-1)/X
1665 PC=FA/Q
167Ø GOTO 1715
1675 ' R<I
1680 X = (Q/(1+R)) - 1
1685 QX=(1+X)^N
1690 PA = (QX - 1) / (X * QX)
1695 PC=PA/(1+R)
1700 GOTO 1715
17Ø5 ' R=I
171Ø PC=N/Q
221Ø INPUT"NUMBER OF PERIODS";N
1725 PRINT P$:PRINTUSING F1$;P
1727 PRINT"DO ANOTHER? (Y OR N)"

(%)";IP
1715 ' FINAL COMPUTATION
```

```
173Ø AS=INKEYS: IF AS=""THEN GOTO
      173Ø
      1732 IF AS="P" AND OO=1 THEN A=U
      SRØ(Ø)
      1734 IF A$="Y" THEN GOTO 1605 EL
      SE IF A$="N" THEN RETURN ELSE GO
      TO 173Ø
      1735 RETURN
      1800 'PRESENT VALUE OF FUTURE SU
      18Ø5 CLS
     1807 PRINT"PRESENT VALUE OF FUTU
     RE SUM": PRINT
     181Ø INPUT "NUMBER OF PERIODS"; N
     1815 INPUT"INTEREST RATE/PERIOD
      (%)"; IP
      1825 INPUT"FUTURE SUM";F
     183Ø PF=1/(1+I)^N
      1835 P=F*PF
      1840 PRINT P$:PRINTUSING F1$;P
      1842 PRINT"DO ANOTHER? (Y OR N)"
      1845 A$=INKEY$:IF A$="" THEN GOT
      0 1845
      1847 IF A$="P" AND QQ=1 THEN A=U
      SRØ(Ø)
      1849 IF A$="Y" THEN GOTO 18Ø5 EL
      SE IFA$="N" THEN RETURN ELSE GOT
      0 1845
      2000 'MENU FOR UNIFORM SERIES VA
      LUE
      2010 CLS
      2020 PRINT@64, "WHICH WOULD YOU L
      IKE TO CONVERT"
      2030 PRINT@96, "TO A UNIFORM SERI
      ES VALUE?"
      2040 PRINT@165,"1 PRESENT SUM (L
      OAN)"
      2050 PRINT@197,"2 GRADIENT SERIE
      SII
      2060 PRINT@229,"3 FUTURE SUM"
      2070 PRINT@261,"4 RETURN TO MAIN
       MENU"
      2080 PRINT@353, "PRESS A NUMBER B
     ETWEEN 1 AND 4"
   2090 A$=INKEY$:IF A$=""GOTO 2090
2100 IF A$="4" THEN RETURN ELSE
   CASE=INSTR(1,"123",A$)
211Ø ON CASE GOSUB 22ØØ,26ØØ,28Ø
  Ø
212Ø GOTO 2ØØØ
22ØØ 'UNIFORM SERIES VALUE OF PR
   ESENT SUM
     22Ø5 CLS
2207 PRINT"UNIFORM SERIES VALUE OF PRESENT": PRINT"SUM": PRINT
```

222Ø I=IP/1ØØ 2225 INPUT"PRESENT SUM";P $223\emptyset Q=(1+I)^N$ 2235 R=I*Q/(Q-1) 224Ø A=R*P 2245 PRINT U\$: PRINTUSING F1\$; A 2247 PRINT"DO ANOTHER (Y OR N)?" 225Ø A\$=INKEY\$:IF A\$="" THEN GOT 0 2250 2252 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 2255 IF A\$="Y" THEN GOTO 225Ø EL SE RETURN 2600 'UNIFORM SERIES VALUE OF GR ADIENT SERIES 26Ø5 CLS 2607 PRINT"UNIFORM SERIES VALUE OF GRADIENT": PRINT"SERIES": PRINT 261Ø INPUT "NUMBER OF PERIODS"; N 2615 INPUT"INTEREST RATE/PERIOD (%)";IP 262Ø I=IP/1ØØ 2625 INPUT"PERIODIC INCREASE"; G $263 \text{ AG} = (1/I) - N/(((1+I)^N) - 1)$ 2635 A=G*AG 264Ø PRINT U\$: PRINTUSING F1\$; A 2645 PRINT"DO ANOTHER (Y OR N)?" 265Ø A\$=INKEY\$:IF A\$="" GOTO 265 2652 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 2655 IF A\$="Y" THEN GOTO 26Ø5 EL SE IF A\$="N" THEN RETURN ELSE GO TO 265Ø 2800 'UNIFORM SERIES VALUE OF FU TURE SUM 28Ø5 CLS 2807 PRINT"UNIFORM SERIES VALUE OF FUTURE": PRINT"SUM": PRINT 281Ø INPUT"NUMBER OF PERIODS"; N 2815 INPUT"INTEREST RATE/PERIOD (%)";IP 282Ø I=IP/1ØØ 2825 INPUT"FUTURE SUM"; F $283\emptyset AF=I/(((1+I)^N)-1)$ 2835 A=AF*F 284Ø PRINT U\$: PRINTUSING F1\$; A 2845 PRINT"DO ANOTHER (Y OR N)?" 285Ø A\$=INKEY\$:IF A\$="" GOTO 285 2852 IF A\$="P"AND QQ=1 THEN A=US 2855 IF A\$="Y" THEN GOTO 28Ø5 EL SE IF A\$="N" THEN RETURN ELSE GO TO 285Ø 3000 MENU FOR FUTURE VALUE 3ØØ5 CLS 3010 PRINT@64, "WHICH WOULD YOU L IKE TO CONVERT" 3Ø15 PRINT@96, "TO A FUTURE VALUE

?" 3Ø2Ø PRINT@165,"1 PRESENT SUM" 3Ø25 PRINT@197,"2 UNIFORM SERIES 3030 PRINT@229,"3 GRADIENT SERIE 3Ø35 PRINT@261,"4 RETURN TO MAIN 3Ø4Ø PRINT@353,"PRESS A NUMBER B ETWEEN 1 AND 4" 3Ø45 A\$=INKEY\$:IF A\$=""GOTO 3Ø45 3Ø5Ø IF A\$="4" THEN RETURN ELSE CASE=INSTR(1,"123",A\$) 3Ø55 ON CASE GOSUB 32ØØ,34ØØ,36Ø зябя сото зяяя 3200 'FUTURE VALUE OF PRESENT SU 32Ø5 CLS 32Ø7 PRINT"FUTURE VALUE OF PRESE NT SUM": PRINT 321Ø INPUT"NUMBER OF PERIODS"; N 3215 INPUT"INTEREST RATE/PERIOD" ;IP 322Ø I=IP/1ØØ 3225 INPUT"PRESENT SUM";P 323Ø FP=(1+I)^N 3235 F=FP*P 324Ø PRINT F\$: PRINTUSING F1\$; F

THE SOFTWARE HOUSE

CELEBRATING OUR 4TH YEAR WITH RAINBOW!

DS/DD DISKS



\$45/100 10/\$4.95

FACTORY PUNCHED-USE BOTH SIDES. \$75/100
CERTIFIED ERROR FREE. W/SLEEVES, LABELS, W.P.

3 1/2"DISKS DS/DD 10/\$14.95

PRINTER RIBBONS

EPSON MX/RX/FX 70/80 \$5.00 EA. 6/\$28.00 GEMINI 10/10X/SG \$2.00 EA. 12/\$22.00 COLORS R-BR-BL-GR-PUR \$3.00 EA. 5/\$12.00 R.S. DMP 130 BLACK \$6.95 EA. COLORS RED-BLUE-GRN \$7.95 EA. OTHER RIBBONS IN STOCK-CALL OR WRITE FOR QUOTE

ALL ITEMS 100% GUARANTEED. OFFER ENDS IN 30 DAYS

Add \$2.50 S/H in U.S.A. - Canada Add \$3.50 + \$1.00/LB
Michigan Residents Add 4% Sales Tax
Send Check/Money Order Payable to:
THE SOFTWARE HOUSE

9020 Hemingway, Redford, MI 48239 (313) 937-1313

Send Card Number & Exp. Date

VISA

Min. Charge Order \$20.00

3245 PRINT"DO ANOTHER (Y OR N)?" 325Ø A\$=INKEY\$:IF A\$="" GOTO 325 3252 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 3255 IF AS="Y" THEN GOTO 3205 EL SE IF AS="N" THEN RETURN ELSE GO TO 325Ø 3400 'FUTURE VALUE OF UNIFORM SE RIES 34Ø5 CLS 3407 PRINT"FUTURE VALUE OF UNIFO RM SERIES": PRINT 341Ø INPUT"NUMBER OF PERIODS";N 3415 INPUT"INTEREST RATE/PERIOD (%)";IP 342Ø I=IP/1ØØ 3425 INPUT"PERIODIC AMOUNT"; A $3430 \text{ FA} = (((1+I)^N)-1)/I$ 3435 F=FA*A 344Ø PRINT F\$: PRINTUSING F1\$; F 3445 PRINT"DO ANOTHER (Y OR N)?" 345Ø A\$=INKEY\$:IF A\$="" GOTO 345 3452 IF A\$="P" AND QQ=1 THEN A=U 3455 IF AS="Y"THEN GOTO 3405 ELS E IF A\$="N" THEN RETURN ELSE GOT O 345Ø 3600 'FUTURE VALUE OF GRADIENT S ERIES 36Ø5 CLS 3607 PRINT"FUTURE VALUE OF GRADI ENT SERIES": PRINT 361Ø INPUT"NUMBER OF PERIODS"; N 3615 INPUT"INTEREST RATE/PERIOD (%)"; IP 362Ø I=IP/1ØØ 3625 INPUT"PERIODIC INCREASE"; G $363 \text{ } \text{FG} = (((((1+I)^N)-1)/I)-N)/I$ 3635 F=FG*G 364Ø PRINT F\$: PRINTUSING F1\$; F 3645 PRINT"DO ANOTHER (Y OR N)?" 365Ø A\$=INKEY\$:IF A\$=""GOTO 365Ø 3652 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 3655 IF A\$="Y" THEN GOTO 36Ø5 EL SE IF A\$="N" THEN RETURN ELSE GO TO 365Ø 4000 'MENU FOR INTEREST RATE CON VERSIONS 4010 CLS 4Ø2Ø PRINT@64, "WOULD YOU LIKE TO CONVERT:" 4Ø3Ø PRINT@165,"1 NOMINAL ANNUAL RATE TO" 4040 PRINT@197," EFFECTIVE ANNU AL RATE" 4Ø5Ø PRINT@229,"2 EFFECTIVE ANNU AL RATE TO" 4060 PRINT@261," NOMINAL ANNUAL RATE" 4070 PRINT@293,"3 RETURN TO MAIN MENU" 4080 PRINT@385, "PRESS A NUMBER B ETWEEN 1 AND 3" 4Ø9Ø A\$=INKEY\$:IF A\$=""GOTO 4Ø9Ø 4100 IF A\$="3" THEN RETURN ELSE CASE=INSTR(1,"12",A\$) 411Ø ON CASE GOSUB 43ØØ, 46ØØ 412Ø GOTO 4ØØØ 4300 'NOMINAL TO EFFECTIVE 431Ø CLS 4315 PRINT"NOMINAL TO EFFECTIVE" : PRINT 432Ø PRINT"NUMBER OF COMPOUNDING ":PRINT"PERIODS/YEAR" 434Ø INPUT" (FOR CONTINUOUS INPUT Ø)";M 435Ø INPUT"NOMINAL ANNUAL RATE"; IP 4355 I=IP/1ØØ 436Ø IF M=Ø THEN 438Ø 437Ø IA=(1+I/M)^M-1:GOTO 439Ø 438Ø IA=EXP(I)-1 439Ø PRINT"EFFECTIVE ANNUAL RATE IS:":PRINTIA*1ØØ;"%" 4400 PRINT"DO ANOTHER (Y OR N)?" 441Ø A\$=INKEY\$:IF A\$="" GOTO 441 4415 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 442Ø IF A\$="Y" THEN GOTO 431Ø EL SE IF A\$="N" THEN RETURN ELSE GO TO 441Ø 4600 'EFFECTIVE TO NOMINAL 461Ø CLS 4615 PRINT"EFFECTIVE TO NOMINAL" : PRINT 462Ø PRINT"NUMBER OF COMPOUNDING ": PRINT"PERIODS/YEAR" 463Ø INPUT" (FOR CONTINUOUS, INPU T Ø)";M 464Ø INPUT"EFFECTIVE ANNUAL RATE "; IP 465Ø IA=IP/1ØØ 466Ø IF M=Ø THEN GOTO 469Ø $4670 I = (1+IA)^{(1/M)-1}$ 468Ø NI=I*M:GOTO 47ØØ 469Ø NI=LOG(1+IA) 4700 PRINT"NOMINAL ANNUAL RATE I S:":PRINTNI*1ØØ;"%" 471Ø PRINT"DO ANOTHER (Y OR N)?" 472Ø A\$=INKEY\$:IF A\$=""GOTO 472Ø 4725 IF A\$="P" AND QQ=1 THEN A=U SRØ(Ø) 473Ø IF A\$="Y"THEN GOTO 461Ø ELS E IF A\$="N" THEN RETURN ELSE GOT O 472Ø

0

Still pounding away at that keyboard? THE COLOR OF THE C

Save Time and Money with a Combination Subscription!

SAVE up to 19%

when you buy a joint subscription to the magazine and either RAINBOW ON TAPE or RAINBOW ON DISK! A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 foreign surface rate and \$188 foreign airmail. A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S., \$138 in Canada, \$183 foreign surface rate and \$218 foreign airmail.*

Every month, these convenient services bring you as many as 24 ready-to-run programs. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. A one-year combination subscription to THE RAIN-

BOW and RAINBOW ON TAPE OF RAINBOW ON DISK give you more than 230 new programs! The typing time you save can be spent enjoying your CoCo!

RAINBOW ON TAPE For No-Fuss Fun

Back issues of RAINBOW ON TAPE are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries.*

RAINBOW ON DISK Offers OS-9 Programs

In addition to all the programs offered on tape, part of one side of RAINBOW ON DISK is formatted for the OS-9 operating system. That means you can now get all the OS-9 programs from the magazine - programs that cannot be put on tape. Back issues of RAINBOW ON DISK are available beginning with October 1986. Subscriptions to RAINBOW ON DISK are \$99 a year in the U.S. Canadian rate is U.S. \$115. All other countries, U.S. \$130. Single copy rate is \$12 in the U.S.; U.S. \$14 in Canada; and U.S. \$16 in all other countries.*

To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

Look for our envelope located between pages 66 and 67 for ordering individual subscriptions to THE RAINBOW, RAINBOW ON TAPE and RAINBOW ON DISK.

YES! Sign me up for a joint 1-year subscription (12 issues) to	☐ THE RAINBOW and RAINBOW ON TAPE ☐ THE RAINBOW and RAINBOW ON DISK
	□ NEW □ RENEWAL (attach labels)
Charg	nt Enclosed ☐ (*payment must accompany order) e: ☐ VISA ☐ MasterCard ☐ Am. Express nt Number
	ure Exp

*U.S. currency only, please. In order to hold down costs, we do not bill. Kentucky residents add 5% sales tax. Please allow 6 to 8 weeks for delivery of first copies. Joint subscriptions to THE RAINBOW and RAINBOW ON TAPE OF RAINBOW ON DISK begin with the current issue.

Please note: While group purchases of RAINBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Yes, your group may even purchase a subscription to our disk/tape services, but such purchase in no way authorizes that any copies be made of that original disk/tape. Specifically, this means that the original disk/tape itself may indeed be kept in a club library for use by members. However, a group purchase does not entitle club members, individually or as a group, to copy that disk/tape.

Unauthorized copying of any copyright product is strictly illegal. The copyright (right to make copies) is in no way conveyed in the purchase transaction.



Keep track of your valuables and their I.D. numbers

Home Inventory Manager Mountainer Mountainer Mountainer Manager Mountainer Mountaine

By Bill Tottingham

ou have just arrived home after a crime prevention seminar in time to notice a couple of hairy thugs in a moving van driving off with what seems to be all your prize possessions. Indeed, upon examination of your abode, you come to the conclusion that you have been robbed.

The police are very helpful, checking for fingerprints and such, and finally asking you for a list of the stolen items and their serial numbers. You immediately give them a printout of these items... What?... No list?

Bill lives in Milton, Wisconsin, and is a free-lance programmer, an auto body worker and a programming consultant to high-tech developments.

Unfortunately, this scenario is not uncommon, and anyone who has experienced it knows that without a list of items and their serial numbers, your chances of ever recovering your possessions are greatly diminished. What's more, many insurance companies now require such a list before they pay off.

Home Inventory File may be your answer. The program keeps track of all your items, their serial numbers, their brand names, their value, and any specific information that will make identification easy.

The program works on a 16K ECB machine, tape or disk. If you have a 64K CoCo, you can clear more memory in Line 20 and change the value of DA in Line 30 to handle more items. The printer control codes, assigned in lines 1040 through 1070, are set up for the Radio Shack DMP-130.

The first screen you see after running the program gives you the option of creating a file for disk or tape or loading a file from disk or tape. As we're just starting, pick "Create File."

Enter the data, keeping the length under 14 characters for each of the first four entries. The fifth entry can be up to 111 characters — this is where you enter any specific information.

After the fifth entry, you are asked if the information is correct. If you answer no (N), you will be asked what line you want to change. After making any necessary changes, answer yes (Y) to the information prompt.

Here you can press A to add another item, S to save to disk or tape, or V for

After entering all the items, press S. You will be asked for a filename before operations continue. When you have supplied one, you will be put in the View mode, from which you can print your hard copy, delete an item, add more items, view items (use up and down

INVENTORY					
ITEM	BRAND	VALUE	SERIAL #		
TV	PANASONIC	319	2453564		
CMTS: CABLE-READY	CMTS: CABLE-READY, REMOTE				
VCR	MITSUBISHI	400	3532632		
CMTS: 4 HEADS, ST	EREO				
COLOR COMPUTER	RADIO SHACK	199	4364345		
CMTS: COCO 3					
MONITOR	TANDY	300	3478948		
CMTS: RGB/COMPOSI	TE				
DISK DRIVE	IBM	279	3987382		
CMTS: DUAL DRIVE	CMTS: DUAL DRIVE				
PRINTER	TANDY	220	3485793		
CMTS: DMP-130					


arrows to scroll through the file), save - have to change the value of DA in Line your file, or quit.


The View mode is also the mode you enter after loading a file. This is a simple process — from the entry menu just select the load option and respond to the filename prompt.

After you play with the program for a while, you will see how simple it is to use. On a 16K CoCo with disk, you may

30 to a lower value to avoid an OS Error. Most importantly, don't forget to put your disk and hard copy somewhere

(Questions or comments about this program may be directed to the author at 3916 Lakeshore Drive, Milton, WI 53563. Please enclose an SASE when writing for a response.)






The listing: INVNTORY

```
1 **************
       HOME INVENTORY
1
                        **
2 1*
           (C) 1986
                         **
3 '* BY BILL TOTTINGHAM **
4 '* BOX 331 MILTON, WI **
5 *************
10 PCLEAR1
2Ø CLEAR5ØØØ
3Ø DA=4Ø
4Ø DIM I$(DA), B$(DA), C$(DA), S$(D
A), V$ (DA)
5Ø CLSØ
6Ø PRINT@32,"
                    HOME INVENT
ORY"
7Ø PRINT@128, STRING$ (255,32); STR
ING$(32,32)
8Ø PRINT@16Ø,"
                    1) CREATE DI
SK FILE"
9Ø PRINT@224,"
                    2) CREATE TA
PE FILE"
100 PRINT@288,"
                     3) LOAD DIS
K FILE"
                     4) LOAD TAP
11Ø PRINT@352,"
E FILE"
12Ø I$=INKEY$
13Ø IF I$="1"THEN DN=1:GOTO18Ø
14Ø IF I$="2"THEN DN=-1:GOTO18Ø
15Ø IF I$="3"THEN DN=1:GOTO61Ø
16Ø IF I$="4"THEN DN=-1:GOTO61Ø
17Ø GOTO12Ø
18Ø X=1
19Ø GOSUB84Ø:GOSUB85Ø
200 FORZ=1TO5
21Ø ON Z GOSUB86Ø,88Ø,9ØØ,92Ø,94
```

Mouse Tales By Logan Ward



```
22Ø IF I$(X)=""THEN21Ø
23Ø NEXT Z
24Ø IF LEN(C$(X))>111 THEN C$(X)
="":GOSUB84Ø:GOSUB85Ø:GOSUB94Ø:G
OTO25Ø
25Ø PRINT@454,"INFORMATION CORRE
CT?"
26Ø I$=INKEY$
27Ø IF I$="N"THEN35Ø
28Ø IF I$<>"Y"THEN26Ø
29Ø PRINT@454,"(A) DD (V) IEW (S) A
VE "
3ØØ I$=INKEY$
31Ø IF I$="A"THENX=X+1:GOTO19Ø
32Ø IF I$="V"THEN NF=X:X=1:GOTO4
1Ø
33Ø IF I$="S"THEN NF=X:GOTO56Ø
34Ø GOTO3ØØ
35Ø PRINT@454,"LINE TO BE CORREC
TED?"
36Ø I$=INKEY$:IF I$=""THEN36Ø
37Ø I=VAL(I$):IF I=Ø THEN 36Ø
38Ø IF I>5THEN36Ø
39Ø ON I GOSUB86Ø,88Ø,9ØØ,92Ø,94
4ØØ GOSUB84Ø:GOSUB85Ø:GOTO24Ø
41Ø IF I$(X)=""THEN47Ø
42Ø CLS:PRINT@32+(32-LEN(I$(X)))
/2, I$(X)
43Ø PRINT@129+(16-LEN(B$(X)))/2,
B$(X):PRINT@144+(16-LEN(S$(X)))/
2,"#";S$(X)
44Ø PRINT@191+(32-LEN(V$(X)))/2,
"$"; V$(X)
45Ø PRINT@256, C$(X)
46Ø PRINT@384,"(D) ELETE (A) DD (H
)ARDCOPY (S)AVE":PRINT@451,"(Q)U
IT
     <ARROWS TO SCROLL>"
47Ø I$=INKEY$:IF I$=""THEN47Ø
48Ø IF I$=CHR$(94)THENX=X+1:IF X
>NF THEN X=NF ELSE GOTO410:GOTO4
1Ø
49Ø IF I$=CHR$(1Ø)THEN X=X-1:IF
X<1 THENX=1 ELSE GOTO410:GOTO410
5ØØ IF I$="D"THEN I$(X)="":X=X-1
:IF X<1THEN X=NF ELSE GOTO41Ø:GO
T041Ø
51Ø IF I$="H" THEN 1030
52Ø IF I$="A"THEN X=NF+1:GOTO19Ø
53Ø IF I$="S"THEN56Ø
54Ø IF I$="Q" THEN END
55Ø GOTO47Ø
56Ø GOSUB96Ø
57Ø I$=INKEY$:IF I$<>CHR$(13)THE
N57Ø
58Ø GOSUB74Ø
59Ø I$=INKEY$:IFI$=""THEN59Ø
6ØØ X=1:GOTO41Ø
61Ø GOSUB 96Ø
62Ø I$=INKEY$:IF I$<>CHR$(13)THE
N62Ø
```

```
63Ø GOSUB65Ø
                                      94Ø PRINT@337,STRING$(LEN(C$(X))
                                       ,32):PRINT@337,"";:LINEINPUTC$(X
64Ø :X=1:GOTO41Ø
65Ø 'READ FILE
66Ø X=Ø
                                      95Ø RETURN
67Ø OPEN"I", #DN, FILE$
                                      96Ø CLS:PRINT@74, "FILE NAME??":P
68Ø X=X+1:NF=X
                                      RINT@1Ø6,"";:LINEINPUTFILE$
                                      97Ø IF FILE$=""THEN96Ø
69Ø IF EOF(DN) THEN72Ø
7\emptyset\emptyset INPUT#DN, I$(X), B$(X), S$(X), V
                                      98Ø IF LEN(FILE$)>8THEN96Ø
$(X),C$(X)
                                       99Ø IF DN=1THENPRINT@264,"PLACE
71Ø IF EOF(DN)=ØTHEN68Ø
                                       DATA DISK":PRINT@298,"IN DRIVE -
                                      Ø-"
72Ø CLOSE
73Ø RETURN
                                       1000 IF DN=-1 THEN PRINT@266,"PO
74Ø 'WRITE FILE
                                       SITION TAPE": PRINT@294, "PRESS PL
75Ø OPEN"O", #DN, FILE$
                                       AY & RECORD"
                                       1010 PRINT@460,"<ENTER>"
76Ø FOR X=1TO NF
77Ø IF I$(X)=""THEN81Ø
                                       1Ø2Ø RETURN
                                       1030 'PRINTER ROUTINE
78Ø IF DN=1 THEN WRITE #DN, I$(X)
,B$(X),S$(X),V$(X),C$(X)
                                       1Ø4Ø EO$=CHR$(27)+CHR$(14): DOUB
79Ø IF DN=-1 THEN PRINT #DN, I$ (X
                                       LEWIDTH ON
), B$(X), S$(X), V$(X), C$(X)
                                       1Ø5Ø ED$=CHR$(27)+CHR$(15): DOUB
800 IF X=NF THEN820
                                       LEWIDTH OFF
81Ø NEXT X
                                       1Ø6Ø UO$=CHR$(15): 'UNDERLINE
82Ø CLOSE
                                       1070 UE$=CHR$(14): END UNDERLINE
83Ø RETURN
                                       1080 CLS:PRINT@37, "POSITION PRIN
84Ø CLS: PRINT@8, "DATA ENTRY/EDIT
                                       TER HEAD": PRINT@364, "<ENTER>"
": RETURN
                                       1Ø9Ø I$=INKEY$:IF I$<>CHR$(13) T
85Ø PRINT@68,"1) ITEM: "; I$(X):P
                                       HEN1Ø9Ø
RINT@132,"2) BRAND: "; B$(X): PRIN
                                       1100 \text{ PRINT} = -2, \text{STRING} (5, 13)
T@196,"3) SERIAL#: ";S$(X):PRINT
                                       111Ø PRINT#-2, TAB(31); EO$; "INVEN
@26Ø, "4) VALUE: "; V$(X): PRINT@32
                                       TORY"; ED$; STRING$(3,13)
4,"5) COMMENTS: ";C$(X):RETURN
                                       112\emptyset PRINT#-2, TAB(\emptyset); UO$; TAB(8\emptyset)
86Ø PRINT@77, STRING$ (LEN(I$(X)),
                                       ;UE$
32):PRINT@77,"";:LINEINPUTI$(X)
                                       113\emptyset PRINT#-2, TAB(\emptyset); UO$; TAB(1\emptyset)
                                       ;"ITEM"; TAB(3Ø); "BRAND"; TAB(5Ø);
87Ø RETURN
88Ø PRINT@142,STRING$(LEN(B$(X))
                                       "VALUE"; TAB(65); "SERIAL #"; TAB(8
,32):PRINT@142,"";:LINEINPUTB$(X
                                       Ø);UE$
                                       114Ø PRINT#-2
89Ø RETURN
                                       115Ø FOR X=1TONF
                                       116Ø IF I$(X)=""THEN NEXT X
9ØØ PRINT@2Ø8,STRING$(LEN(S$(X))
,32):PRINT@2Ø8,"";:LINEINPUTS$(X
                                       117Ø PRINT#-2, TAB(7); I$(X); TAB(2
                                       5); B$(X); TAB(48); V$(X); TAB(63); S
                                       $(X); CHR$(13)
91Ø RETURN
92Ø PRINT@27Ø, STRING$ (LEN (V$(X))
                                       118Ø PRINT#-2, TAB(5); "CMTS: "; C$
,32):PRINT@27Ø,"";:LINEINPUTV$(X
                                       (X); STRING$(2,13)
                                       119Ø NEXT X
93Ø RETURN
                                       1200 X=1:GOTO410
```

PREMIUM COCO3 512K UPGRADE

 Made in USA by J&R Electronics · Memory chips socketed, user replaceable Rugged, long life construction Top mounted Memory for cooling . Heavy duty POWER and GROUND planes to minimize memory errors due to noise

·High performance design, permits use of less expensive 150ns memory chips


We supply Prime memory chips, not inferior pulls or fallouts*

•Includes RAMDISK, Spooler and Memory Test software on disk with 28 page User's Manual (We set the standard for 512K support software. We believe our software is uniquely powerful, as opposed to those 'Me, too' companies that charge extra for software with much less powert)

SPECIAL PRICES

#1010-29.95 JramR bare board plus connectors and software

#1014-39.95 JramR assembled & tested ØK (No memory chips) and software *CALL (for latest price of #1014 with memory chips and other products) To place an order, write to: J&R Electronics, P.O. Box 2572, Columbia, MD 21045, OR call (301) 987-9067-Jesse or (301) 788-0861-Ray



April 1988


George Aftamonow disk 46 Howe St. • 06460 only CT. Milford,



0









NOW Print Single Voice/ Single Voice/ Track files using LYRA PRINT \$29.95

Now your COCO can talk to your MIDI music synthesizer. Whether you have a Korg, Roland, Casio, Yamaha, or Moog, it doesn't matter as long as it's MIDI equipped. Choose from our

entry level MUSICA MIDI system that plays MUSICA files or our Professional COCO MIDI 2 system.

- Supports 16 Track recording and playback.
- Adjustable tempo.
- Over 45 Kbytes available (Over 15,500 MIDI events possible).
- Record to any track.
- Low Level track editing
- LYRA editing. (one voice per track)
- Playback from any number of tracks.
- ✓ Quantizing to ¼6, ⅓2, ⅙4 intervals.
- Dynamic memory allocation.

- Filter out MIDI data Key pressure Program change Pitch wheel
- Graphic Piano Keyboard Display in both record and playback mode.

Control Change

Channel Pressure

System Message

- Adjustable Key (Transposition) for each track.
- Save recording to disk for later playback or editing.
- Syncs to drum machine as MASTER or SLAVE

- PUNCH IN and PUNCH OUT editing.
- Sequencer features.
- 100% machine code.
- "Musician Friendly" Menu Driven.
- ✓ Metronome
- Many songs included.
 Includes MIDI hardware interface, 2 MIDI cables, detailed manual, and software. Requires 64K CoCo, Y-Cable or Multi-Pak.

COCO MIDI 2 (disk only) #CM147 . \$149.95 DOUBLE Y-CABLE #DY181 \$28.95 TRIPLE Y-CABLE #TY173 \$34.95

■DX LIBRARIAN™

Save and load voice parameters for the Yamaha DX series of synthesizers (DX-7, DX-100, DX-21 etc.). Save sounds individually or as a group letting you load the entire synthesizer in seconds.

Comes with professionally developed voices for the DX-7 worth 10 times the price. Requires COCO MIDI hardware interface. **DX LIBRARIAN** (Disk only) #DX143 \$39.95

CASIO LIBRARIAN

Save and load voice parameters for any Casio synthesizer (CZ-101, CZ-1000, CZ-5000 etc.) You can save from the: presets, cartridge,

MUSICA MIDITM

MUSICA MIDI takes any MUSICA 2 music file and plays it through your MIDI synthesizer. We offer you over 800 tunes from our MUSIC LIBRARY series (sold separately) or create your own music using MUSICA 2. Inlcudes: documentation, plenty of music, and the cable to connect between the COCO and your synthesizer. **MUSICA MIDI** Complete (Disk Only) #CM126 \$39.95

MIDI KEYBOARD

If you own the Casio CZ-101 or similar MIDI synth, you know that the mini keys and the short 3 or 4 octave keyboard is limiting. MIDI KEYBOARD when used with our full size 5 octave keyboard


gives you the flexibility you need. Comes with cable to connect the COCO to your MIDI synth.

MIDI KEYBOARD (Disk only) #MK167 \$29.95

LYRA PRINT NEW! NOW PRINTLYRA FILES ON YOUR RADIO SHACK, CEMINI, PANASONIC & COMPATIBLE PRINTER \$29.95

DOWN PULL MENUS

ICONS!



Coco 1, 2, 3 Compatible

A MUST FOR MIDI USERS

LYRA is the most powerful music composition program we have seen on any computer. We don't mean just the COCO, we really mean any computer. Whether you are a novice trying to learn music or a professional musician with MIDI equipment you will find LYRA a powerful tool. You see, we wrote LYRA for musicians that hate computers. If you want proof, purchase a LYRA demo for \$7.95. We will apply the demo price to your purchase. MIDI output requires the LYRA MIDI cable (#MC158) or COCO MIDI Seg/Editor (#CM147).

- Ultra Easy to use, just point with joystick or mouse and click.
- Compose with up to 8 completely independent voices.
- Room for over 18,000 notes. (This is not a misprint!)
- Super Simple Editing Supports: Note insert Note delete

Output music to: TV Speaker STEREO PAK SYMPHONY 12

MIDI Synth

Block insert Block delete Note change Block copy Monitor Speaker

ORCHESTRA 90 COCO MIDI S/E MIDI Drum Machine

Output up to 4 voices without additional hardware.

- Output all 8 voices using either SYMPHONY 12 or one or more MIDI synthesizers and drum machines.
- Output any voice on any of the 8 MIDI channels
- Transpose music to any key.
- Modify music to any tempo.
- Automatically inserts bar for each measure as you compose.
- Key signature lets you specify sharps and flats only once, LYRA will do the rest.
- Plays MUSICA 2 files using LYRA CONVERT (#LC164).
- Each voice may be visually highlighted or erased
- Each measure is numbered for easy reading

- ✓ Solo capability
- Block edits are highlighted.
- Tie notes together for musical continuity.
- Name of note pointed to is constantly displayed.
- Jump to any point in the score instantaneously.
- Memory remaining clearly displayed, however you will have plenty of memory even for the most demanding piece.
- Help menu makes manual virtually unnecessary.
- LYRA is 100% software, no need for extra hardware unless you want more power.
- Music easily saved to tape or disk.
- Requires 64K and mouse or joystick

LYRA (Disk only) #LY122 \$54.95

LYRA OPTIONS

These LYRA options are not required. They are provided for those wishing additional flexibility.

LYRA CONVERT

A program to convert MUSICA 2 files to LYRA files. (Disk) #LC164 \$14.95

VERSION UPDATE

To receive the latest version of LYRA return your original disk. #UP162 \$10.00

LYRA MIDI CABLE

A cable to connect your computer to your MIDI synthesizer.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders. Shipping and handling US and Canada Shipping and handling outside the US and Canada COD Charge \$2.00 Illinois residents add 61/4% sales tax.

LYRA SYMPHONY 12 ENHANCER

Lets LYRA play all 8 voices through SYMPHONY 12

LYRA LIBRARY

A collection of 50 songs ready to play for hours. Most have 7 and 8 voices. #LL137 . \$39.95

SYMPHONY 12

A real hardware music synthesizer, lets LYRA play all 8 voices in stereo.

(T or D) #SY149 \$69.95

COCO MID Seg/Editor

A professional quality MIDI interface for MIDI synthesizers.

(Disk only) #CM147 \$149.95

MUSIC LIBRARY

A collection of over 900 songs. When used with CONVERT, it gives an incredible LYRA library. Each volume 100 songs.

COCO MAX is a trademark of Colorware. ORCHESTRA 90 is a trademark of Radio Shack.

> 38W255 DEERPATH ROAD **BATAVIA, ILLINOIS 60510** (312) 879-6880

Speech Systems



A mini word processor for your letter-writing needs

Color Correspondent

By Arthur S. Hallock

driven word processor that's great to use when you need to knock off something short, like a letter.

To use the program, just load and run. It is 99.44 percent self-prompting, and gives a colorful (although perhaps non-professional) screen appearance, while attempting to help you compose a letter (a dying art in itself).

After loading and running, you find yourself at the main menu, presented with eight options:

- C Commence a new letter
- A Add to an existing letter
- E Edit, inquire, view page
- L Load page tape or disk
- H Hard copy on printer
- S Save page tape or disk
- X Exit terminate program
- P Print: fanfold envelope

To begin a letter, press C. You must enter the line length of the letter by selecting your margins when prompted. For simplicity's sake, I usually use 8 and 88, giving me an 81-character line, which works well for my DMP-110 printer in its proportional font mode. (This program is presently set up for the Radio Shack DMP-110 at 1200 baud.)

The tab guide helps to educate your

guess as to the indentation of your paragraphs, and the red "stopper" limits the line length to the length selected. If your line is too long, the program won't accept it and prompts you to re-enter (and shorten) the lines. Likewise, when in the Edit mode there is a series of dots that assist in the judgment of line length.

The program starts out allowing you to enter 44 lines of text, which just about fill one page if you're using a letterhead. When you reach the limit, the program switches screens and prompts you to request another number of lines. This may be up to 200 lines as the program is written, unless you want to dimension a larger buffer area (L\$\sigma\$ is now dimensioned to 200 in Line 40), and you're returned to the main menu. Press A to add to your letter, starting at Line 45.

The Edit mode allows you to proofread your letter, viewing five lines at a time, as long as the line length is 91 or less. This fills the screen; if you use longer lines, viewing is more difficult as the top lines will be lost.

When used with cassette systems, the program pauses on a screen that allows

you to adjust your tape to whatever position you want, and then requests a filename. If, at this point, you enter a null (by pressing ENTER alone), the program will abort the load or save and return you to the main menu. Exiting the program aborts also, unless confirmed by a 'Y' for yes.

If you're using a disk system, you may enter DIR at the prompt for the filename to load — this allows you to view the directory. When you're running on disk, of course, you bypass the motor routine for cassette.

Everything else is self-prompting and self-explanatory. Although it was written for the 32K CoCo, with appropriate pruning the program will work in 16K. In either case, the program is very flexible. Unnecessary lines can be left out, and the INSTR command can be added to, or subtracted from, quite handily. In that way, you can dedicate the program to 16K, tape or disk, and make room for more text.

Change the printer baud rate in Line 30 to your favorite rate. Lines 1620 and 1730 check that the printer is online.

Originally trained in electronics, with home courses and 13 years with the Bell Telephone System, Arthur Hallock switched to computers five years ago. He works as a police dispatcher and runs a computer repair service as a hobby.

CHR\$(27); CHR\$(14)	start elongation
CHR\$(27); CHR\$(15)	end elongation
CHR\$(27); CHR\$(17)	select proportional character
CHR\$(27); CHR\$(19)	select standard character 10 CPI
CHR\$(27); CHR\$(2Ø)	select condensed character 17 CPI
CHR\$(27); CHR\$(29)	select elite character 12 CPI
CHR\$(27); CHR\$(66)	select italic character

Table 1: DMP-110 Printer Control Codes

The control codes used in this program (see Table 1) are for the Radio Shack DMP-110 printer. Most Radio Shack dot matrix printers will work just fine with these codes. For other printers, you will find the listed control codes in lines 1500, 1590 and many lines from Line 2050 through Line 2360. One final note

on control codes. The code CHR\$(12) appears in several lines in the program. This code is interpreted by nearly every printer to mean "perform a form feed."

To use the envelope routine, just edit LH\$ and AD\$ in lines 2010 and 2020, and adjust the block in lines 1900 through 2370 to read with your name.

As the entire program is written in block form, any area can easily be tailored to your specifications.

(Questions or comments about this program may be directed to the author at Route 1, Box 198 HHH, Deming, NM 88030. Please enclose an SASE when writing for a reply.)

	1	ALL MARKET
V	18043	1570133
	18043 300235	1770 225
		192042
	820206	2150229
	1000234	2310 205
	120099	2550198
		END42

The listing: LETRRITR

1Ø GOTO 3Ø * LETRWRTR/BAS 14 JAN 84 * ASHALLOCK 3Ø PCLEAR1:POKE15Ø,41:CLS3 '*** BAUDRATE SET TO 12ØØ DMP11Ø* 4Ø CLEAR1ØØØØ:DIML\$(2ØØ) 5Ø DIMC(18Ø),L(25),M(6Ø),P(6Ø),Q (6Ø),R(96),Z(96)

9Ø GOTO244Ø 100 IF C>0 THEN30ELSE110 11Ø CLS3:PRINT@33,"** "BK\$"start -up"BK\$"routine"BK\$" **";:PRINT@ 96,STRING\$(32,182);:POKE1Ø66,45 12Ø PRINT@162," WHEN ENTERING TE XT, ENTER ";:PRINTSTRING\$(5,175) ;:PRINT@194," A PERIOD (.) T O EXIT 11 ; 13Ø P=Ø:PRINT@258,;:INPUT" ENTER LEFT MARGIN "; L: L=L-1: IFL< THE N L= \emptyset : PRINT@257, STRING\$(5,175); 14Ø PRINT@258," RIGHT MARGIN MUS T BE ";:PRINTSTRING\$(5,175) " EQUAL TO OR LESS THAN 96 "; 15Ø PRINT@354," ";:INPUT"ENTER R IGHT MARGIN ";R 16Ø IFR=Ø THEN9ØELSEIFR<L THEN15 ØELSE17Ø

SPECIAL EVENT?

COCO GALLERY LIVE SHOWCASE YOUR BEST AT RAINBOWFEST


We are taking the popular "CoCo Gallery" on the road to RAINBOWfest Chicago — and we'd like you to submit your own graphics creations to be exhibited at the show!

RULES

- You can enter color or black-and-white photographs or printouts of your original artwork produced on the CoCo 1, 2 or 3. Entries should be framed, mounted or matted, and may not be smaller than 5-by-7 inches or larger than 11-by-14 inches.
- Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere. A digitized copy of a picture that appears in a book or magazine is *not* an original work.
- Along with your entry, send a cover letter with your name, address and phone number, detailing how
 you created your picture (what programs you used, etc.). Please include a few facts about yourself,
 too!
- Your name, address and phone number, along with the title of your work, must be clearly marked on the back of each entry, and a disk copy of each piece must also be included.
- Entries may be mailed to THE RAINBOW before May 1, 1988, or brought to the RAINBOWfest registration booth by 10 a.m., Saturday, May 21.
- Your work will be returned if sent with a postage paid return envelope, or entries can be picked up at the close of the show — Sunday, May 22, at 4 p.m.

There will be two categories: one for graphics produced on the CoCo 1 and 2, and one for CoCo 3 graphics. Several awards will be made in each category. Winners will be determined by votes from RAINBOWfest attendees. In case of any ties, winners will be determined by our chief judge, CoCo Cat.

Prizes and ribbons will be presented Sunday, May 22, and winning entries will be published in the September '88 issue of THE RAINBOW. Send your entry to "CoCo Gallery Live," THE RAINBOW, 9509 U.S. Highway 42, Prospect, KY 40059.



Rick Adams

Independent Programmer Writing Commercial Software

Cray Augsburg

RAINBOW Technical Editor OS-9 For Absolute Beginners

Bill Bernico

Independent Programmer Writing in BASIC

Tom DiMarco, Sr.

Gimmesoft Hard Drive Installation, Operation and Maintenance

Marty Goodman, M.D.

RAINBOW Contributing Editor CoCo Consultations

Ed Hathaway

Glenside CoCo Club Organizing a CoCo Club

A. Buddy Hogan Independent Programmer

Integrating CoCo 3 Into Organizational Work

Donald Hutchison

RAINBOW CoCo SIG Database Manager Introduction to RAINBOW's CoCo SIG on Delphi

Jutta Kapfhammer

RAINBOW Managing Editor Writing for Publication

Dale Lear

RAINBOW Contributor Elements of Programming Games Originality in Game Programming

Ross Litton

Howard Medical Monitor Interfacing

Richard Parry Cecil Houk

Speech Systems Music and MIDI

Dale Puckett

RAINBOW Contributing Editor Beginners Overview of OS-9 Beginners Overview of BASIC09

ogan Ward

Computer Center Creative Uses for CoCo Max

Dick White

RAINBOW Contributing Editor Spreadsheets for the CoCo

Dan Bruns — President, General Videotex Corporation

Our keynote speaker for the traditional CoCo Community Breakfast is Dan Bruns, president and chief executive officer of General Videotex Corporation (Delphi). Formerly a systems analyst for Sperry Univac, Mr. Bruns has helped Delphi grow into a major telecomputing information service and an important meeting place for the CoCo Community.

4 and under, free; over 4, full price.

call (800) 847-0309.

We're pleased to present The Educational Sandbox, a joint Tandy/RAINBOW effort. This is a computer workshop for RAINBOWfest kids. There will be two sessions on both Saturday and Sunday. One workshop will be for the kindergarten through third-grade set, and the other for fourth-through seventh-graders. Each workshop will last between 45 minutes and one hour, and will give the children and their parents hands-on experience in using Tandy computers and software.

RAINBOWfest - Chicago, Illinois

Dates: May 20-22, 1988 Hotel: Hyatt Regency Woodfield

Rooms: \$64 per night,

single or double

Advance Ticket Deadline: May 6, 1988

Join us at a future RAINBOWfest!

RAINBOWfest - Princeton, New Jersey Dates: October 21-23, 1988 Hotel: Hyatt Regency Princeton

Rooms: \$88 per night,

single or double

Advance Ticket Deadline: Oct. 7, 1988

FREE T-Shirt to first five ticket orders received from each state.

First 500 ticket orders received get The Rainbow Book of Simulations.

YES, I'm coming to Chicago! I want to save by buying tickets now at the special	l advance
sale price. Breakfast tickets require advance reservations.	

Three-day tickets at \$9 each total	Name (please print)
One-day tickets at \$7 each total	Address
Circle one: Friday Saturday Sunday Saturday CoCo Breakfast	CityState
at \$12 each total	TelephoneZIP
RAINBOWfest T-shirts at \$6 each total (Advance sale-priced T-shirts	Company □ Payment Enclosed, or Charge to:
must be picked up at the door) Handling Charge \$1	□ VISA □ MasterCard □ American Express
TOTAL ENCLOSED	Account Number
(U.S. Currency Only, Please) Also send me a hotel reservation card for the	Exp. Date
Hyatt Regency Woodfield (\$64, single or double room).	Signature

Make checks payable to: The RAINBOW. Mail to: RAINBOWfest, The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059. To make reservations by phone, in Kentucky call (502) 228-4492, or outside Kentucky

```
17Ø IFR>(K+L+2) THENR=Ø:SOUND15Ø
,5:GOTO14Ø ELSE18Ø
18Ø R=R-1:Z=R-L:M=44:GOTO21Ø
200 IFC=0 THEN90ELSE210
21Ø C=C+1:IFC=>M THEN136Ø
22Ø POKE282, Ø:CLS3:PRINT@128,STR
ING$(32,182);:PRINT@16Ø,TAB(4);C
HR$(188)"5";:PRINTTAB(9);CHR$(18
8) "lø";: PRINTTAB(14); CHR$(188) "1
5";:PRINTTAB(19);CHR$(188)"2Ø";
23Ø PRINTTAB(24); CHR$(188)"25"; T
AB(29); CHR$(188) "3Ø"; : PRINT@Ø, "t
ab"BK$"quide"BK$"and"BK$"end"BK$
"of"BK$"text"BK$"marker";
24Ø EN=96-Z:PRINT@192,"";:PRINTT
AB(Z); STRING$(EN, 191); : PRINTSTRI
NG$(32,183);
25Ø PRINT@357," MARGINS ARE"L+1"
AND"R+1;:PRINT@417," LINE LENGTH
 IS"R+1-L"CHARACTERS ";
26Ø PRINT@48Ø, STRING$(4,128);:PR
INT@484, "enter"BK$"a"BK$"period"
BK$"."BK$"to"BK$"end";:PRINTSTRI
NG$(4,128);:POKE1535,128:POKE152
3,46
27Ø PRINT@71," LINE NUMBER "C" "
;:PRINT@192,;:LINEINPUTL$(C)
28Ø IFL$(C)="."THEN C=C-1:GOTO9Ø
29Ø IF LEN(L$(C))>Z THEN3ØØELSE3
300 L$(C)="":PRINT@320," TOO LON
G- TRY AGAIN ":SOUND100,10:SOUND
5Ø, 1Ø: FORD=1TO1ØØØ: NEXT: GOTO22Ø
31Ø IFLEN(L$(C))=Ø THENL$(C)=" "
32Ø GOTO21Ø
4ØØ IFC=Ø THEN9ØELSEPOKE282,Ø
41Ø CLS3:PRINT@33,"** edit"BK$"r
outine **";:PRINT@96,;
42Ø Q=Ø:P=Ø
43Ø Q=Q+1:P=P+1
44Ø PRINTQ; TAB(4); L$(Q)
45Ø IFQ=C THEN48Ø ELSE46Ø
46Ø IFP=5 THEN48Ø
47Ø GOTO43Ø
48Ø P=Ø
490 YY=0:PRINT"enter"BK$"line"BK
$"number"BK$"or"BK$"enter";:INPU
TYY
500 IF YY>C THEN490 ELSE510
51Ø IFYY<=Ø THEN52Ø ELSE54Ø
52Ø IFQ=C ANDP=Ø THEN9ØELSE53Ø
53Ø CLS3:GOTO47Ø
54Ø EE=Ø:EE=YY:YY=Ø:CLS3
55Ø PRINT@97," OLD LINE: ";:PRIN
TL$(EE):L$(EF)=L$(EE):L$(EE)=""
56Ø PRINT@257,;::POKE282,Ø:PRINT
" NEW LINE: ";:PRINTSTRING$(Z,".
");:PRINT@268,;:LINEINPUTL$(EE)
57Ø IFL$(EE)="" THENL$(EE)=L$(LF
):GOTO41Ø
```

```
58Ø IFL$(EE)="."THEN L$(EE)="":E
E=EE-1:C=C-1
59Ø IF LEN(L$(EE))>Z THENPRINT"
TOO LONG - TRY AGAIN": LS(EE) ="":
GOTO56Ø
600 GOTO410
69Ø PRINT@48Ø, BK$"touch"BK$"any"
BK$"other"BK$"key"BK$"to"BK$"ret
urn"BK$;:POKE1535,128:RETURN
7ØØ POKE282,255:CLOSE
71Ø CLS4: PRINTSTRING$ (64, 182);:P
RINT@97," DID YOU SAVE YOUR LAST
 PAGE? ";:PRINT@16Ø,STRING$(64,1
82);:PRINT@257," TERMINATE ?...(
y"BK$"to"BK$"confirm) "BK$;
72Ø POKE1296,4Ø:POKE13Ø9,41:GOSU
B69Ø
73Ø Q$=INKEY$:IFQ$=""THEN73Ø
74Ø IFQ$="Y" ORQ$="Y"THEN79Ø
75Ø IFQ$<>"Y" ORQ$<>"y"THEN9Ø
79Ø CLS3:PRINT"THE LETTER WRITER
PROGRAM IS", "TERMINATED
84 ASHALLOCK", "TYPE "CHR$(34)"CO
NT"CHR$ (34) " TO CONTINUE WITHOUT
 LOSS OF DATA ";: END
8ØØ IFC=Ø THEN244ØELSE81Ø
81Ø CLS4:PRINT@39,"** save"BK$"r
outine **";:GOSUB27ØØ:FORD=1T01Ø
ØØ:NEXT
82Ø IF DV=-1 THENPRINT@98," * *
* ready"BK$"cassette * * * ";ELS
EPRINT@98," * * * touch"BK$"S"BK
$"to"BK$"save * * *";:GOT092Ø
83Ø PRINT@227," [space] TURNS MO
TOR OFF ";
84Ø PRINT@291," [enter] TURNS MO
TOR ON ";
85Ø PRINT@358," TOUCH [s] TO SAV
E ";:GOSUB69Ø
86Ø I$=INKEY$:IFI$=""THEN86Ø
87Ø IFI$=" "THEN91Ø
88Ø IFI$=CHR$(13)THEN9ØØ
89Ø IFI$="S" ORI$="s"THEN92Ø ELS
E9Ø
900 PRINT@424," MOTOR IS on
AUDIOON: MOTORON: GOTO860
91Ø PRINT@424," MOTOR IS off ";:
AUDIOOFF: MOTOROFF: GOTO860
92Ø CLS3:PRINT@97," NAME MUST BE
 BETWEEN 1 AND 8 ";:PRINT@129,"
CHARACTERS LONG only ";
93Ø NE$="":PRINT@225," ENTER NAM
E YOU WISH TO SAVE ";:PRINT@257,
;:LINEINPUT" THIS FILE AS: "; NE$
94Ø IF LEN(NE$)=Ø THEN244Ø
95Ø IF LEN(NE$)>8 THEN81ØELSE96Ø
96Ø PRINT@321," SAVING TO "TD$"
AS "; NE$" "; STRING$ (5,175);
97Ø IF DV=-1 THENMOTORON: FORD=1T
O3ØØ:NEXT:MOTOROFF
```

98Ø OPEN"O", #DV, NE\$ 99Ø PRINT#DV, C, L, R, Z, M 1000 FOR RR=1 TOC 1010 PRINT#DV, L\$ (RR) 1020 NEXT 1030 CLOSE 1040 PRINT@321," FILE IS SAVED A S "NE\$" "; STRING\$ (5,175); 1050 IF DV=-1 THENMOTORON: FORD=1 TOIØØ:NEXT:MOTOROFF 1Ø6Ø GOTO244Ø 1070 GOTO2440 1100 IF C>0 THEN30ELSE1110 111Ø CLS3:PRINT@38,"** load"BK\$ "routine **";:GOSUB2700:FORD=1T OlØØØ:NEXT 112Ø IF DV=-1 THENPRINT@98," * * * ready"BK\$"cassette * * * ";EL SEIF DV=1THEN122Ø 113Ø PRINT@227," [space] TURNS M OTOR OFF "; 114Ø PRINT@291," [enter] TURNS M OTOR ON "; 115Ø PRINT@358," TOUCH [1] TO LO AD ";:GOSUB69Ø 116Ø I\$=INKEY\$:IFI\$=""THEN116Ø 117Ø IFIS=" "THEN 121Ø 118Ø IFI\$=CHR\$(13)THEN12ØØ 119Ø IFI\$="L" ORI\$="1"THEN122Ø E LSE9Ø 1200 PRINT@424," MOTOR IS on :AUDIOON:MOTORON:GOTO116Ø 121Ø PRINT@424," MOTOR IS off "; :AUDIOOFF: MOTOROFF: GOTO116Ø 122Ø CLS3:GOSUB27ØØ:PRINT@1," SY STEM SET TO "TD\$" "; 123Ø '* SAVE ROUTINE 124Ø NE\$="":PRINT@225,;:INPUT" E NTER NAME OF FILE "; NE\$ 125Ø IF LEN(NE\$) = Ø THEN9Ø ELSEIF NE\$="DIR" THEN26ØØ ELSE126Ø 126Ø IF LEN(NE\$)>8 THEN124Ø ELSE 127Ø 127Ø OPEN"I", #DV, NE\$ 128Ø INPUT#DV, C, L, R, Z, M 1290 PRINT: PRINT" LEFT MARGIN SE T AT "; L+1 1300 PRINT: PRINT" RIGHT MARGIN S ET AT ";R+1 131Ø PRINT: PRINT" PAGE LENGTH SE T AT "; M 132Ø FOR RR=1TO C 133Ø IF EOF(DV) THEN9Ø 134Ø LINEINPUT#DV, L\$ (RR) 135Ø NEXT: CLOSE: GOTO244Ø 136Ø CLS3:PRINT@33," YOU HAVE RE ACHED THE LIMIT ";: PRINT@65," OF YOUR PAGE LENGTH "; 137Ø PRINT@129," DO YOU WANT TO INCREASE THE ";: PRINT@161," LENG

TH (y OR ANY OTHER KEY) "; 138Ø Y\$=INKEY\$:IFY\$=""THEN138ØEL SE139Ø 139Ø IFY\$="Y"OR Y\$="V"THEN14ØØEL SE143Ø 1400 PRINT@225,;:MM=0:INPUT" ENT ER NEW PAGE LENGTH "; MM 141Ø IFMM <M THEN14ØØ ELSE142Ø 142Ø M=MM:GOSUB69Ø 143Ø IFINKEY\$=""THEN143Ø ELSE9Ø 1490 '* PRINT FANFOLD ENVELOPE ALL PRINTER CODES FOR DMP11Ø 1500 CLS4: PRINT@130," READY PRIN TER PAPER ";:GOSUB1620:PRINT@480 ," ANY KEY WHEN READY ";: EXEC&HA 171: PRINT#-2, STRING\$ (18, 10): PRIN T#-2, CHR\$ (27); CHR\$ (17); 151Ø PRINT#-2,"Arthur S. Hallock ":PRINT#-2, "Route 1, Box 198HHH" :PRINT#-2, "Deming, NM 88Ø3Ø" 152Ø PRINT#-2, STRING\$(12,1Ø) 153Ø CLS4:PRINT@13Ø," ENTER ADDR ESSEE: ":PRINT@224," NAME: ";:PR INT@256, " ADDR: ";:PRINT@288," C TST: ";:PRINT@32Ø," ZIP : ";:PRI NT@224.; 1540 POKE282, Ø:LINEINPUT" NAME: "; AS 155Ø LINEINPUT" ADDR: ";B\$

"I cannot imagine the CoCo 3 without ADOS-3; it would not be a complete machine." The RAINBOW, July 1987

You've moved up to a CoCo 3. A powerful new machine. Now, it's time to give BASIC a shot in the arm, with ADOS-3. Wouldn't it be nice to turn on your machine and be greeted by an 80-column display, in the colors of your choice, with your own custom startup message? To run routinely at 2 MHz (double speed) without having to slow down for disk and printer operations? This and much, much more is possible with ADOS-3, our CoCo 3 adaptation of the acclaimed original ADOS, which shares the original's virtual 100% compatibility with commercial software. After customizing ADOS-3 using the provided configuring utility, you can have it burned into an EPROM that plugs into the Disk BASIC ROM socket, or just use it in RAM as a disk utility, (EPROM + burning will cost \$15-20; we provide information concerning how you can have the days of Supports double stated driver 135-40, or 80 tracks). EAST and have this done.) Supports double-sided drives (35, 40, or 80 tracks). FAST and SLOW commands, auto line number prompts, RUNM command, keystroke macros, arrow-key scroll through BASIC programs, auto-edit of error line, and many more valuable features.

"ON A SCALE OF 1 TO 10, I RATE ADOS-3 A SOLID 15." RAINBOW, 7/87 \$34.95 Original ADOS for CoCo 1 or 2 \$27.95 (See 6/87 RAINBOW review) Original ADOS plus ADOS-3\$50.00

THE PEEPER

ML program tracer that multitasks with the target program. An excellent learning tool for the ML novice; an invaluable debugging aid for the expert. CoCo 1, 2, or 3 compatible.

Assembler source listing . . . Add \$3.00

MONITOR CABLES for CoCo 3

Magnavox 8CM515/8CM505/8CM643 . . . \$19.95 Sony KV1311CR . . . \$29.95

April 1988



Kendall Drive. 11111 N. Suite A108 Miami, Florida 33176 (305) 274-3899 Day or Eve

53

Frank Hogg Laboratory
12 Years of Service, Support, and Friendly Help!
DISCOUNT PRICE LIST

35.00

COCO HARD DRIVE SYSTE	MS
30 Meg Burke&Burke System Complete	\$580.00
20 Meg High Speed System Complete	\$799.00
40 Meg High Speed System Complete	\$899.00
CoCo Hard Drive Interfaces	
	110.00
FHL HCA/WD High Speed Interface (Uses WD 1002-05 above, includes soft	119.00
Burke & Burke XT PC style interface	69.95
B&B XT RTC w/battery clock/calendar	99.95
(See software listed under B&B to rig	50000000
Hard Drive Controllers	
	00.00
WD PC RLL for Burke & Burke Interface	92.00
	39.00 210.00
(For FHL High Speed Hard Disk Inte	
Adaptec 4000 SCSI/SASI	162.00
Adaptec 4070 SCSI/SASI RLL	162.00
(For Owl and Disto interfaces)	
HARD DRIVES (5.25" HALF HEIGHT)
MiniScribe High Quality Drives - 1 Year	Warr.
	5.00 281.00
	15.00 291.00
	55.00 376.00
M3053 44.6MB 25MS	711.00
M6085 71.3MB 28MS Full Height	975.00
(Many others available - Call)	
DISK DRIVES (5.25" and 3.5" FLOPE	
TEAC High Quality Drives - 1 Year Warr FD55B 360K 40 Track DS 5.25"	
	118.00
FD55F 720K 80 Track DS 5.25:	151.00
FD35F 720K 80 Track DS 3.5"	147.00
DISK DRIVE CASES	
Hard Drive case with 65W PS and Fan	103.50
(Holds 2 HH hard or floppy drives +	controller)
Dual Half Height Floppy Case w/PS	75.00
XT with AT aspect with 150 Watt PS	125.00
CABLES	
ST506 Hard disk to controller, set 2	28.00
FHL HCA/WD 40 Pin Card edge 4'	25.00
FHL HCA/WD 34 Pin Card edge 4'	25.00
D&D A' Coble Set	25.00

B&B 4' Cable Set

		O I STATE OF THE S
CoCo DECB SOFTWARE		
B&B Hyper I/O run DECB on B&E	hard drive	29.95
B&B Hyper III Ramdisk/spooler for above		19.95
eForth closeout continues (Hurry)	\$79.95	30.00
CoCo OS9 Level II w/512	Control of the Contro	
COCO OSS Level II W/S12		
The Wiz Communications software for CoCo 3	\$79.95	69.95
Sculptor (BIG SALE!!!)	\$450.00	149.00
Database - 4th generation lang	A CONTRACTOR OF THE PARTY OF TH	
DynaStar Word Processor	\$150.00	100.00
DynaSpell spelling checker	\$94.50	45.00
by Dale Puckett	400.05	
Font Editor	\$29.95	19.95
Super Sleuth disassembler	\$50.00	40.00
Utilix utilities set	\$49.95	40.00
UniCharger Unix like utilities	\$150.00	75.00
DYNACALC Spreadsheet	\$99.95	85.00
FBU Fast Hard disk Back Up Pascal (Limited quanity)	\$150.00 \$99.95	75.00
B&B Wild and MV	\$99.93	55.00 19.95
D&D WIIG and MV		19.93
BOOKS		
Inside OS9 Level II	\$39.95	29.95
Starting Forth (Limited)	\$18.95	15.00
PRINTERS		
Citizen		
120D 10" carriage 120CPS Draft	\$229.00	193.00
120D-S Serial version of above	\$265.00	228.00
Star micronics	4200.00	220.00
ND10 10" carriage 180CPS Draft	\$499.00	332.00
NX15 15" carriage 120CPS Draft	\$499.00	374.00
NB15 15" carriage 300CPS Draft	\$1399.00	945.00
Panasonic		
P1080i 144CPS Draft	\$269.00	198.00
P1092i 240CPS Draft	\$499.00	392.00
MODEMS		
Packard Bell		
PB1200+ 300/1200	\$199.00	129.00
PB2400EM 2400 baud	\$595.00	256.00
		Editional Lab

ORDERING INFORMATION VISA, M/C and AMEX. NY residents add 7% sales tax. US shipping add \$3.50. Please call for Air Express shipping. Send for FREE FHL NewsLetter and

* Most of our software requires OS9 LII and 512K.

Frank Hogg Laboratory, Inc.

770 James Street - Syracuse, NY 13203 Telex 646740 - FAX 315/474-8225

Call 315/474-7856

HARD DISK SYSTEMS INFORMATION

For the best and fastest hard disk systems, trust Frank Hogg Laboratory.

At Frank Hogg Laboratory, we have taken over 3 years of our knowledge and expertise in the manufacture of the well known *QT* 68000 based computers and applied it to the CoCo. Many of the components used in our hard disk systems are the same as that used in the *QT*!

Hard disk systems have been available for the CoCo for some years now, most are good reliable systems. However we have two new systems for the CoCo that are better. They are just as reliable as other systems, perhaps even more so. But they are both faster and less expensive.

Our top of the line system features Bruce Isted's interface for the Western Digital WD 1002-05 high speed controller. Features; fastest system available, 1 megabyte transfer in 37 seconds!!, twice as fast as other systems!, supports 4 floppy and 3 hard drives, type ahead for both floppy and hard disk, auto boot OS9 L1 or L2 from hard or floppy disk. Disadvantage; does not support DECB. This is the system of choice for the serious OS9 user. 20 Meg systems are \$799 and 40 Meg systems are \$899. Other sizes are available.

Our second system features the Burke & Burke XT and XT RTC interface. This interface uses popular and inexpensive IBM PC type controllers. For this reason it is the least expensive hard disk system available today. Not as fast as the Isted system but faster than any other system available. It also supports RLL drives so we are able to offer a 30 Megabyte system for only \$580 COMPLETE! See the price list for other options.

Disadvantage; requires a multi-pak.

Note: DECB support and other software options are listed on our price list.

ANNOUNCEMENT!

FRANK HOGG LABORATORY BUYS OUT INVENTORY OF Sculptor! SELLS FOR LESS THAN DISTRIBUTOR COST!!!

Frank Hogg Laboratory purchased the remaining inventory of another Sculptor distributor! Because we got them so low we can offer them to you at **tremendous** savings.

Sculptor for the CoCo III with OS9 Level II* is

ONLY \$149

\$149 is below distributor cost! The list price is \$450!! Once they are gone the prices will go back to normal. This is a great opportunity to buy the most powerful Database/4th Generation Language available today!!. * Requires OS9 LII and 512K.

They won't last long. **Hurry** and get yours **today!!!!**

Also on SALE Sculptor MS/DOS \$149 Sculptor OS9/68K \$499

See Dale Puckett's February and March 1988 Rainbow columns for more information on this great package.

ORDERING INFORMATION VISA, M/C and AMEX. NY residents add 7% sales tax. US shipping add \$3.50. Please call for Air Express shipping. Send for FREE FHL NewsLetter and catalog.

Most of our software requires OS9 LII and 512K.

Frank Hogg Laboratory, Inc.

770 James Street - Syracuse, NY 13203 Telex 646740 - FAX 315/474-8225

Call 315/474-7856

1560 LINEINPUT" CTST: ";C\$ 1922 PRINT@227,"[t]EXT ONLY 157Ø LINEINPUT" ZIP : ";D\$:POKE2 193Ø I\$=INKEY\$:IFI\$=""THEN 193Ø 82,255 194Ø IFI\$="A" ORI\$="a" THEN196Ø 158Ø PRINT#-2, TAB(45) A\$: PRINT#-2 1942 IFIS="T" ORIS="t" THEN218Ø ,TAB(45)B\$:PRINT#-2,TAB(45)C\$ 195Ø IFI\$="" THENRETURNELSE194Ø 159Ø PRINT#-2, CHR\$(27); CHR\$(14); 1960 CLS3:PRINT@33," LETTERHEAD :PRINT#-2, TAB (48) D\$:PRINT#-2, CHR FOR ... ASHALLOCK "; \$(27); CHR\$(15); 197Ø POKE282,Ø 1600 PRINT#-2, CHR\$(27); CHR\$(19); 198Ø PRINT@97," ";:LINEINPUT"DAT :PRINT#-2, CHR\$ (12):GOT09Ø E "; D\$ 161Ø '* PRINTER TEST ROUTINE 1990 PRINT@225," SALUTATION OR H 162Ø IF(PEEK(&HFF22)AND1)THEN163 EADING ";:PRINT@289,"";:LINEINPU ØELSERETURN 163Ø SOUND2ØØ, 3: PRINT@483, "*** P TSA\$ 2000 POKE282,255 RINTER NOT READY *** "::FORD=1TO 2010 LH\$="Arthur S. Hallock" 1000:NEXT:GOTO90 2020 AD\$="Route 1, Box 198HHH 17ØØ IFC=Ø THEN9ØELSE172Ø 171Ø '* CHECK PRINTER OPTIONS Deming, New Mexico 88030" 172Ø CLS3:PRINT@33,"** hardcopy 2Ø3Ø GOTO2Ø4Ø 2Ø4Ø PRINT#-2:PRINT#-2 "BK\$"routine **"; 2Ø5Ø PRINT#-2, CHR\$(27); CHR\$(66); 173Ø IF (PEEK (&HFF22) AND1) THENSOU ND15Ø,5:PRINT@129," printer IS n CHR\$(27); CHR\$(14); ot TURNED on ";:PRINT@225," PLEA 2Ø6Ø PRINT#-2, TAB(8); LH\$ 2Ø7Ø PRINT#-2, CHR\$(27); CHR\$(15); SE CHECK, THEN TOUCH ";: PRINT@25 7,;:PRINT" [SPACE] ENTER FOR MEN 2080 PRINT#-2, CHR\$(27); CHR\$(29); 2090 PRINT#-2, TAB(44);D\$ ";:PRINT@289,;:LINEINPUT" EN 21ØØ PRINT#-2, CHR\$(27); CHR\$(66) TER TO CONTINUE "; K\$: IFK\$=" "TH 211Ø PRINT#-2, TAB(12) AD\$ EN9ØELSE172Ø 212Ø PRINT#-2, CHR\$(27); CHR\$(29); 174Ø PRINT@97," DO YOU NEED A FO 213Ø PRINT#-2,STRING\$(95,167) RM FEED ? ";:PRINT@129," (y OR TOUCH ANY KEY) "; 214Ø PRINT#-2:PRINT#-2 175Ø Y\$=INKEY\$:IFY\$=""THEN175Ø 215Ø PRINT#-2, CHR\$(27); CHR\$(29) 176Ø IFY\$="Y"OR Y\$="Y"THEN 177ØE 216Ø PRINT#-2, TAB(L+1); SA\$: PRINT LSE178Ø #-2 217Ø RETURN 177Ø PRINT#-2, CHR\$(12) 178Ø GOSUB19ØØ:CLS3 218Ø CLS:PRINT@33,"** TEXT ENTRY ROUTINE **" 179Ø CP=Ø:PRINT@352,STRING\$(2,12 8) "enter"CHR\$(128) "zero"CHR\$(128 219Ø POKE282,Ø 2200 PRINT@128," ";:INPUT"DATE ") "to"CHR\$(128) "return"CHR\$(128) " to"CHR\$(128)"menu"STRING\$(2,128) ; D\$;:PRINT@417,""; 221Ø PRINT@192," ";:INPUT"PAGE N 1800 INPUT" NUMBER OF COPIES NEE UMBER "; P\$ 222Ø PRINT@256," ";:LINEINPUT"HE DED "; CP: IFCP=Ø THEN9Ø 181Ø FORZZ=1TO CP ADER (96 CHARACTERS, MAXIMUM)"; H 182Ø FORE=1TO C 183Ø PRINT#-2, TAB(L); L\$(E) 223Ø PRINT: PRINT" ";: INPUT"NUMBE R OF LINES OF SPACE FROM 184Ø IF E=44 ORE=95 THENPRINT#-2 THE P ,CHR\$(12):ELSE186Ø OP OF PAGE "; N 224Ø PRINT: PRINT" ";:LINEINPUT"T 185Ø IFST\$="Y"THENPRINT@481," TO UCH [ENTER] TO CONTINUE "; ELSE18 ITLE OF ARTICLE OR PAGE 6Ø TT\$ 186Ø NEXT 225Ø TT=LEN(TT\$):TU=96-TT:TA=TU/ 187Ø E=Ø:NEXT 188Ø $E=\emptyset:PRINT\#-2,CHR\$(12);:GOTO$ 226Ø POKE282,255 9Ø 227Ø PRINT#-2,STRING\$(N,1Ø) 1900 CLS3: PRINT@33,"** LETTERHEA 228Ø PRINT#-2, CHR\$(27); CHR\$(2Ø); D AND ";:PRINT@67," SALUTATION 229Ø PRINT#-2, D\$; TAB(8Ø) "Page "P ROUTINE **"; 191Ø PRINT@129," SELECT LETTERHE 23ØØ PRINT#-2, CHR\$(27); CHR\$(29) AD "; 231Ø PRINT#-2,HE\$ 1920 PRINT@195,"[a]RTHUR S. HALL 232Ø PRINT#-2,STRING\$(96,167) OCK "; 233Ø PRINT#-2:PRINT#-2

234Ø PRINT#-2, CHR\$(27); CHR\$(14); 235Ø PRINT#-2, TAB(TA); TT\$ 236Ø PRINT#-2, CHR\$(27); CHR\$(29); CHR\$(27); CHR\$(15); CHR\$(27); CHR\$(17); 237Ø RETURN 244Ø K=95:POKE282,255:BK\$=CHR\$(1 28):CLS3 2450 PRINTBK\$"letter"BK\$"writer" BK\$"program"BK\$"in"BK\$"basic"BK\$ 2460 PRINT@71,"** "BK\$"main"BK\$" menu"BK\$" **"; 247Ø PRINT@129, "c"; : PRINT@132, " COMMENCE A NEW LETTER "; 248Ø PRINT@161, "a"; : PRINT@164, " ADD TO EXISTING LETTER "; 249Ø PRINT@193, "e";:PRINT@196," EDIT, INQUIRE, VIEW PAGE "; 2500 PRINT@225,"1";:PRINT@228," LOAD PAGE - TAPE OR DISK "; 251Ø PRINT@257, "h";: PRINT@26Ø," HARDCOPY ON LINE PRINTER "; 252Ø PRINT@289, "s";: PRINT@292," SAVE PAGE - TAPE OR DISK "; 253Ø PRINT@321,"x";:PRINT@324," EXIT - TERMINATE PROGRAM "; 254Ø PRINT@353, "p";: PRINT@356," PRINT : FANFOLD ENVELOPE ";

255Ø PRINT@416," NOTE: "BK\$"sav e"BK\$"page"BK\$"if"BK\$"you"BK\$"ha ve"BK\$BK\$BK\$BK\$"made"BK\$"any"BK\$ "changes"BK\$"since"BK\$"entry"BK\$ 256Ø PRINT@486," touch MENU choi ce "; 257Ø M\$=INKEY\$:IFM\$=""THEN257Ø 258Ø ON INSTR ("PWACNELHSQXTpwacn elhsqxt", M\$) GOTO15ØØ, 1ØØ, 2ØØ, 1ØØ ,1ØØ,4ØØ,11ØØ,17ØØ,8ØØ,7ØØ,7ØØ,7 ØØ,15ØØ,1ØØ,2ØØ,1ØØ,1ØØ,4ØØ,11ØØ ,1700,800,700,700,700 259Ø GOTO257Ø 2600 DIR 261Ø IFINKEY\$=""THEN261Ø ELSE122 2700 TDS="":IFPEEK(188)=14 THENT D\$="DISK" ELSETD\$="TAPE" 271Ø IF TD\$="TAPE" THENDV=-1 ELS E IFTD\$="DISK" THENDV=1 272Ø RETURN 9999 SV\$="LETRWRTR":FORC=1TO3:CL S3:PRINT@96," SAVING "SV\$" TO TA PE: "C;: CSAVESV\$: MOTORON: FORD=1TO 3ØØØ:NEXT:NEXT:FORD=1T05ØØØ:NEXT :MOTOROFF:CLS3:PRINT@96," "SV\$" IS SAVED"C-1"TIMES";:PRINT@416,; : END

SUPER SA 40% TO GREAT VALUES ORDER NOW!! Mave COMPATIBLE WITH COCO 3 30 DAY UNCONDITIONAL ® MONEY-BACK GUARANTEE!! izontal-X-Axis: Time, Distance, etc. HORIZONTAI-X-RS:: Time, Distance, etc.

** AUTOMATICALLY LOADS DATA FROM MOST POPULAR SPREADSHEETS.

** 291 GRAPHING SYMBOLS AND UNLIMITED OVERLAY OF DATA.

** AUTOMATICALLY SCALES AND LABELS ALL THREE OF THE AXES.

** CALCULATES MATH FUNCTIONS, INTEGRALS AND MOVING AVERAGES.

** FULLY AUTOMATIC, MENU DRIVEN M/ COMPLETE ERROR TRAPPING.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FULL-PAGE SCREENPRINTS ON ANY PRINTER: SPECIFY WITH ORDER.

** FUL Licture L'erfect PRINTER UTILITY UNIVERSAL SCREENPRINT PROGRAM COMPATIBLE WITH COCO III!

"PERFECTLY SIMPLE" TO OPERATE - "SIMPLY PERFECT" RESULTS!

"PERFECTLY COMPATIBLE" WITH ALL DOT MATRIX PRINTERS!

SET "PERFECT CONTROL" OF! HEIGHT, WIDTH, POSITION,


BAUD RATE, DOT DENSITY, NEGATIVE IMAGES, ETC.

THE "PERFECT SOLUTION" TO YOUR GRAPHICS PRINTING NEEDS!

COMPATIBLE WITH GRAPHICOM AND COCO MAX PICTURES!

ONLY SISO ON DISK OR TAPE SEND CHECK OR MONEY ORDER HAWKES RESEARCH SERVICES: 859 STANFORD AVE, DAKLAND, CA 94608 *** FOR FREE INFORMATION IN THE MAIL, CALL: (415) 547-7557 ***
YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!
ADD \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX





Keep maintenance schedules for up

CoCo's Auto

wrote it down on a piece of paper somewhere. It was about 5,000 miles ago... or was it 7,000? Maybe it was my wife's car, instead. My note is lost, and who remembers when they get oil changes anyway?

Folks agree that regular maintenance will save them money down the road, but they hate the bother. Remember is a program to help you with the tiresome details. Just enter your car's maintenance schedule (by the owner's manual or by your own preferences) and the work that has already been done, and you have finished the hardest part.

Later on, you enter current mileage and date to receive a report of what's needed. You can also record receipts such as gasoline and oil, and get a summary (cost per thousand miles) of operating expenses. You can keep track of up to five vehicles as the program is written. And, if you want, you can change the checklist items to suit your own requirements.

Running the Program

There are three "modules" or subprograms comprising *Remember*. To use the program, type in and save the main module to disk as MAIN.BAS, the database module as EXPNS.BAS, and the title screen as REM.BAS. Load MAIN and

Larry Anderson is an auto mechanic presently employed as an electronic technician by the U.S. Postal Service. He holds a bachelor's degree in English with minors in math and physics, and enjoys programming on the CoCo3 and the 1000 SX. His wife, Linda, uses the 1000 SX in her job as a church secretary. Their daughter, Kacy, enjoys Adventures and programming.



to five vehicles

Maintenance Manager

By Larry Anderson

enter RUN 1400 to set up two blank files (vehicle names will go in these), then RUN "REM". Line 45 sets the baud rate for your printer to 9600 — you can edit it to whatever rate you choose. Your selection from the main menu sets the value of A, which automatically sets up the proper sequence through the program and back to the main menu.

Selection V will set up new vehicle files, not allowing duplicate names or names of more than eight characters. The variable N\$ names the currently accessed vehicle, while M(Q) and H\$(Q) contain data about service requirements and the latest services done. This is where you enter the maintenance schedule of your choice, which can be different for each vehicle. Data is finalized by a press of the ENTER key, which allows for corrections by backspacing. Note that dates must be entered without slashes or dashes (/ or -). So, July 18, 1986, would be entered as 071886. You do have the chance to start a screen over by pressing ENTER several times until the "Entries Correct Y/N?" prompt appears, and then pressing N.

Select C and you will be prompted for a car's name, its current mileage and today's date. Notice that the last name used (which should be in the upper-right corner of the screen) may be entered without retyping, just press ENTER. Remember computes whether or not service is due. M(0) is the current mileage and H\$(0) is the current date. Service is "due" if within 500 miles below to 1,000 miles above the desired interval, and "overdue" when above that figure. Submenu selection P gets you a printed copy with maintenance guides, and Selection E calculates a summary from the expenses you have

kept for that car. The total sum of your expenses is SUM, which is multiplied by 100 and divided by the mileage interval (in thousands) you select; the resulting number is converted to an integer and finally divided by 100. This assures a value in dollars and cents, not several decimal places. To return to the main menu at any time, just enter a @.

Selection U brings you to another submenu to update service or expense records. The service update screen shows your previous services completed and allows you to change or update any one or all items. Pressing the ENTER key steps you past any entries you don't want to change. Step through all entries until the message "Entries Correct Y/ N?" appears. Pressing N at this point allows re-entry of this screen, but the old data displayed will not be shown. To redisplay old data, enter @ and again select U. Within the record-keeping section, submenus allow you to review or change your expense records or return to the main menu.

Selection I shows you the names of cars you already have files for, and Q quits the program.

Remember accesses several files on your disk drive: VEH.NDX, which stores the names you assign to your vehicles; CRNT.NDX, which contains the name of the vehicle you last accessed; EXP NS.BAS, the database and the .DAT and .DTL files for each vehicle, which contain

schedules of maintenance and expense records. There is, of course, the main program section, MAIN.BAS; and the title screen is handled by REM.BAS.

A large part of this program consists of error traps and screen formatting. For instance, Line 550 ensures that current mileage isn't less than that of the last service performed. Lines 575 through 620 make sure that your current date includes not more than 12 months in the year, nor more than 31 days in a month; nor can the dates be zero. Also, the current date can't be earlier than the last service date! Tests for valid names are used to avoid "near misses" in spelling, which could cause an NE Error or other errors to crash the program. You can always consult the Index to see what names you have already "remembered."



The EXPNS module is a small database geared to work with the MAIN module. Three fields titled DATE, AMDUNT and DETAILS are filed in the .DTL file with that vehicle's name preceding it, and probably will contain only a few characters each. Records may be added, removed, or merely reviewed. Thanks go to Keith Baker for some good ideas from his cassette-based File-it database, The Color Computer Magazine, January 1984, Page 117.

No search or sort capabilities were included in EXPNS, and data is automatically posted to the .DTL disk files. The blank .DTL file was set up by MAIN so that you would not crash at this point by attempting to read a file not yet created. Though it has no contents at first, the CoCo will recognize its existence, and later you can add records to it.

You can change the items of suggested maintenance to suit your own preferences. The ones included are the items I rate most important. Take care of your car, let *Remember* do the detail work that nobody likes, and enjoy a real advantage in reliability and savings!

			Miles to ac
tem: OIL CHANGE	Due	Overdue	Miles to go
OIL CHANGE			2500
LUBE		M	
TUNE UP		M	
BELTS/HOSES		M	
C=Cale	ndar interval, h	1=Mileage inter	val
HECK LIST:			
H		of Inventor constant	hoodcheck for any
leakage, battery c			nobbeneck for any
leakage, battery c	orrosion, loose	belts, etc. es and strikers	, hood hinges, etc ust system. Check for
leakage, battery c Lube all fittings. check transmission damage under car.	orrosion, loose oil door hings & differential.	belts, etc. es and strikers Inspect exha	, hood hinges, etc
Lube all fittings. check transmission damage under car. Tune up enginec	orrosion, looseoil door hinge & differential. hange spark plue systemcheck	belts, etc. es and strikers Inspect exha es, air and fue PCV and breath	, hood hinges, etc ust system. Check for
Lube all fittings. check transmission damage under car. Tune up enginec wires and ignition idle speedchoke Belts/hoseschec		es and strikers Inspect exha gs, air and fue PCV and breath licablechec	, hood hinges, etc ust system. Check for I filters, check plug ercheck timing and

4Ø CLS3:CLEAR5ØØØ

Happy motoring (and computing)!

(Questions or comments about this program may be directed to the author

at 202 Jackson St., Benton, LA 71066. Please enclose an SASE when writing for a response.)

```
85 235 810 86

140 108 915 25

230 210 1000 67

270 9 1075 151

350 202 1135 39

425 237 1160 242

515 59 1220 189

590 119 1280 250

665 87 1375 235

735 101 END 106
```

Listing 1: MAIN

5 '	******REMEMBER*****
	*******V1.Ø1******
1Ø	'*****COPYRIGHT 1985****

15	1 *********
	BY LARRY ANDERSON
20	1 **********
	BOX 18Ø BENTON LA
25	1*******

3Ø	
35	

```
45 POKE15Ø,1'***** 96ØØBAUD POKE
5Ø GOTO135Ø'****
                   PCLEAR ROUTIN
E
55 DIMA$(15Ø),B$(15Ø),C$(15Ø)
60 U$="r e m e m b e r":U1$=STRI
NG$(8,128)+"MAIN MENU":U2$=STRIN
G$(6,128)+"NEW VEHICLE": Z$=CHR$(
128)
65 W$=STRING$(8,128)+"@escapes"+
Z$+"to"+Z$+"menu"+STRING$(7,128)
7Ø CLS3:PRINTU$;:GOTO855
75 CLS3:PRINT@ Ø,U$;:PRINT@15,U1
$;:PRINT@1Ø5,"Vehicle"+Z$+"entry
";STRING$(3,128);:PRINT@169,"Che
ck"+Z$+"if"+Z$+"service";:PRINT@
201," is"+Z$+"due";
8Ø PRINT@2Ø8, STRING$(9,128);
85 PRINT@265, "Update"+Z$+"vehicl
e";STRING$(2,128);:PRINT@297," h
istory"; STRING$ (8,128);: PRINT@36
1, "Index"; STRING$(11,128);
9Ø PRINT@425, "Quit"; STRING$ (12,1
28);
95 GOSUB144Ø
100 B$="VCUIQ": A=INSTR(B$, A$)
1Ø5 ON A GOTO385,45Ø,745,1375,13
1Ø:GOT095
11Ø '**** ENTER MAINTENANCE SCH
EDULE
```

115 CLS: PRINT@Ø, U\$+STRING\$ (17, 12
8);:PRINT@32," ENTER INTERVALS F
OR: ";N\$;:PRINT@64,STRING\$(32,1
28);
120 PRINT@96," OIL CHANGE EVERY
MILES":PRINT@128,"
OR WITHIN MOS."
125 PRINT@192," lUBRICATE EVERY
MILES":PRINT@224,"
OR WITHIN MOS."
13Ø PRINT@288," tUNE UP EVERY
MILES":PRINT@32Ø," -
OR WITHIN MOS."
135 PRINT@384," bELTS/ETC.EVERY
MILES": PRINT@416,"
OR WITHIN MOS."
OR WITHIN MOS." 14Ø PRINT@48Ø,W\$;:POKE1535,128:L
=114:Q=1
145 FORP=1T04:FORC=1T02:IFC=1THE
NN=5ELSEN=C
15Ø D\$="":PRINT@L,CHR\$(133);
155 GOSUB144Ø
16Ø IFA\$="@"THEN1355ELSEIFASC(A\$
)=8THEN71Ø
165 IFASC(A\$)=13THEN Z=LEN(D\$):P
RINT@L, STRING\$ (Z+1,143); : PRINT@L
,D\$;:D(Q)=VAL(D\$):GOTO195
17Ø IFASC(A\$) <48 ORASC(A\$) >57 TH
EN155ELSED\$=D\$+A\$:PRINT@L,D\$;:D(
Q)=VAL(D\$)
175 IFLEN(D\$)=>N THEN 18Ø ELSEPR
INT@L+LEN(D\$), CHR\$(133);:GOTO155
18Ø PRINT@L+LEN(D\$), CHR\$(133);
185 GOSUB144Ø
19Ø IFASC(A\$)=8THEN71ØELSEIFASC(
A\$) <>13THEN185
195 PRINT@L+LEN(D\$), CHR\$(143);:P
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRIN
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct";
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No"
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$)
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$)
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '***** REOUEST CURRENT DATA
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '***** REOUEST CURRENT DATA
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '***** REOUEST CURRENT DATA
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '**** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64,
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"NO" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '***** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64,STRING\$(32,128);:PRINT"LAST OIL
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"No" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '**** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64, STRING\$(32,128);:PRINT"LAST OIL CHG. MILES?";:PRINT"
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"NO" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '**** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64,STRING\$(32,128);:PRINT"LAST OIL CHG MILES?";:PRINT"DATE PERFORMED?"
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"NO" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '**** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64,STRING\$(32,128);:PRINT"LAST OIL CHG MILES?";:PRINT"DATE PERFORMED?" 245 PRINT:PRINT"LAST LUBED
195 PRINT@L+LEN(D\$), CHR\$(143);:P RINT@L+N+1, CHR\$(143);:L=L+35:Q=Q +1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0, STRING\$(32,191):PRIN T@32," entries"+Z\$+"correct"; :POKE1075,63:PRINT@52,"Yes";:POK E1079,47:PRINT@56,"NO" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '***** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"C URRENT DATA FOR: ";N\$:PRINT@64, STRING\$(32,128);:PRINT"LAST OIL CHG MILES?";:PRINT" DATE PERFORMED ?" 245 PRINT:PRINT"LAST LUBED MILES?";:PRINT" DATE P
195 PRINT@L+LEN(D\$), CHR\$(143);:PRINT@L+N+1, CHR\$(143);:L=L+35:Q=Q+1 200 NEXT C 205 L=L+26 210 NEXTP 215 PRINT@0,STRING\$(32,191):PRINT@32," entries"+Z\$+"correct";:POKE1075,63:PRINT@52,"Yes";:POKE1079,47:PRINT@56,"NO" 220 GOSUB1440 225 B\$="NY@":W=INSTR(B\$,A\$) 230 ONW GOTO115,240,1355:GOTO220 235 '**** REQUEST CURRENT DATA 240 CLS0:PRINT@0,U\$;:PRINT@32,"CURRENT DATA FOR: ";N\$:PRINT@64,STRING\$(32,128);:PRINT"LAST OIL CHG MILES?";:PRINT"DATE PERFORMED?" 245 PRINT:PRINT"LAST LUBED

MILES?";:PRINT" DATE P ERFORMED 255 PRINT: PRINT"CKD BELTS&HOSES MILES?";:PRINT" DATE P ERFORMED ?":PRINT@48Ø, W\$;:POKE1535,128 26Ø IFA=3THENPRINT@82,"new";STRI NG\$(6,128);"old"; 265 IFA=3THENPRINT@121," :PRINT@128-LEN(H\$(1)),H\$(1);:PRI NT@152, LEFT\$ (H\$(2),2);"/";MID\$(H \$(2),3,2);"/";RIGHT\$(H\$(2),2);:P RINT@217," ";:PRINT@224-LEN (H\$(3)), H\$(3);:PRINT@248, LEFT\$(H \$(4),2);"/";MID\$(H\$(4),3,2);"/"; RIGHT\$ (H\$ (4),2); 27Ø IFA=3THENPRINT@312," :PRINT@32Ø-LEN(H\$(5)),H\$(5);:PRI NT@344, LEFT\$ (H\$(6),2);"/";MID\$(H \$(6),3,2);"/";RIGHT\$(H\$(6),2);:P RINT@4Ø9," ";:PRINT@416-LEN (H\$(7)), H\$(7);:PRINT@44Ø, LEFT\$(H \$(8),2);"/";MID\$(H\$(8),3,2);"/"; RIGHT\$ (H\$ (8),2); 275 ' 28Ø L=112:Q=1:N=6

TANDY COMPUTER DISCOUNTS

COLOR COMPUTERS

26-3334 CoCo 3	170.00
26-3215 CM-8 color monitor	259.95

PRINTERS

26-2802 DMP 106	179.95
26-2808 DMP 440	599.00
26-1280 DMP-130	279.00
Complete line of Tandy (Daisy Wheel)	orint wheels

MSDOS COMPUTERS

25-1052 Tandy 1000 SX	750.00
25-1053 TANDY 1000 HX	599.00
25-1600 TANDY 1000 TX	999.95
25-1023 CM-5 color monitor	249.95
25-1020 VM-4 Monochrome monitor	110.00

We Carry the Complete Line of Tandy Computer Products at Discount Prices

CALL FOR A FREE PRICE LIST 800-257-5556 IN N.J. CALL 609-769-0551

WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

```
cle"+Z$+"name"+Z$;:PRINT@48Ø.W$;
285 FORP=1T04:FORC=1T02
                                      :POKE1535,128:PRINT@332,"
29Ø D$="":PRINT@L,CHR$(133);
                                       ";:PRINT@332,"";
295 GOSUB144Ø
                                      455 LINEINPUTN1$: PRINT@34Ø, STRIN
300 IFAS="0"THEN1355ELSEIFASC(AS
                                      G$(12,175);:TEMP$=N$:IFN1$=""AND
)=8THEN7Ø5
                                      N$<>""THEN79ØELSEIFN1$="@"THEN75
3Ø5 IFASC(A$)=13THEN Z=LEN(D$):P
RINT@L, STRING$(Z+1,143);:PRINT@L
                                      ELSEN$=N1$:GOTO117Ø
                                      46Ø IFN$=""ORN$="@"THEN75
,D$;:H$(Q)=D$:GOTO335
                                      465 OPEN"I", #1, N$+"/DAT"
31Ø IFASC(A$)<48 ORASC(A$)>57 TH
                                      47Ø FOR Q=1TO8:INPUT#1, D(Q), H$(
EN295ELSED$=D$+A$:PRINT@L,D$;:H$
                                      (0)
(Q) = D$
                                      475 H(Q)=VAL(H$(Q))
315 IFLEN(D$)=>N THEN32Ø ELSEPRI
                                      48\emptyset J(Q) = \emptyset:J1(Q) = \emptyset
NT@L+LEN(D$), CHR$(133);:GOTO295
                                      485 NEXT O
32Ø PRINT@L+LEN(D$), CHR$(133);
                                      49Ø CLOSE#1
325 GOSUB144Ø
                                      495 IFA=3THEN24Ø
33Ø IFASC(A$)=8THEN7Ø5ELSEIFASC(
                                      500 CLS3:PRINT@0,U$;:PRINT@24,N$
A$)=13THEN335 ELSE325
335 PRINT@L+LEN(D$), CHR$(143);:P
                                      ;:PRINT@196,Z$+"enter"+Z$+"curre
RINT@L+N+1, CHR$(143);:L=L+32:Q=Q
                                      nt"+Z$+"mileage"+Z$;:PRINT@3ØØ,"
+1
                                             ";:PRINT@48Ø,W$;:POKE1535,
34Ø NEXT C
                                      128
345 L=L+32
                                      5Ø5 D$="":N=1
                                      51Ø GOSUB144Ø
35Ø NEXTP
                                      515 IFA$="@"THEN75ELSEIFASC(A$)=
355 PRINT@Ø,STRING$(32,191):PRIN
T@32,"
          entries"+Z$+"correct";
                                      8THEN7ØØELSEIFASC(A$)=13THEN545
                                      52Ø IFASC(A$) < 48 ORASC(A$) > 57 TH
:POKE1Ø75,63:PRINT@52, "Yes";:POK
                                      EN51Ø ELSE525
E1Ø79,47:PRINT@56,"No"
36Ø GOSUB144Ø
                                      525 D$=D$+A$:PRINT@3ØØ,D$;
                                      53Ø N=N+1:IF N<=6 THEN 51Ø
365 B$="NY@":W=INSTR(B$,A$)
37Ø ONW GOTO24Ø,8ØØ,1355:GOTO36Ø
                                      535 GOSUB1440
375 '**** (A=1) NEW VEHICLE ENT
                                      54Ø IFASC(A$)=8THEN7ØØELSEIFASC(
RY
                                      A$) = 13THEN545ELSE535
38Ø Z$=CHR$(128)
                                      545 \text{ M}(\emptyset) = \text{VAL}(D\$)
                                      55Ø FORQ=1TO7STEP2:IFM(Ø) < VAL(H$
385 CLS3:PRINT@Ø,U$+U2$;:PRINT@1
99, "name"+Z$+"you"+Z$+"will"+Z$+
                                      (Q)) THEN1365
"use"+Z$;:PRINT@231,Z$+"for"+Z$+
                                      555 NEXTO
"this"+Z$+"vehicle"+Z$;:PRINT@48
                                      56Ø CLS3:PRINT@Ø,U$;:PRINT@24,N$
                                      ::PRINT@197,Z$+"enter"+Z$+"curre
Ø, W$;: POKE1535, 128
                                      nt"+Z$+"date"+Z$;:PRINT@3ØØ,"
39Ø PRINT@364,"
                         ";:PRINT@
364,"";:LINEINPUTN1$
                                         ";:PRINT@48Ø,W$;:POKE1535,128
395 PRINT@372, STRING$ (12,175);:I
                                      :D$="":N=1
FN15=""THEN385ELSEIF N15="@"THEN
                                      565 GOSUB144Ø
                                      57Ø IFA$="@"THEN75ELSEIFASC(A$)=
75
                                      8THEN715ELSEIFASC(A$)=13THEN625
400 FORQ=1TO LEN(N1$):IFASC(MID$
(N1$,Q,1))<48 OR ASC(MID$(N1$,Q,
                                      575 IFASC(A$)<48 ORASC(A$)>57 TH
1))>9Ø THEN N1$="":GOTO385
                                      EN565
4Ø5 NEXT Q
                                      58Ø D$=D$+A$:PRINT@3ØØ,D$;
                                      585 IFN=2THENV$=MID$(D$,1,2):IFV
41Ø TEMP$=N$:N$=N1$:GOTO117Ø
415 CLS3: PRINT@266, "SAVING DATA"
                                      AL(V\$) > 12 OR VAL(V\$) = \emptyset THEN 1\emptyset3\emptyset
                                      59Ø IFN=4THENV$=MID$(D$,3,2):IFV
                                      AL(V\$)>31 OR VAL(V\$)=\emptysetTHEN1\emptyset3\emptyset
42Ø OPEN"O", #1, N$+"/DAT"
425 FOR Q=1T08:WRITE#1,D(Q),H$(Q
                                      595 N=N+1:IFN<=6 THEN 565
                                      6ØØ GOSUB144Ø
43Ø NEXT Q
                                      6Ø5 IFASC(A$)=8THEN715ELSEIFASC(
435 CLOSE#1
                                      A$)=13THEN61ØELSE6ØØ
44Ø GOTO965
                                      61Ø FORQ=2TO8STEP2:IFRIGHT$(D$,2
445 '**** (A=2) CHECK FOR SERVI
                                      ) < RIGHT$ (H$ (Q), 2) THEN1Ø3Ø
                                      615 IFRIGHT$ (D$, 2) = RIGHT$ (H$ (Q),
45Ø CLS3:PRINT@Ø,U$;:PRINT@24,N$
                                      2) ANDLEFT$ (D$, 2) < LEFT$ (H$ (Q), 2) T
;:PRINT@169, Z$+"what"+Z$+"is"+Z$
                                      HEN1Ø3Ø
+"the"+Z$+Z$;:PRINT@2Ø1,Z$+"vehi
                                      62Ø NEXT Q
```

```
625 H$(Ø)=D$
                                      775 CLS3:PRINT@Ø,U$;:PRINT@24,N$
63Ø FORT=1TO3ØØ:NEXTT
                                       ;:PRINT@232, Z$+"new"+Z$+"data"+Z
635 M\$=STR\$(M(\emptyset)):Z=LEN(M\$):CLS3
                                      $+"for"+Z$+Z$;:PRINT@264,Z$+"veh
:PRINT@Ø,U$;:PRINT@67,N$;"...":P
                                      icle"+Z$+"named"+Z$;:PRINT@48Ø,W
RINT@85-Z,M(Ø)" MILES";:PRINT@96
                                       $;:POKE1535,128:PRINT@331,"
  " MAINTENANCE DUE ";: POKE1117,
                                          ";:PRINT@331,"";
                                      78Ø LINEINPUTN1$:IFN1$="@"THEN75
175: POKE1118, 175: POKE1119, 175
                                      ELSEIFN1$=""ANDN$<>""THEN79ØELSE
640 PRINT"FOR
                            ";:PRIN
T@117, LEFT$ (H$ (Ø), 2); : PRINT@12Ø,
                                      IFN1$<>""THENN$=N1$
MID$(H$(Ø),3,2);:PRINT@123,RIGHT
                                      785 GOTO117Ø
$(H$(Ø),2);
                                      79Ø PRINT@332,N$;:PRINT@34Ø,STRI
645 PRINT@128, STRING$ (32, 32);
                                      NG$(12,175);:GOTO46Ø
65\emptyset FORQ=1TO7STEP2:M(Q)=D(Q)+H(Q
                                      795 IFA=2THEN445ELSEIFA=3THEN775
                                       :GOTO75
655 T$(1)="OIL CHANGE":T$(3)="LU
                                      800 IFA=1THEN415ELSEIFA=3THEN810
BE":T$(5) = "TUNE UP":T$(7) = "BELTS
                                       :GOTO75
/HOSES":IF M(\emptyset) >= M(Q) + 1 \emptyset \emptyset \emptyset THEN72
                                      8Ø5 '**** WRITE UPDATES TO "/DA
                                      T" FILE
66Ø IF M(\emptyset) < M(Q) + l \emptyset \emptyset \emptyset AND M(\emptyset) > M
                                       81Ø CLS3:PRINT@266," SAVING DATA
                                       11 ;
(Q) -500 THEN735ELSEPRINTCHR$(143
                                       815 OPEN"I", #1, N$
);T$(Q);" IN";M(Q)-M(Ø);"MILES":
                                       82Ø OPEN"O", #2, "TEMP/DAT"
J(Q)=3
665 NEXT Q
                                      825 FOR Q=1TO8:INPUT#1, B(Q),E$(
67Ø GOSUB91Ø
                                      Q)
675 PRINT@487, "Print"; : POKE1516,
                                      83Ø IF H$(Q) <> "" THEN E$(Q) = H$(Q)
47:PRINT@493, "Expenses";:POKE152
5,47:POKE1526,128:POKE1527,64
                                      835 WRITE#2,B(Q),E$(Q)
68Ø GOSUB144Ø
                                       84Ø NEXTO
685 B$="PE@":W=INSTR(B$,A$)
                                       845 CLOSE
69Ø ONW GOTO1Ø4Ø,121Ø,75:GOTO68Ø
                                       85Ø KILLN$+"/DAT":RENAME"TEMP/DA
                                       T"TO N$+"/DAT":GOTO75
695 '**** BACKSPACE/CORRECTION
                                       855 '**** CHK. VEH/NDX AND CRNT
7ØØ Z=LEN(D$):IFZ<1THEN51ØELSED$
                                       /NDX
=LEFT$ (D$, Z-1): PRINT@3ØØ,"
";:PRINT@3ØØ,D$;:N=N-1:GOTO51Ø
                                       86Ø OPEN"I", #1, "VEH/NDX"
7Ø5 Z=LEN(D$):IFZ<1THEN295ELSE D
                                       865 FORQ=1TO5
                                       87Ø INPUT#1,N$(Q):IFN$(Q)=""THEN
$=LEFT$(D$,Z-1):PRINT@L,STRING$(
                                       885
Z-1,143); CHR$(133); CHR$(143);:PR
                                       875 IF EOF(1)=-1 THEN885
INT@L, D$;:GOTO295
                                       88Ø NEXTQ
71Ø Z=LEN(D$):IFZ<1THEN155ELSE D
                                       885 CLOSE#1
$=LEFT$(D$,Z-1):PRINT@L,STRING$(
                                       89Ø IFA=ØTHENOPEN"I", #1, "CRNT/ND
Z-1,143); CHR$(133); CHR$(143);:PR
                                       X"ELSE75 ' ****READ FIRST TIME
INT@L, D$;:GOTO155
715 Z=LEN(D$): IFZ<1 THEN 565ELSE
                                       ONLY
D$=LEFT$(D$,Z-1):PRINT@3\emptyset\emptyset,"
                                       895 INPUT#1,N$
                                       900 CLOSE#1:GOTO75
  ";:PRINT@3ØØ,D$;:N=N-1:GOTO565
                                                   DATE CALCULATIONS
720 '**** SERVICE 'FLAGS'
                                       905 *****
725 PRINTCHR$(191); T$(Q);" OVER
                                       91Ø FOR Q=2TO8STEP2
                                       915 MO(Q)=VAL(LEFT$(H$(Q),2)):DA
DUE'':J(Q)=2
                                       (Q) = VAL(MID\$(H\$(Q), 3, 2)) : YR(Q) = V
73Ø GOTO665
735 PRINT CHR$(159);T$(Q);" SVC
                                      AL(RIGHT$(H$(Q),2))
                                      92Ø MØ=VAL(LEFT$(H$(Ø),2)):DØ=VA
DUE":J(Q)=1
                                      L(MID$(H$(\emptyset),3,2)):Y\emptyset=VAL(RIGHT$
74Ø GOTO665
745 '***** (A=3) UPDATE RECORDS
                                       (H\$(\emptyset), 2))
                                       925 Y(Q) = (YØ - YR(Q)) * 36Ø
75ø CLS3:PRINT@ø,U$;:PRINT@24,N$
                                       93Ø T$(2)="OIL CHANGE":T$(4)="LU
;:PRINT@233, "Service"+Z$+"update
                                       BE":T$(6)="TUNE UP":T$(8)="BELTS
";:PRINT@297, "Expense"+Z$+"recor
                                       /HOSES"
d";
                                       935 I(Q) = (((M\emptyset - 1) * 3\emptyset + D\emptyset + Y(Q)) - ((
755 GOSUB144Ø
                                       MO(Q)-1)*3Ø+DA(Q))
76Ø B$="ES@":W=INSTR(B$,A$)
                                       94Ø IF I(Q)>D(Q)*3Ø-15 THEN PRIN
765 ONW GOTO13ØØ,775,75:GOTO755
                                       TCHR$(175); T$(Q);" BY CALENDAR"
77Ø '**** SERVICE UPDATE
```

63

:J1(Q-1)=1945 NEXTQ 95Ø RETURN 955 CLS3: PRINT@Ø, U\$+STRING\$ (6, 12 8);:PRINT@21,"NEW VEHICLE";:PRIN T@231, "NAME ALREADY USED"; : SOUND 200,5:SOUND150,10:FORT=1T0425:NE XT:GOTO385 96Ø '**** WRITE NEW VEH. TO FIL E AND OPEN BLANK "/DTL" FILE 965 OPEN"O", #1, "VEH/NDX" 97Ø FORN=1TO5:WRITE#1,N\$(N) 975 NEXT N 98Ø CLOSE#1 985 OPEN"O", #1, N\$+"/DTL" 99Ø WRITE#1,A\$(Ø),B\$(Ø),C\$(Ø) 995 CLOSE#1:GOTO75 1000 '**** CHECK MAX. # VEHICLE 1ØØ5 N=1 1Ø1Ø IFN\$(N)=N\$THEN955 1015 IFN\$(N)=""THENN\$(N)=N\$:M=N: GOTO115 1020 N=N+1:IFN>5THENCLS3:PRINT@2 60, "LIMIT 5 VEHICLES"; : FORT=0T03 ØØ:NEXTT:GOTO75 1Ø25 GOTO1Ø1Ø 1030 CLS3:PRINT@264,"NOT A VALID DATE";:FORX=ØTO3ØØ:NEXT 1035 GOTO560 1040 '**** PRINTOUT OF SERVICE DUE 1045 PRINT@448," BE SURE THE PRI NTER IS ONLINE " 1050 PRINT#-2,STRING\$(6,13) 1Ø55 PRINT@448,STRING\$(32,175); 1Ø6Ø PRINT#-2, TAB(28)"***MAINTEN ANCE FOR "N\$"***" 1Ø65 PRINT#-2, TAB(28) LEFT\$(H\$(Ø) ,2);"/";MID\$(H\$(Ø),3,2);"/";RIGH T\$(H\$(Ø),2);TAB(44)M(Ø)" MILES": PRINT#-2,STRING\$(8Ø,61):PRINT#-2 ,"Item:";TAB(3Ø)"Due";TAB(4Ø)"Ov erdue"; TAB(55) "Miles to go" 1070 FORQ=1TO7STEP2 1075 P(Q) = 0: IFJ(Q) = 2THENJ\$(Q) = "M":T=43:GOTO1Ø9Ø '****SVC. OVERDU E 'FLAG' $1 \emptyset 8 \emptyset$ P(Q)= \emptyset :IFJ(Q)=1THENJ\$(Q)="M ":T=31:GOTO1Ø9Ø '****SVC. DUE 'F 1085 P(Q) = 0:IFJ1(Q) = 1THENJ\$(Q) = "C":T=31ELSE1Ø95 '****DUE BY CALE NDAR 'FLAG' 1090 P(Q) = 1: PRINT # - 2, TAB(3) T\$(Q); TAB(T) J\$(Q) 1095 M=STR(M(Q)-M(D)):IFJ(Q)=3THENPRINT#-2, TAB(3)T\$(Q);TAB(65-LEN (M\$)) M\$ 1100 NEXTO 11Ø5 GOTO113Ø

1110 FORO=1TO7STEP2:IFP(0)=1THEN 1120 '*** 'FLAG' TO PRINT SVC. S UMMARIES 1115 NEXTO 112Ø IFQ=1THEN1135ELSEIFQ=3THEN1 14@ELSEIFQ=5THEN1145ELSEIFQ=7THE N1155 1125 IFQ<7THEN1115ELSEPRINT#-2," PERFORMED ABOVE ITEMS (MILEAGE & DATE FOR SERVI CE UPDATE) "; STRING\$ (5,13): GOTO12 lø 113Ø PRINT#-2, CHR\$(13); TAB(15)"C =Calendar interval, M=Mileage in terval"; STRING\$ (3,13): GOTO1110 1135 PRINT#-2, "CHECK LIST: "; CHR\$ (13); CHR\$(13); TAB(3) "Change oil and filter...check fluid levels under hood...check for any leakage, battery corrosion, loose belts, etc."; STRING\$(2,13):GOTO1125 114Ø PRINT#-2, CHR\$(13); TAB(3)"Lu be all fittings...oil door hinge s and strikers, hood hinges, etc check transmission & differential. Inspect exhaus Check for t system. mage under car."; STRING\$(2,13):G OTO1125 1145 PRINT#-2, CHR\$(13); TAB(3) "Tu ne up engine...change spark plug s, air and fuel filters, check p wires and ignition system...check PCV and breather ... check timing and " 115Ø PRINT#-2, TAB(3) "idle speed. .. choke action when applicable.. .check overall performance.";STR ING\$(2,13):GOTO1125 1155 PRINT#-2, CHR\$(13); TAB(3) "Be lts/hoses...check belt tension a nd condition...hoses for softnes deterioration...cl amps for tightness...radiator sh ould be free of debris" 116Ø PRINT#-2, TAB(3) "in cooling fins, and should be free from le akage. Also inspect brake lining Check tires and operation. for tread depth and even wear." ;STRING\$(2,13):GOTO1125 1165 '**** CHECK MAX. 8 CHARACT ERS 117Ø IFLEN(N\$)>8THENCLS3:PRINT@Ø ,U\$;:PRINT@26Ø,"ONLY 8 LETTERS A LLOWED ";:N\$=TEMP\$:SOUND2ØØ,5:SO UND15Ø, 1Ø:FORT=1TO4ØØ:NEXT T:ON A GOTO385,445,775,855 1175 ON A GOTO1ØØ5,1185,1185,855 1180 '**** CHK. FOR NAME IN "V EH/NDX" 1185 FORQ=1TO5: IFN\$(Q)=N\$THEN46Ø 119Ø IFN\$(Q)=""THENCLS3:PRINT@Ø, U\$;:PRINT@26Ø, "NO VEHICLE BY THA T NAME";:SOUND2ØØ,5:SOUND15Ø,1Ø: FORT=1T045Ø:NEXTT:N\$=TEMP\$:GOT07 95 1195 NEXTO 1200 CLS3: PRINT@260, "NO VEHICLE BY THAT NAME";: FORT=1T035Ø: NEXT T:GOT0795 12Ø5 '***** CPTM COMPUTATION 121Ø CLS3:SUM=Ø:PRINTU\$;:PRINT@2 4, N\$: PRINT@266, "please"+Z\$+"wait 1215 FORQ=1T015Ø:B\$(Q)="":NEXTQ 122Ø OPEN"I", #1, N\$+"/DTL" 1225 FORQ=1T015Ø: INPUT#1, A\$(Q), B \$(Q),C\$(Q):IFA\$(Q)=""THEN1245 123Ø IFEOF(1)=-1THEN1245 1235 SUM=SUM+VAL(B\$(Q)) 124Ø NEXTQ 1245 CLOSE#1 125Ø CLS3:PRINT@229,"start"+Z\$+" figuring"+Z\$+"costs"+Z\$+Z\$+Z\$;:P RINT@261, Z\$+Z\$+Z\$+"at"+Z\$+"what" +Z\$+"mileage"; STRING\$ (5, 128);:PR INT@364," 11 ; 1255 PRINT@Ø,U\$;:PRINT@24,N\$;:PR INT@364,"";:LINEINPUTMI\$:PRINT@3 7Ø, STRING\$ (14,175);: Z=LEN(MI\$):I FMI\$=""THEN125ØELSEIFMI\$="@"THEN 126Ø FORQ=1TOZ:IFASC(MID\$(MI\$,Q, 1))<480RASC(MID\$(MI\$,Q,1))>57THE NMI\$="":GOTO125Ø 1265 NEXTO 127 \emptyset MI=VAL(MI\$):Y=(M(\emptyset)-MI)/1 \emptyset \emptyset 1275 CLS3: PRINTU\$;: PRINT@24, N\$;: PRINT@99, STRING\$ (25,32); :PRINT@9 9, "FROM"MI"TO"M(Ø) "MILES"; 128Ø PRINT@163,STRING\$(25,32);:P RINT@163, "EXPENSE TOTAL: ";: PRINT @179, USING"\$\$###.##"; SUM; 1285 PRINT@259," COST PER THOUSA ND MILES ";: PRINT@291," OF DRIVI ";:PRINT@3Ø7,USING"\$\$###. ##"; INT (SUM*1ØØ/Y)/1ØØ;: PRINTCHR \$(32); 129Ø PRINT@48Ø, W\$;: POKE1535, 128 1295 A\$=INKEY\$:IFA\$="@"THEN75ELS E1295 1300 '**** LEAVE "MAIN/BAS" PRO GRAM 1305 ' 131Ø OPEN"O", #1, "CRNT/NDX" 1315 WRITE#1,N\$ 132Ø CLOSE 1325 IFA=5THEN134Ø '*****CALLING IT QUITS

Coco Graphics Designer Only \$29.95

The Coco Graphics Designer produces beautiful Greeting Cards, Banners, and Signs for holidays, birthdays and other occasions.

The program features picture, border, and character font editors, so that you can modify or expand the already built in libraries. Plus a special "grabber" utility is included to capture areas of high resolution screens for your picture library.

Requirements: a Coco I, II or III with at least 32K, one disk drive, BASIC 1.0/1.1,ADOS 1.0/1.1 or JDOS. Printers supported include: Epson RX/FX, Gemini 10X, SG10, NX10, C-Itoh 8510, DMP

100/105/110/130/430 CGP220, many Okidata (check with Zebra), Seikosha GP100/250, Gorilla Banana, Legend 808. #C323 Coco Graphics Designer

Picture Disk#1

This supplementary picture library diskette contains over one hundred additional pictures. #C333 Picture Disk #1 \$14.95

Colored Paper Packs

150 sheets (50 each red, yellow, blue) with 60 matching envelopes. Perfect for making your productions outstanding. #C274 Paper Pack \$19.95



It's fun making your own Greeting Cards, Signs, and Banners with Zebra's Coco Graphics Designer.

WICO TRACKBALL Only \$29.95 Order Cat#TBCC



WICO designed these trackballs specifically for the Radio Shack Color Computer joystick port. Features 360-degree movement and quick-action fire button for smooth, arcade response and feel. Works great with Coco joystick and mouse software.

Ordering Instructions: All orders add \$3.00 Shipping & Handling. UPS COD add \$3.00. VI-SA/MC Accepted. NY residents add sales tax.



The Car Sign Designer program enables you to easily create distinctive bright yellow diamond shaped car signs. Everything you need is provided including two reusable clear plastic sign holders with suction cups, 50 sheets of bright yellow fanfold paper, and the Car Sign Designer program disk and instructions. ••• Hardware, DOS, and printer requirements are the same as for our CoCo Graphics Designer above. Order Cat#CSCC, \$29.95. For six additional sign holders, order Cat#CS6PK \$9.95.

Zebra Systems, Inc. 78-06 Jamaica Avenue Woodhaven, NY 11421 (718) 296-2385

Save \$200 on Magnavox Monitors Magnavox 8CM643 RGB Analog only \$385!!

MONITORS



MAGNAVOX 7622

12" Amber Screen offers 900 dots x 350 lines resolution at 20 MHz on a dark glass anti-glare CRT with builtin audio and 1 year warranty.

(\$7 shipping)

MAGNAVOX

8 CM 515 analog RGB for CoCo 3, TTL RGB for Tandy 1000 or IBM PC's, and composite color for CoCo 2 and 3. Built-in speaker. 14" screen with 640 dot × 240 line resolution. Plus 2 years parts and labor warranty.

reg. list \$499

SAVE \$200

\$298

+ \$14 Shipping

\$29.95 w/o monitor.

Magnavox RGB cable.

\$19.95 with Magnavox Monitor order.

REPEAT OF A SALE OUT

We closed out Zenith's line of 123A 12" Green Screen Monitors with 640 x 240 resolution one year ago. Now with a special puchase we offer them one more time. This monitor offers 80 column resolution at 15 MHz.

\$67.50 (\$7 Shipping)

VA-1 for monochrome monitors only, fits all color computers

\$24.45 (\$2 Shipping)

MAGNAVOX

CM 8505 has analog RGB and TTL RGB and composite color input. Built in speaker. 13" screen with 390 dots x 240 resolution in RGB mode. Plus 1 year parts & labor warranty

reg. list \$299

SAVE \$79

+ \$14 Shipping



DISTO



ADD-ON BOARDS

DC-38 includes 80 column capacity, parallel printer, real time clock, and all software

DC-3P Mini Epron programmer includes all software to program 2764 or 27128 chips

DC-3C Clock Calendar and parallel printer port

\$40

Includes controller and C-DOS 4.0

\$98 DC-3 A

\$2 shipping on all DISTO products

with CoCo 1, 2 & 3. It buffers keyboard input so that no keystrokes are lost when disk is reading or writing. Especially useful with OS-9, but also works with BASIC.

\$129 DC6 (\$2 Shipping)

C-DOS 3 28 pin Eprom makes Disto controller compatible with CoCo 3

SOFTWARE SPECIALS

Payrol/BASTM (\$2 shipping)

- Nonprotected basic is modifiable
- Tax tables built in for automatic
- Custom code for each state (\$25 option)
- · 4 pay periods
- 7 deductions
- · Prints checks
- 100 employees
- · 30 ledger numbers for checks other than payroll
- Check register includes monthly or weekly federal deposit amount
- Enter, update, delete employees, company and check information
- Print payroll and nonpayroll checks

Payrol/BAS™ 30 Day Trial

VIP LIBRARY

Softlaw's integrated package includes VIP Writer Terminal Data Base, Calc and Disk Zap which can fix a diskette that is giving I/

O errors \$125 reg. \$149 (\$2 Shipping)

VIPwriter \$68

Howards Drive Ø gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller

(\$5 shipping) Add \$34 for a Disto DC-3.

Double sided **Double density**



20 MEG HARD DRIVE

- · pre-installed, formatted and ready to run

equivalent to 125 R.S. 501's on line
 includes Western Digital WD1002-WK1 Controller
 and Seagate 20 Meg Hard Drive
 will also work with IBM & clones

\$499 (\$9 Shipping)

 complete package includes 20 meg drive, case & power supply, controller and interface that plugs into slot #3 of multipack interface.

BASIC driver lets you access this hard drive without need for OS-9 \$49.95

MEMORY

Memory for CoCo 3 PC memory board plugs into the spare slots inside the computer and is populated with 256K ram chips. Completely solderless with complete easy to install instructions.

CALL FOR PRICE

PC MEMORY BOARD without \$49.50

Software spooler and RAM disk for lightning quick response or no disk swapping drive backup for 1 drive system and printer spooler to free computer during long listings. For CoCo 3 with

\$19.45 (\$2 shipping on Memory products) GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping).

Shipping charges are for 48 states.

APO. Canada and Puerto Rico orders are higher.

Howard Medical Computers

1690 N. Elston Chicago, IL 60622



INQUIRIES AND ORDER STATUS

800) 443-1444 ==== (312) 278-1440 :

Showroom Hours: 8:00 - 5:00 Mon. - Fri. 10:00 - 3:00 Sat.

WE ACCEPT: VISA . MASTERCARD . AMERICAN EXPRESS C.O.D. OR CHECKS . SCHOOL P.O.'S

The Biggest The Best The Indispensable

THE COLOR COMPUTER MONTHLY

THE RAINBOW is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! THE RAINBOW features more programs, more information and more in-depth treatment of the Tandy Color Computer than any other source.

A monthly issue contains nearly 200 pages and up to two dozen programs, 14 regular columns and as many as 12 new product reviews. And advertisements: THE RAINBOW is known as the medium for advertisers which means every month it has a wealth of information unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

Every single issue of **THE RAINBOW** covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helpful utilities and do-ityourself hardware projects make it easy and fun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hardware products.

Join the tens of thousands who have found THE RAINBOW to be an absolute necessity for their CoCo. With all this going for it, is it surprising that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions? We're willing to bet that, a year from now, you'll be doing the same.

Rainbow On Tape & Rainbow On Disk!

 great ways to bring THE RAINBOW into your life.
 Each month, all you do is pop the tape into your cassette player or the disk into your drive. No more lost weekends. As soon as you read an article about a program in **THE RAINBOW**, it's ready to load and run. No work. No wait.

Just think how your software library will grow. With your first year's subscription, you'll get almost 250 new programs: games, utilities, business programs, home applications. And, with **RAINBOW**

ON DISK, you'll also get all the OS-9 programs.

RAINBOW ON TAPE and RAINBOW ON DISK—
they're the "meat" of THE RAINBOW at a price that's
"small potatoes." And now you even have a choice about how it should be served up to you.

To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

NO POSTAGE NECESSARY IF MAILED





FIRST CLASS PERMIT NO. 1 PROSPECT, KY JSINESS REPLY (

POSTAGE WILL BE PAID BY ADDRESSEE



Prospect, KY 40059-0385 The Falsoft Building P.O. Box 385



NO POSTAGE NECESSARY

IF MAILED IN THE









Use our 800 number!

For credit card orders, you may want to phone in your subscription. Our credit card order number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries please call (502) 228-4492.

We accept VISA, MasterCard and American Express.

Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 (U.S. funds only). Surface rate elsewhere is \$68 (U.S.). Airmail is \$103 (U.S.). All subscriptions begin with the current issue. Please allow 6 to 8 weeks for the first copy. Kentucky residents add 5% sales tax. In order to hold down non-editorial costs, we do not bill.

Our 800 number is also good for ordering RAINBOW ON TAPE or RAINBOW ON DISK!

Just call (800) 847-0309 anytime from 8 a.m. to 5 p.m. EST. Credit card orders only. Subscriptions to RAINBOW ON TAPE are \$80 a year in the United States, \$90 (U.S. funds) in Canada and \$105 (U.S.) in all other countries.

RAINBOW ON DISK IS \$99 a year in the United States, \$115 (U.S.) in Canada and \$130

(U.S.) in all other countries.

Individual issues of **RAINBOW ON TAPE** are \$10 in the U.S., \$12 (U.S.) in Canada and all other countries. Individual issues of **RAINBOW ON DISK** are \$12 in the U.S., \$14 (U.S.) in Canada, and \$16 (U.S.) in all other countries. Kentucky residents please add 5% sales tax.

RAINBOW ON TAPE and RAINBOW ON DISK are not stand-alone products; you need the magazine for loading and operating instructions and the necessary documentation.

THE RAINBOW magazine is a separate purchase.

Send Me Rainbow Magazine!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year!

As the premier magazine for the Tandy Color Computer, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

Signature Card Expiration Date -	Charge: ☐ VISA ☐ MasterCard ☐ American Express Account Number	☐ Payment Enclosed (payment must accompany order)	City State	Address	Name	□ NEW □ RENEW (attach label)	YES! Sign me up for a year (12 issues) of THE RAINBOW.
ration Date	n Express	91)	ZIP				in a long to the same of the s

-
G
Give
ന
-
4
our
=
Fin
_
10
W.
gers
1
60
U
100
D
-
· UU
-
Y
Break!
-

ate	Card Expiration Date		Signature
			Account Number
SS	☐ American Express	☐ MasterCard	Charge: ☐ VISA
	(payment must accompany order)	(payment must	☐ Payment Enclosed
ZIP	State		City
			Address
			Name
	□ Single Issue (specify month & year)	☐ Single Issue (☐ A Full Year [
with the October	RAINBOW ON DISK (Available beginning with the October 1986 issue)		RAINBOW ON TAPE
	RENEW (attach label)		YES! Sign me up: NEW
	•		

VIP Writer I



III

WORD PROCESSOR • SPELLING CHECKER • PRINT SPOOLER

SCREEN DISPLAY OPTIONS

VIP Writer III has a screen of 32, 40, 64, or 80 characters wide by 24 lines using the CoCo 3's hardware display with actual lower case letters. You can choose fore and background colors from up to 64 different hues. Color can be turned ON or OFF for the best possible display using a color or monochrome monitor or TV set. VIP Writer III has a built in on-line context sensitive help facility which displays command usage in easy to read colored windows. VIP Writer III also runs at double clock speed!

TEXT FILE STORAGE

There is a 49K text buffer and disk or cassette file linking allowing virtually unlimited text space. In addition VIP Writer III is compatible with the RGB Computer Systems HARD DISK.

"...Nearly every feature and option possible to implement on the Color Computer. The design of the program is excellent; the programming is flawless." -The RAINBOW October 1983

EDITING FEATURES

VIP Writer III has a full featured screen editor which can be used to edit text with lines up to 240 characters long with or without automatic word wrap around. You can select type-over mode or insert mode. There is even an OOPS command to recall a cleared text buffer. Other editing features include: Typeahead, typamatic key repeat and key beep for flawless text entry, end of line bell, full four way cursor control with scrolling, top of textfile, bottom of textfile, page up, page down, top of screen, bottom of screen, beginning of line, end of line, left one word, right one word, DELETE character, to beginning or end of line, word to the left or right, or entire line, INSERT character or line, LOCATE and/or CHANGE or DELETE single or multiple occurrence using wildcards, BLOCK copy, move or delete with up to TEN simultaneous block manipulations, TAB key and programmable tab stops, three PROGRAMMABLE FUNCTIONS to perform tasks such as auto column creation and disk file linking for continuous printing.

TEXT FORMATTING

VIP Writer III automatically formats your text for you or allows you to format your text in any way you wish. You can change the top, bottom, left or right margin and page length. You can set your text flush left, center or flush right. You can turn right hand justification on or off. You can have headers, footers, page numbers and TWO auxiliary lines which can appear on odd, even or all pages. You can also select the line on which they appear! You can even change the line spacing! All of these parameters can be altered ANYWHERE within your text file.

TEXT FILE COMPATIBILITY

VIP Writer III creates ASCII text files which are compatible with all other VIP Programs as well as other programs which use ASCII file format. You can use VIP Writer III to create BASIC, assembly, PASCAL or C files. VIP Writer III also allows you to save and load files using DISK or CASSETTE in the case of an emergency. You can even read disk directories, display free space on a disk and rename or kill disk files.

SD ENTERPRISES

(503) 663-2865 8:30 AM to 5:00 PM PST P. O. Box 1233 Gresham, OR 97030

PREVIEW PRINT WINDOW

The VIP Writer III features a paper saving format window which allows you to preview your document BEFORE PRINTING IT! You are able to see centered text, margins, page breaks, orphan lines etc. This feature makes hyphenation a snap!

PRINTING

VIP Writer III supports most any printer serial or parallel using the parallel interface described in Nov-Dec. '87 RAINBOW magazine, or an external serial to parallel interface, and gives you the ability to select baud rates from 110 to 9600. You are able to imbed printer control codes anywhere in your text file EVEN WITHIN JUSTIFIED TEXT! VIP Writer III also has twenty PROGRAMMABLE PRINTER SEQUENCES which allow you to easily control all of your printers capabilities such as underline, bold, italics, superscript and subscript using simple keystrokes. Additional printer features include: single sheet pause, print pause, word length and line feed selection.

PRINT SPOOLING

VIP Writer III incorporates a built in print spooler with a 49,000 character buffer which allows you to print one document WHILE you are editing another. You no longer have to wait until your printer is done printing before starting another job!

DOCUMENTATION

VIP Writer III is supplied with a 125 page instruction manual which includes a tutorial, glossary of terms and a complete index. The manual is well written and includes many examples to aid in understanding and application. VIP Writer III includes VIP Speller at NO ADDITIONAL COST.

DISK \$79.95 Cassette version does not include VIP Speller. TAPE \$59.95

VIP Writer owners: Upgrade to the VIP Writer III Disk for \$49.95 or Tape for \$39.95. Send original product. Include \$3 shipping.

VIP WRITER - THE ORIGINAL

VIP Writer is also available for CoCo 1 and 2 owners and has all the features found in the VIP Writer III including VIP Speller except for the following: The screen display is 32, 51, 64 or 85 columns by 21 or 24 rows. Colors other than green, black or white are not supported. Help is not presented in colored windows. Double clock speed is not supported. Parallel printer interface is not supported. Print spooler is not available. Hard disk is not supported. Even so, the VIP Writer is a CoCo 1 or 2 owners best choice in word processors. VIP Writer includes VIP Speller at NO ADDITIONAL COST. DISK \$69.95 Cassette version does not include VIP Speller. TAPE \$49.95


VIP SPELLER SPELLING CHECKER

VIP Speller works with ANY ASCII file created by most popular word processors. It automatically checks text files for words to be corrected, marked for special attention or even added to the dictionary. You can even view the misspelled word in context! VIP Speller comes with a specially edited 50,000 word dictionary, and words can be added to or deleted from the dictionary or you can create one of your own.

DISK \$34.95

Please add \$3.00 for shipping and handling. COD orders add an additional \$2.25. Personal checks allow 3 weeks for delivery. All other orders are shipped the same day.

1330 LOAD"EXPNS/BAS", R 1335 '**** (A=5) QUIT 134Ø CLS:NEW 1345 ' 135Ø PCLEAR1:GOTO55 1355 IFA=1THENN\$=TEMP\$:N1\$="":A\$ ="":N\$(M)="":GOTO75ELSE GOTO75 1360 '**** 1365 CLS3: PRINT@264, "NOT VALID M ILEAGE";:FORX=ØTO3ØØ:NEXT X:GOTO 137Ø '**** (A=4) VEHICLE INDEX SCREEN 1375 CLS:PRINTU\$;:PRINT@19,"vehi cle"; CHR\$(128); "index"; 138Ø PRINT: PRINT 1385 FORM=1TO5:PRINTN\$(M),:NEXTM 139Ø PRINT@48Ø, W\$;: POKE1535, 128 1395 A\$=INKEY\$:IFA\$<>"@"THEN1395 ELSE75 1400 '**** UTILITY TO INITIALIZ E "VEHICLE INDEX" FILE 14Ø5 'N\$(1)="SAMPLE" 141Ø OPEN"O", #1, "VEH/NDX" 1415 FOR Q=1T05:WRITE#1,N\$(Q):NE 142Ø CLOSE#1 1425 OPEN"O", #1, "CRNT/NDX" 143Ø WRITE#1,N\$(Ø) 1435 CLOSE#1:END 144Ø A\$=INKEY\$:IFA\$=""THEN144ØEL SE RETURN 1445 '****MAIN MODULE/ BY L. AN DERSON/ (C) 1985



Listing 2: EXPNS

```
!*******EXPNS******
10 '*******V1.01*******
    *******
15 '*****COPYRIGHT 1985*****
    **BY LARRY ANDERSON****
2Ø CLEAR5ØØØ:DIMA$(15Ø),B$(15Ø),
C$(15Ø)
25 Z$=CHR$(128):V$=STRING$(8,128
) + "@escapes" + Z$ + "to" + Z$ + "menu" + S
TRING$ (7,128)
3Ø U$="r e m e m b e r"+STRING$(
17,128)
35 W$="<--LAST"+STRING$(5,128)+"
Exit"+STRING$(5,128)+"NEXT-->"
4Ø GOTO43Ø
45 CLS3:PRINT@Ø,U$;:PRINT@24,N$:
PRINT@48Ø, V$;:PRINT@233, Z$+Z$+"r
ecords"+Z$+"for"+Z$+Z$;:PRINT@26
5, Z$+"which"+Z$+"vehicle"+Z$;:PO
KE1535,128
5Ø PRINT@332,"
                      ";:PRINT@3
32,"";:LINEINPUT N1$:PRINT@34Ø,S
TRING$(12,175);:IFN1$=""THEN65EL
SEIFN1$="@"THEN7Ø
55 TEMP$=N$:N$=N1$
6Ø ON A GOTO48Ø,48Ø,4Ø5
65 IFN$<>""THENN1$="":PRINT@332,
N$;:ONA GOTO5Ø5,5Ø5,295:GOTO45
7Ø CLS3:PRINT@Ø,U$;:PRINT@24,N$:
PRINT@2ØØ, "Review"; CHR$(128); "it
ems";:PRINT@264,"Update";CHR$(12
8);"items";:PRINT@328,"Main";CHR
$(128); "menu"; STRING$(3,128);
75 F1$="DATE- ":F2$="AMOUNT- $":
```

```
F3$="DETAILS- "
8Ø GOSUB555
85 B$="RUM":A=INSTR(B$,A$)
9Ø ONA GOTO45,45,4Ø5:GOTO8Ø
95 1****
100 CLS3:PRINT@0,U$;:PRINT@24,N$
1Ø5 PRINT@232, "Add"+Z$+"records"
;STRING$(3,128);
11Ø PRINT@296, "Remove"+Z$+"recor
ds";
12Ø GOSUB555
125 B$="AR@":W=INSTR(B$,A$)
13Ø CLS:ONW GOTO14Ø,21Ø,7Ø:GOTO1
2Ø
135 *****
14Ø RC=RC+1
145 CLS: PRINTU$+STRING$(3,128);:
PRINT@19," ADD# ";RC
15Ø PRINT@32,STRING$(3,143);:PRI
NT@48-LEN(N$)/2,N$
155 PRINT@48Ø,STRING$(11,128);"@
"+Z$+"escapes"; STRING$(11,128);:
POKE1535, 128: PRINT@64,"";
16Ø PRINTF1$;:LINEINPUTA$(RC)
165 IFA$ (RC) = "@"THENA$ (RC) = "":GO
T029Ø
17Ø PRINTF2$;:LINEINPUTB$(RC)
175 IFB$(RC)="@"THENB$(RC)="":A$
(RC)="":GOTO29Ø
18Ø PRINTF3$;:LINEINPUTC$(RC)
185 IFC$(RC)="@"THENC$(RC)="":A$
(RC) = "": B$ (RC) = "": GOTO29\emptyset
19Ø PRINT@48Ø,STRING$(5,128);"ok
"+Z$+"to"+Z$+"enter"+Z$+"Yes No"
;STRING$(8,128);:POKE1524,47:POK
E1535,128
195 GOSUB555
2ØØ B$="YN":W=INSTR(B$,A$)
2Ø5 ONW GOTO135,145:GOTO195
21Ø CLS(7):PRINT@Ø,U$;:PRINT@48Ø
,V$;:POKE1535,128
```

```
215 PRINT@32, "record"+Z$+"remova
1";STRING$(4,128);
22Ø PRINT@5Ø, "REC.#:";:LINEINPUT
Q$
225 IFQ$="@" THEN 7ØELSE23Ø
23Ø Q=VAL(Q$):IFQ>RC OR Q<1THEN2
1Ø
235 PRINT@64,F1$;A$(Q):PRINTF2$;
B$(Q):PRINTF3$;C$(Q)
24Ø PRINT@48Ø,STRING$(6,128);"re
move"; STRING$ (4, 128); "Yes"+Z$+"o
r"+Z$+"No";STRING$(6,128);:POKE1
535,128
245 GOSUB555
25Ø B$="YN@":W=INSTR(B$,A$)
255 ONW GOTO26Ø,21Ø,7Ø:GOTO245
26\emptyset A$(Q)=A$(\emptyset):B$(Q)=B$(\emptyset):C$(Q)
)=C\$(\emptyset)
265 FORN=Q TO RCD
27\emptyset A$(N)=A$(N+1):B$(N)=B$(N+1):
C$(N) = C$(N+1)
275 NEXTN
28Ø RCD=RCD-1:IF RCD<1THENRCD=Ø
285 GOTO295
29Ø RC=RC-1
295 CLSØ:L1=LEN(N$)/2:C=2Ø7-L1:P
RINT@171," SAVING ";:PRINT@2Ø3,
          ";:PRINT@C,N$;:PRINT@2
35, "DATA FILE";
3ØØ PRINT@299, RCD; "RECORDS";
3Ø5 OPEN"O", #1, N$+"/DTL"
31Ø FORQ=1TO 15Ø: IFA$ (Q) =""THEN3
25
315 WRITE#1,A$(Q),B$(Q),C$(Q)
32Ø NEXTQ
325 CLOSE#1
33Ø GOTO7Ø
335 1****
34Ø CLS3:FORQ=1TO RC
345 CLS:PRINT@Ø,U$:PRINT@15,STRI
NG$ (5,128); Q"OF"RC: PRINT@8Ø-LEN (
N$)/2,N$
35Ø PRINT: PRINTF1$; A$(Q)
355 PRINTF2$; B$(Q)
36Ø PRINTF3$; C$(Q)
365 PRINT@482,W$;
37Ø GOSUB555
375 IFASC(A$)=9THEN395
38Ø IFA$="E"THEN7Ø
385 IFASC(A$)=8THENQ=Q-1:IFQ<1TH
ENO=RC
39Ø GOTO345
395 CLS3:NEXTQ
400 GOTO340
4Ø5 OPEN"O", #1, "CRNT/NDX"
41Ø WRITE#1,N$
415 CLOSE#1
42Ø LOAD"MAIN", R
425 *****
43Ø OPEN"I", #1, "VEH/NDX"
435 FORQ=1T05:INPUT#1,N$(Q)
```

```
44\emptyset IFEOF(1)=-1THEN45\emptyset
445 NEXTQ
45Ø CLOSE#1
455 OPEN"I", #1, "CRNT/NDX"
46Ø INPUT#1,N$
465 CLOSE#1
47Ø GOTO7Ø
475 *****
48Ø FOR N=1TO5:IFN$(N)=N$ THEN5Ø
485 IFN$(N)="" THENCLS3:PRINT@Ø,
U$;:PRINT@26Ø, "NO VEHICLE BY THA
T NAME";:SOUND2ØØ,5:SOUND15Ø,1Ø:
FORT=1T03ØØ:NEXT T:N$=TEMP$:GOTO
45
49Ø NEXT N
495 CLS3: PRINT@26Ø, "NO VEHICLE B
Y THAT NAME";:SOUND2ØØ,5:SOUND15
Ø, 1Ø:FORT=1TO3ØØ:NEXTT:TEMP$=N$:
GOTO45
500 ONA GOTO505,505,405
5Ø5 IFN1$=""ANDA$(1)<>""THEN55ØE
LSEFORQ=1T015\emptyset:A$(Q)="":B$(Q)=""
:C$(Q)="":NEXTQ
51Ø OPEN"I", #1, N$+"/DTL"
515 FORQ=1T015Ø
52\emptyset IFEOF(1)=-1THEN54\emptyset
525 INPUT#1, A$(Q), B$(Q), C$(Q)
53Ø IFA$(Q)=""THEN54Ø
535 NEXTO
54Ø RC=0-1
545 CLOSE #1
55Ø ONA GOTO335,95,295
555 AS=INKEYS:IFAS=""THEN555ELSE
RETURN
```

Listing 3: REM

5 '*******TITLE SCREEN******

10 '******FOR "REMEMBER"******

15 '
2Ø CLS:T\$="remember"
25 G\$=CHR\$(128)+" "+CHR\$(159)+"
"+CHR\$(255)+" "+CHR\$(191)+" "+CH
R\$(223)+" "+CHR\$(175)+" "+CHR\$(2
39)+" "+CHR\$(2Ø7)
3Ø FORX=ØTO15Ø:PRINT@456,T\$:NEXT
35 FORL=456TO39STEP-32:PRINT@L,T
\$:PRINT@L+32,G\$:NEXT
4Ø FORX=ØTO3ØØ:NEXT
45 PRINT@352," b y
larry an
derson"
5Ø FORX=ØTO3ØØ:NEXT
55 PRINT@45Ø, "C. 1985 BENTON,
LA. 71ØØ6"
6Ø LOAD"MAIN",R
Ch 70110 1111111 111

his month's program is a political "thermometer" for students of all ages. It concerns the upcoming presidential election, which affects all of us.

Election Preview polls a test group, keeping score of, and updating, candidates' votes, and can be used in a variety of ways. We have used this program to track presidential candidates' true number of electoral votes, students' candidate preferences as time goes on, and classroom or schoolwide voting for various student elections.

The names of the top seven candidates for both parties are listed on the screen. The student "votes" by typing in his or her preference, or that of some authoritative source, and the candidate receives one point. The student merely types in the candidate's name. We purposely decided to have the student type in the name of the candidate rather than a number in order for the student to obtain practice in recognizing and spelling these names. One of them, after all, is bound to be our next president.

Bear in mind this program was written at the end of January, about the time of the Iowa primaries. By the time of publication, the list of probable candidates may very well be quite different. Governor Cuomo, for example, may announce his intention to become a candidate. At periodic intervals, you should update the program to include or delete candidates as events change. This is easily done by revising the names in the data statements in lines 260 through 320.

Each of the seven data lines contains the last name of a current Democratic candidate, his number of votes, the name of a current Republican and his current number of votes. The numbers all start out as zeros for placeholders. They are updated by the DATA.DAT file, which the user may optionally update each time the program is used.

After the student has finished his or her current polling, the S key may be

Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York.

A polling program to track voting trends

Presidential Election Preview

By Steve Blyn Rainbow Contributing Editor

pressed to save the current results. The E key is used to end the session. To begin a new session, the student must press the L key to load the saved information.

The information is optionally saved and loaded on disk for the convenience of the user, stored in a file called DATA.DAT on your disk. If additional independent surveys were taken on the same disk, the data of the second would wipe out the data of the first unless they were given different names.

For example, a second student named Freddy may take his own surveys, change the name of his file in lines 340 and 410 from DATA to FREDDY, and save this revised program as FREDDY. When

Freddy uses the computer, he will load the program called FREDDY and the file used will automatically be FREDDY.DAT. This procedure can be repeated for all of the student users if desired.

Program lines 30 and 40 dimension and read in the data. You may alter these two lines if the list of candidates becomes significantly shorter or longer. We chose seven of each as a safe middle ground.

Lines 60 through 140 set up and print the screen. Lines 150 and 160 ask for the user's current choice or update. Lines 200 through 230 add a value of 1 to that candidate's score.

Line 170 checks to see whether the E key was pressed to end the program. Line 180 checks for the L key and will load the data file: This routine is on lines 410 through 450. Line 190 checks for the S key and saves the data file: This routine is on lines 340 through 380. If you want to preserve your current data, be sure to save the file before ending the program.

If you choose never to use the files option, then there is no need to type in the two routines mentioned above. You would key in the program up to Line 320. Lines 180 and 190 would also be unnecessary.

We hope that you and your children/students can use this program to help make our country's electoral process more meaningful. Remember that your personal teaching and input into the children's understanding is the most valuable tool of all. As always, Computer Island appreciates hearing about the children's experiences and reactions to our programs.

The listing: ELECTION

1Ø REM"ELECTION PREVIEW"
2Ø REM"<C>STEVE BLYN, COMPUTER IS
LAND, STATEN ISLEAND, NY, 1988"
3Ø DIM A\$(7), B\$(7), A(7), B(7)
4Ø FOR T=1 TO 7: READ A\$(T), A(T),
B\$(T), B(T): NEXT T
5Ø N=Ø:CLS:Q\$=STRING\$(32,239)
6Ø PRINT@5, "OUR ELECTION PREVIEW";: PRINT@32, Q\$
7Ø PRINT@64," DEMOCRATS R
EPUBLICANS": PRINT@96, Q\$

```
8Ø SOUND 2ØØ, 3: N=Ø: FOR T=1 TO 7:
PRINT@128+N, A$(T);
9Ø PRINT@138+N, A(T);
1ØØ N=N+32:NEXT T
11Ø N=Ø:FOR T=1 TO 7:PRINT@143+N
, CHR$(233)+" "+B$(T);
12Ø PRINT@352,Q$
13Ø PRINT@156+N,B(T);
14Ø N=N+32:NEXT T
15Ø PRINT@416," ":PRINT@416,"YOU
R CHOICE IS ";
16Ø INPUT C$
17Ø IF C$="E" THEN 25Ø
18Ø IF C$="L" THEN GOTO 41Ø
19Ø IF C$="S" THEN GOTO 34Ø
2ØØ FOR Y=1 TO 7
21Ø IF C$=A$(Y) THEN A(Y)=A(Y)+1
:GOTO 5Ø
220 IF C$=B$(Y) THEN B(Y)=B(Y)+1
:GOTO 5Ø
23Ø NEXT Y
24Ø GOTO 15Ø
25Ø PRINT@416," VOTING COMPLETED
.... THANKYOU"; : END
26Ø DATA HART,Ø,BUSH,Ø
27Ø DATA JACKSON, Ø, DOLE, Ø
```

Hardware

Special

Communications

Package

300/1200 baud Fully Hayes

compatible

Modem - 1 Year Warranty

[Modem & Cable]

300/1200/2400 baud

Fully Hayes

Compatible Modem - CCITT

1 Year Warranty

[Modem & Cable]

```
28Ø DATA SIMON,Ø,KEMP,Ø
29Ø DATA DUKAKIS, Ø, ROBERTSON, Ø
300 DATA GORE, 0, HAIG, 0
31Ø DATA GEPHARDT, Ø, DUPONT, Ø
32Ø DATA BABBITT, Ø, KIRKPATRICK, Ø
330 REM OPTION TO SAVE THE FILE
34Ø PRINT@448, "saving data";:OPE
N"O",#1,"DATA"
35Ø FOR T= 1 TO 7
36Ø WRITE #1,A$(T),A(T),B$(T),B(
T)
37Ø NEXT T
38Ø CLOSE #1
39Ø GOTO 5Ø
400 REM OPTION TO LOAD THE FILE
41Ø PRINT@448, "loading data";:OP
EN"I", #1, "DATA"
42Ø FOR T= 1 TO 7
43Ø INPUT #1,A$(T),A(T),B$(T),B(
T)
44Ø NEXT T
45Ø CLOSE #1
46Ø GOTO 5Ø
```

Software

'KEEP-TRAK' General Ledger Reg. \$69.95—Only \$39.95

"Double-Entry" General Ledger Accounting System for home or business: 16k, 32k, 64k. User-friendly, menu-driven. Program features: balance sheet, income & expense statement (current & 'YTD'), journal, ledger, 899 accounts (2350 entries on 32k & 64k [710 accounts & entries on 16k] (disk only). Version 1.2 has screen printouts. Rainbow Review 1.1 - 9/84: 1.2-4/85

"OMEGA FILE" Reg. \$69.95—ONLY \$24.95

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only).

Rainbow Review 3/85. Hot CoCo 10/85

BOB'S MAGIC GRAPHIC MACHINE

Can generate BASIC code to use in your programs. Easy drawing and manipulation of circles, elipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen & movement of objects on the screen. Can be used as a stand-alone graphics editor. Instruction Manual. **GRAPHICS EDITOR. REG.** \$39.95—ONLY \$24.95 for disk or tape. 64k ECB.

Rainbow Review 7/85, Hot CoCo 9/85 "The graphics bargain of the year"

'KEEP-TRAK' Accounts Receivable.

Features: auto interest calculation, auto ageing of accounts, installment sales, total due sales, explanation space as long as you need, detailed statements, 'KEEP-TRAK' General Ledger tie in, account number checking, credit limit checking & more. User friendly/menu driven. Includes manual. \$39.95 or \$49.95 General Ledger & Accounts Receivables. [Disk Only].

'COCO WINDOWS'

With hi-res character display and window generator. Features an enhanced key board [klicks] and 10 programmable function keys. Allows the user to create multiple windows from basic. Includes menu driven printer setup and auto line numbering. Four function calculator, with memory. The above options can be called anytime while running or writing in BASIC. APPLE PULL YOUR DRAPES. YOU DON'T WANT TO SEE THIS. **\$24.95** (disk or tape) includes manual.



THE OTHER GUYS CoCo 55 North Main Street Suite 301-D

PO Box H Logan Utah 84321 MasterCard. VISA

(801) 753-7620 (800) 942-9402 NEW FREE

[Add \$3.00 for postage & handling] .O.D., Money Order, Check in U.S. Funds [Please specify if J&M controller] 0





THE RAINBOW is a teaching environment and we realize that the majority of our readers will always be beginners. In our continuing effort to always keep the new user in mind, and in addition to the many beginner feature articles and programs published in every issue, "Novices Niche" contains shorter BASIC program listings that entertain as well as help the new user gain expertise in all aspects of the Color Computer: graphics, music, games, utilities, education, programming, etc.



Backup and Restore

By Carl England

Most disk crashes are actually directory crashes. Sometimes the crash occurs when you try to save data while using the high-speed poke. Sometimes it occurs when you're trying to read or write to a direct access file record that doesn't exist, and sometimes it is just caused by gremlins on your disk. My program, BRU, allows you to restore files you thought would be lost forever.

BRU was designed to back up just the directory, allowing you to keep a file copy of your directory in case the gremlins get you. Eight unused sectors on Track 17 (where the directory is found) are used to store the backup. A directory normally uses 10 sectors, so I had to find a way to compress the backup into eight.

Lines 100 through 150 contain a trap that checks for data that may already exist on the sectors BRU uses to back up the directory. Some programs, especially those that run under OS-9, may use these sectors, and you may overwrite valuable data if you use BRU on them, so be careful. Line 260 is a trap to prevent you from attempting to restore a directory that has not been backed up.

BRU is simple to use — just load it and follow the prompts. Though it won't recover from crashes that involve data, it can provide useful and rapid recovery from directory crashes, which by far comprise most of all disk crashes. For a quick test to see that BRU is working properly, save a file on a blank formatted disk, run BRU and select Option 1. Kill the file, run BRU again and select Option 2. You should now be able to load the killed file.

The listing: BRU

16K Disk

> Y 'COPYRIGHT (C) 1987 3Ø 'CARL ENGLAND 4Ø CLS:CLEAR5ØØØ 5Ø PRINT"<1> BACKUP DIRECTORY 6Ø PRINT"<2> RESTORE DIRECTORY 7Ø I\$=INKEY\$:IFI\$<"1"ORI\$>"2"THE N7Ø 8Ø ONVAL(I\$)GOTO9Ø,26Ø 9Ø FORI=13T018 100 DSKI\$0,17,I,A\$,B\$ 11Ø IFB\$="BRU"+STRING\$(125,255)T HEN16Ø 12Ø IFA\$=STRING\$(128,255)ANDB\$=A \$THEN15Ø 13Ø PRINTA\$B\$:PRINT"TRACK 17, SE CTOR"I: PRINT"CONTAINS DATA. YOU WISH TO OVERWRITE IT? 14Ø I\$=INKEY\$:IFI\$="N"THENENDELS EIFI\$<>"Y"THEN14Ø 15Ø NEXT 16Ø DSKI\$Ø,17,2,A\$,B\$:B\$="BRU"+S TRING\$ (125, 255): DSKO\$Ø, 17, 13, A\$, 17Ø FORI=3TO12STEP2 18Ø DSKI\$Ø,17,I,A\$,B\$:DSKI\$Ø,17, I+1,C\$,D\$ 19Ø A\$=A\$+LEFT\$(B\$,112):C\$=C\$+LE FT\$(D\$,112)

10 BACK UP AND RESTORE DIRECTOR

```
200 B$="":D$=""
210 FORJ=0TO7
220 B$=B$+MID$(A$,J*32+1,16):D$=
D$+MID$(C$,J*32+1,16)
230 NEXT
240 DSKO$0,17,(I+25)/2,B$,D$
250 NEXT:END
260 DSKI$0,17,13,A$,B$:IFB$<>"BR
U"+STRING$(125,255)THENCLS:PRINT
"ERROR:",,"DISK DOES NOT CONTAIN
BRU FILE":END
270 DSKO$0,17,2,A$,B$
280 FORI=3TO12STEP2
```

```
29Ø DSKI$O,17,(I+25)/2,A$,B$
3ØØ GOSUB35Ø
31Ø DSKO$Ø,17,I,C$,D$
32Ø A$=B$:GOSUB35Ø
33Ø DSKO$Ø,17,I+1,C$,D$
34Ø NEXT:END
35Ø C$="":D$=""
36Ø FORJ=ØTO3
37Ø C$=C$+MID$(A$,J*16+1,16)+STR
ING$(16,255)
38Ø D$=D$+MID$(A$,J*16+65,16)+ST
RING$(16,255)
39Ø NEXT:RETURN
```



Undercover CoCo

16K ECB

By David Compton

Almost everyone has experimented with "secret codes" at one time or another, and many work the cryptograms in the daily paper. These codes, which are technically simple substitution codes, are time-consuming to construct, and it is easy to make a mistake when working from the original to the cipher.

Now CoCo takes the work out of constructing cryptograms for you. Just run *Encrypt* and, in a few seconds, CoCo generates a new code. Type in your message, and it will be encoded. If you have a printer, you can print it out and give your friends a challenge. (To be fair, you should make your message long so they'll have a better chance of cracking the code.)

There's a small chance that the cipher alphabet won't appear a few seconds after the normal alphabet, as it should. If the computer has not substituted 'Z' for another letter by the time it reaches 'Z', it will go into an infinite loop trying to find another letter. Just press BREAK and run again.

The listing: ENCRYPT

```
10 REM ENCRYPT
2Ø REM COPYRIGHT (C) 1987
25 REM BY DAVID COMPTON
3Ø CLS
4Ø CLEAR1ØØØ
5Ø AL$(1)="ABCDEFGHIJKLMNOPQRSTU
VWXYZ":AL$(2)=AL$(1)
6Ø PRINTAL$(1)
7Ø CR=RND(-TIMER)
8Ø FORX=1TO26
9Ø CR=RND(26)
1ØØ IFMID$(AL$(1),CR,1)=" "THEN9
11Ø CR$=CR$+MID$(AL$(1),CR,1)
12Ø IFMID$(CR$,CR,1)=MID$(AL$(1)
,CR,1)THENCR$=LEFT$(CR$,LEN(CR$)
-1):GOT09Ø
```

MCSSCQ UVJ EIYBLCQ UC I FCFC
"ACU CM DCSH." UVJ EIYBLCQ YT
UVJ CBSX RIDIOYBJ ZNTU MCE XCNE
UIBHX FCFC 1, 2 IBH 3 IBH QYSS
LNTYBJTT IBH ASJITNEJ. LJ TNEJ
UC UNBJ YB BJWU RCBUV MCE CNE

Calling all cryptologists! If you think you have figured out this encrypted message, send the translation to us here at THE RAINBOW by May 1, 1988. If you're right, you could win a copy of *The Third Rainbow Book of Adventures* and its companion tape or disk (be sure to specify which). In case of a tie, we will hold a drawing. Send your entry to The Cryptogram Contest, c/o Novices Niche, The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059.

```
13Ø MID$(AL$(1),CR,1)=" "
14Ø NEXT
15Ø PRINTCR$
16Ø PRINT: PRINT"MESSAGE:"
17Ø LINEINPUTM$
18Ø M=LEN(M$)
19Ø DIMM$(M)
200 FORY=1TOM
21Ø F=INSTR(AL$(2),MID$(M$,Y,1))
22Ø IFF=ØTHENMC$=MC$+MID$(M$,Y,1
):GOTO24Ø
23Ø MC$=MC$+MID$(CR$,F,1)
24Ø NEXTY
25Ø PRINTMC$
26Ø PRINT
27Ø INPUT"HARDCOPY (Y/N)";Y$
28Ø IFLEFT$(Y$,1)="Y"THENPRINT#-
2,MC$:END
29Ø IFLEFT$ (Y$, 1) = "N"THENEND
3ØØ GOTO27Ø
```

CoCo Caliber

16K ECB

By Brian DeMarco

Ready, aim, fire! Set your sights for action on the shooting range with *Shoot'em*. Use your left and right arrow keys to take aim, and press the space bar to fire.

The listing: SHOOTEM

```
2 CLS
3 CLEAR2ØØØ
4 T$=CHR$(136)+CHR$(132)
5 DIM A$(3)
6 PO=495
1Ø A=RND(-TIMER)
2Ø A$(1)=STRING$(255,32):A$(2)=S
TRING$(255,32):A$(3)=STRING$(255)
3Ø FORX=1T01ØØ
4Ø R=RND(254): IF MID$(A$(1),R,1)
<>CHR$(175) THEN MID$(A$(1),R,1)
=CHR$(175):MID$(A$(2),R,1)=CHR$(
159):MID$(A$(3),R,1)=CHR$(175):N
EXTX ELSE GOTO 40
5Ø M1=RND(254):M2=RND(254):M3=RN
D(254)
55 PRINT@PO-1, T$;
56 E1=3ØØ
6Ø Y$=INKEY$:IF Y$="" THEN GOSUB
 49Ø:GOTO6Ø
61 IF Y$=CHR$(8) AND PO-1>48Ø TH
EN PRINT@PO-1, CHR$ (32) + CHR$ (32);
:PO=PO-1:PRINT@PO-1,T$;:GOTO6Ø
62 IF Y$=CHR$(9) AND PO<51Ø THEN
```

PRINT@PO-1, CHR\$ (32) + CHR\$ (32); : P O=PO+1:PRINT@PO-1,T\$;:GOTO6Ø 7Ø FORX=PO-32 TO PO-48Ø STEP -32 75 IFX=E1 THEN E1=Ø 76 IF X=E2 THEN E2=Ø 8Ø IF PEEK(1Ø24+X)=175 OR PEEK(1 Ø24+X)=159THEN 1ØØ ELSE 9Ø 9Ø PRINT@X, CHR\$(133);:NEXTX 95 GOTO 12Ø 100 IF X>128 AND X<159 THEN MID\$ (A\$(3), M3+(X-128), 1) = CHR\$(32) EL SE IF X>64 AND X<95 THEN MID\$(A\$ (2), M2+(X-64), 1) = CHR\$(32) ELSE IF $X>\emptyset$ AND X<31 THEN MID\$(A\$(1),M $1+(X-\emptyset),1)=CHR\$(32)$ 11Ø GOTO9Ø 12Ø FOR X=PO-32 TO PO-48Ø STEP -32:PRINT@X, CHR\$(32);:NEXTX:GOTO 6Ø 49Ø GOSUB1ØØØ:M1=M1+1:M2=M2-1:M3 =M3+1:IF M1=255 THEN M1=1 ELSE I F M2=1 THEN M2=255 ELSE IF M3=25 5 THEN M3=1 5ØØ PRINT@Ø,MID\$(A\$(1),M1,32):PR INT@64,MID\$(A\$(2),M2,32):PRINT@1 28, MID\$ (A\$ (3), M3, 32): RETURN 1000 IF E1=0 THEN E1=PO-480 1Ø1Ø IF E2=Ø THEN E2=RND(31)-1 1Ø2Ø PRINT@E1, CHR\$(32);:PRINT@E2 ,CHR\$(32);:E1=E1+32:E2=E2+32 1030 IF E1>511 THEN E1=0 1Ø35 IF E2>511 THEN E2=Ø 1Ø4Ø PRINT@E1, CHR\$(134+64);:PRIN T@E2, CHR\$(134+64);: IF PEEK(PO+1Ø 24) = 134 + 64 OR PEEK(PO-1+1\(\text{PO} = 13 \) 4+64 THEN END ELSE RETURN



A CoCo Pop-Up Calendar

4K

By Fred Kolesar

Picture this: You're laboring away at the CoCo and need to know the date of the first Saturday in May. Ransacking your desk yields no calendar. Then you remember — there's a calendar installed as a subroutine in the very program you're using. A few quick keystrokes and the information is found.

Calendar is, of course, a program in its own right. But if you opt to add Calendar to another program as a subroutine, you'll need to keep your variables separate. Calendar uses these five variables: L = loop start value for the PRINT TAB(P) FIN loop; P = PRINT TAB position; D = day of the month; M = month of the year; and M\$ = month names. If the larger program uses any of these variables, you will need to rename Calendar's.

To change the calendar to another year, just change the date in Line 5 from 1988 to the year you want displayed. Edit Line 1 and set the variable L to the print position of the first day of that year (Sunday, L=2; Monday, L=6; Tuesday, L=10; Wednesday, L=14; Thursday, L=18; Friday, L=22; Saturday, L=26). January 1, 1988, was on a Friday, so Variable L has a value of 22 this year. Since 1988 is a leap year, you'll need to change the value on Line 2 from IF D=29 AND M=2 to IF D=28 AND M=2 for non-leap years. Press the space bar to advance to the month you want.

To end Calendar, just press the CLEAR key. To escape the program as a subroutine, edit Line 4 and change the statement END to RETURN.

The listing: CALENDAR

Ø 'calendar' by: fred kolesar
7 ladd road, westfield,pa
1695Ø 4/87

1 L=22:M=Ø:GOSUB5:M\$="JANFEBMARA

PRMAYJUNJULAUGSEPOCTNOVDEC 2 FORP=L TO26STEP4:D=D+1:PRINTTA B(P)D;:IFD=29ANDM=2GOSUB4ELSEIFD =3ØTHENIFM=4ORM=6ORM=9ORM=11GOSU B4ELSEELSEIFD=31GOSUB4 3 NEXT: PRINT: L=2:GOTO2

4 EXEC44539: IFPEEK (135) = 12THENEN 5 IFM=12THEN1ELSECLSØ:D=Ø:PRINT@ 76, MID\$ (M\$, M*3+1, 3) " 1988";: M=M+ 1: PRINT@192," SUN MON TUE WED T HU FRI SAT": RETURN



High-Tech Quilting Bee

CoCo 3

By Bernice M. Shoobs


I call my program Quilt, but you can call it a game, tapestry, window shade, wall hanging or whatever you want. The program creates designs on your PMODE 4 screen with the use of the composite monitor (to see the simulated colors).

The designs are created by concentric and overlapping circles forming vertically down the screen. When prompted, the user inputs the x step increment, the y step increment and the radius of the circle. Keeping the x and y increment values between step 5 and step 20 and keeping the radius value between 6 and 25 make the most striking designs.

Quilt begins by giving the user some sample x, y and radius figures, which I have found to produce interesting patterns. Once you get the idea and begin to see the patterns take form, use your imagination. Some advice: Do not make the increments extremely small while the radius is large, and vice versa. Also, let the entire pattern develop before you decide to break the program. You will be surprised at the results.

The listing: QUILT

1Ø CLS 20 ON BRK GOTO 220 3Ø F1\$=" 40 PRINT @0, "BEGIN MAKING PATTER NS WITH THESE" 5Ø PRINT @4Ø, "NUMBERS THEN--" 6Ø PRINT@67,"C R E A T E YOUR O W N !" 7Ø PRINT@96, STRING\$ (32, "-") 8Ø PRINT@128,"X INCREMENT Y INC REMENT RADIUS" 9Ø PRINT@16Ø,STRING\$(32,"-"):GOS UB 27Ø: RESTORE ******* 100 REM 11Ø REM 12Ø INPUT"NO. OF X STEP INCREMEN T"; A 13Ø INPUT "NO. OF Y STEP INCREME 14ø INPUT "NO. RADIUS OF CIRCLE" ;C 15Ø WIDTH 32 16Ø PMODE 4,1:PCLS:SCREEN 1,1 17Ø FOR X=Ø TO 255 STEP A



18Ø FOR Y=Ø TO 191 STEP B

19Ø CIRCLE (X,Y),C

200 NEXT Y,X

21Ø FOR T=1 TO 24ØØ:NEXT T

22Ø CLS

23Ø INPUT "ANOTHER ONE? <Y/N> ";

24Ø IF A\$="Y" THEN 1Ø ELSE END

25Ø REM ************

26Ø REM

27Ø READ X,Y,C

28Ø IF X=99 THEN RETURN

29Ø PRINT USING F1\$; X, Y, C

3ØØ GOTO 27Ø

31Ø DATA 11,11,17

32Ø DATA 1Ø,7,1Ø

33Ø DATA 12,1Ø,21

34Ø DATA 13,6,11

35Ø DATA 16,8,14

36Ø DATA 5,1Ø,15

37Ø DATA 99,99,99

Submissions to "Novices Niche" are welcome from everyone. We like to run a variety of short programs that can be typed in at one sitting and are useful, educational and fun. Keep in mind, although the short programs are limited in scope, many novice programmers find it enjoyable and quite educational to improve the software written by others.

Program submissions must be on tape or disk. We're sorry, but we cannot key in program listings. All programs should be supported by some editorial commentary, explaining how the program works. If your submission is accepted for publication, the payment rate will be established and agreed upon prior to publication.

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's "Scoreboard" column. All entries must be received 60 days prior to publication. Entries should be printed legibly — and must include your full name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW. For greater convenience, your high scores may also be sent to us through the MAIL section of our Delphi CoCo SIG. From the CoCo SIG> prompt, pick MAIL, then type SEND and address to: EDITORS.

	*	Current Re	cord Holder • Shuto	out	
	STAR*TRENCH (THE RAINBOW, 7/86)		HE RAINBOW, 1/87)		RE (Radio Shack)
4,750	★Stephane Martel, Laval, Ouebec	35,331	★David Schaller, Clarkston, WA	160,835	★Eric Olson, Wheaton, IL
4,475	David Schaller, Clarkston, WA	30,253	Benoit Landry, Drummondville,	146,325	Stephane Martel, Laval, Quebec
4,300	Jeffrey Warren, Waynesville, NC		Quebec	9,861	Michael Adams, Columbia, SC
3,960	Maurice MacGarvey, Dawson Creek,	25,739	John Weaver, Amsterdam, NY	5,561	Chris Lorenz, Kiester, MN
1000000	British Columbia	DEMON ATT		DRAC (Tom	
3,960	Robbi Smith, Helena, HI	72.410	★Glenn Hodgson, Aberdeenshire,	104,850	★Don Mullis, Delavan, WI
	PES (THE RAINBOW, 12/85)		Scotland		2 (Computerware)
13,140	★Ron Silvestro, Lindenwold, NJ	67,760	Jim Davis, Sandwich, IL	202	★Roy Grant, Toledo, OH
9,880	Walter Schilling, Lindenwold, NJ	40,435	Upton Thomas, Arnold, MD		R (Adventure International)
7,340	Gary Demerest, Lindenwold, NJ	28,780	Daniel Streidt, Cairo, Egypt	77,030	★Mike LeBrun, Cornwall, Ontario
6,110	Rick McElroy, Lindenwold, NJ	16,995	Todd VanNatta, Isle of Palms, SC	56,840	Michael Adams, Columbia, SC
	ST (Mark Data)		ROL (Arcade Animation)		(THE RAINBOW, 1/86)
48,825	★Tony Bacon, Mt. Vernon, IN	377,050		22,505	★Chad Presley, Luseland,
BEE ZAPPER	(THE RAINBOW, 9/87)		ER (Radio Shack)		Saskatchewan
9,650	*Benoit Landry, Drummondville,	80,703	*Thomas Payton, Anderson, SC	11,250	Stephane Martel, Laval, Quebec
	Quebec	50,797	Patrick Devitt, Lombard, IL	5,680	Kathy Rumpel, Arcadia, WI
9,450	Phillip Holsten, Modesto, CA	26,125	Ryan Grady, Newbury Park, CA	3,760	Rick Beevers, Bloomfield, MN
	(Radio Shack)	24,355	Roby Janssen, Clear Lake, IA	3,505	Blake Cadmus, Reading, PA
47,360	*Upton Thomas, Arnold, MD	DEVIL ASSA	JLT (Tom Mix)	FRACTION F	EVER (Spinnaker)
	AIT (Tom Mix)	1,866,100	*Stephane Martel, Laval, Quebec	10,480	★Shawn Riggins, Orangevale, CA
22,931,850	★Skip Taday, East Lyme, CT	623,550	Dale Krueger, Maple Ridge,		TTACK (Radio Shack)
763,550	Geran Stalker, Rivordalo, GA	020,000	British Columbia	26,370	★Jeff Remick, Warren, MI
187,750	Keith Janas, Kitwanga, British	75,000	Blake Cadmus, Reading, PA	10,600	Brian Crabtree, College Park, WA
107,750			Benoit Landry, Drummondville,	9,930	Daniel Streidt, Cairo, Egypt
OLIVON OLI	Columbia	40,800			IGHTER (Four Star Software)
	IMBER (Radio Shack)	DICODUMENT	Quebec		★Michael Heitz, Chicago, IL
1,627,500	*Matthew Fumich, Munford, TN		TION (THE RAINBOW, 1/87)	153,725	
202,000	David Brown, New Waterford, Nova	15	*Patrick Martel, Laval, Quebec		Spectral Associates)
The second	Scotia	DONPAN (Ra		357,890	*Jason Clough, Houston, TX
178,200	Darren King, Yorkton, Saskatchewan	53,100		328,820	Bernard Burke, Lee's Summit, MO
169,000	Gregory Speer, Emporia, KS	52,600	Eric Olson, Wheaton, IL	249,960	Matthew Fumich, Munford, TN
165,500	Sara Mittelstaedt, Kiel, WI		CK (Radio Shack)	169,410	Danny Dunne, Pittsfield, NH
159,200	Upton Thomas, Arnold, MD	172,320	★Richard Winkelbauer, Bronx, NY	149,520	Vernon Johnson III, Parkville, MD
150,200	Brian Lewis, Baltimore, MD	136,510	Don Mullis, Delavan, WI		CK (Spectral Associates)
141,400	Michael Petry, Kansas, AL	51,470	Betty Mullis, Delavan, WI	236,350	★Corey Leopold, Nada, TX
135,600	Eric Rose, Grand Coulee, WA	50,700	Tristan Terkuc, Richmond, Ontario	28,300	Augusto Voysest, Lima, Peru
130,400	Joanna Wanagel, Freeville, NY	34,990	Darren Lowe, White Rock, British	GANTELET (Diecom Products)
CLOWNS & E	BALLOONS (Radio Shack)		Columbia	23,643,720	★Geran Stalker, Rivordalo, GA
688,960	★Faye Keefer, Augusta, GA	DOWNLAND	(Radio Shack)	20,921,490	Randall Edwards, Dunlap, KS
70,180	Charles Andrews, Delta Jct, AK	99,980	*Danny Wimett, Rome, NY	10,222,940	Clinton Morell, Sacramento, CA
36,650	Melody Webb, Lakeport, CA	98,985	Karl Gulliford, Summerville, SC	10,020,500	Ken Hubbard, Madison, WI
15,950	Matthew Smith, Courtenay, British	97,740	Stephane Deshaies, Beloeil, Quebec	7,493,340	Stirling Dell, Dundalk, Ontario
10,000	Columbia	89,490	Neil Edge, Williston, FL	2,626,950	Jonathon Ross, Pocomoke City, MD
COLORCAR	(NOVASOFT)	77,254	Tom Audas, Fremont, CA	2,512,620	Jason Steele, Pensacola, FL
218,773	*Alan Martin, Cornwall, Ontario	73,346	Jean-François Morin, Loretteville,	2,312,640	Rory Kostman, Hershey, NE
	ER (THE RAINBOW, 4/83)	10,040	Quebec Quebec	2,115,790	Jerry Honigman, Waggoner, IL
21,504,600	★Earl Foster, Lynchburg, VA	70,142	Chris Goodman, Baltimore, MD	2,011,200	Jerry Colbert, Bakersfield, CA
	STLES (ThunderVision)	68,142	Cooper Valentin, Vavenby,	1,245,550	Donald Cathcart, Halifax, Nova Sco
		00,142		1,224,190	
554,979	*Patrick Martel, Laval, Quebec	67.704	British Columbia		Jonathan Wanagel, Freeville, NY NA (Radio Shack)
60,107	Alphonse Brown, Houston, TX	67,721	Keith Yampanis, Jaffrey, NH		
	EST (Radio Shack)	62,442	Eddie Lawrence, Pasadena,	2,350,750	★Michael Heitz, Chicago, IL
81	★Brad Wilson, Lithia Springs, GA		Newfoundland	702,520	Joseph Delaney, Augusta, GA
85	David and Shirley Johnson, Leicester,	55,300	Patrico Gonzalez, Buenos Aires,		ON (Radio Shack)
	NC		Argentina	1,074	★William Ehardt, Darien, IL
86	Roy Grant, Toledo, OH	49,500	Danny Perkins, Clifton Forge, VA		ildren's Computer Workshop)
86	Melanie Moor, Florence, AL	49,441	Kevin Pater, Port Alberni, British	8,090	★Curt Lebel, Louisville, KY
86	Paul Summers, Orange Park, FL		Columbia		(THE RAINBOW, 10/86)
	Douglas Bell, Duncan, OK	49,254	David Brown, New Waterford, Nova	625	★Clara Smith, Courtenay, British
87			Scotia		Columbia
	Chris Piche, White Rock,	43,502	Mike Ells, Charlotte, MI	HITCHHIKER	'S GUIDE TO THE GALAXY (Infocom)
87				1001100	
87	British Columbia		Antonio Hidalgo, San Jose,	400/422	★Jeff Holtham, Waterloo, Ontario
87 89 89	British Columbia Milan Parekh, Fullerton, CA	41,896	Antonio Hidalgo, San Jose, Costa Rica		*Jeff Holtham, Waterloo, Ontario Brad Wilson, Lithia Springs, GA
87 89 89 89	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA	41,896	Costa Rica	400/510	Brad Wilson, Lithia Springs, GA
87 89 89 89	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA Steve Zemaitis, Howell, Mi	41,896 40,360	Costa Rica Jesse Binns, Phoenix, AZ	400/510 INTERBANK	Brad Wilson, Lithia Springs, GA INCIDENT (Radio Shack)
87 89 89 89 89 DECATHALO	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA Steve Zemaitis, Howell, MI ON (Spectral Associates)	41,896 40,360 34,424	Costa Rica Jesse Binns, Phoenix, AZ Andrea Mayfield, Melbourne, FL	400/510 INTERBANK 4,861	Brad Wilson, Lithia Springs, GA INCIDENT (Radio Shack) *Shara and Chris Euton, Lilburn, GA
87 89 89 89 89 DECATHALO 10,400	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA Steve Zemaitis, Howell, MI DN (Spectral Associates) *Tom DiVittorio, Glassboro, NJ	41,896 40,360 34,424 25,148	Costa Rica Jesse Binns, Phoenix, AZ Andrea Mayfield, Melbourne, FL Michelle Murray, Salem, IN	400/510 INTERBANK 4,861 IRON FORES	Brad Wilson, Lithia Springs, GA INCIDENT (Radio Shack) Shara and Chris Euton, Lilburn, GA T (Diecom Products)
87 89 89 89 DECATHALC 10,400 7,440	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA Steve Zemaitis, Howell, Mi ON (Spectral Associates) ★Tom DiVittorio, Glassboro, NJ Wayne Hufford, Kincardine, Ontario	41,896 40,360 34,424 25,148 25,147	Costa Rica Jesse Binns, Phoenix, AZ Andrea Mayfield, Melbourne, FL Michelle Murray, Salem, IN Timothy O'Neal, Commerce, TX	400/510 INTERBANK 4,861 IRON FORES 1,013,100	Brad Wilson, Lithia Springs, GA INCIDENT (Padio Shack) *Shara and Chris Euton, Lilburn, GA T (Diecom Products) *William Weller, Kailua, HI
87 89 89 89 DECATHALC 10,400 7,440 7,216	British Columbia Milan Parekh, Fullerton, CA Andrew Urquhart, Metairie, LA Steve Zemaitis, Howell, MI DN (Spectral Associates) *Tom DiVittorio, Glassboro, NJ	41,896 40,360 34,424 25,148 25,147 22,739	Costa Rica Jesse Binns, Phoenix, AZ Andrea Mayfield, Melbourne, FL Michelle Murray, Salem, IN	400/510 INTERBANK 4,861 IRON FORES 1,013,100	Brad Wilson, Lithia Springs, GA INCIDENT (Radio Shack) *Shara and Chris Euton, Lilburn, GA T (Diecom Products)

Jason Ebbeling, Berkshire, MA 11,000 Frankie DiGiovanni, Olney, MD JUNIOR'S REVENGE (Computerware) *Stephane Martel, Laval, Quebec Keith Cohen, Rocky Mount, NC (THE RAINBOW, 11/84) *John Guptill, Columbia, MO 2,503,000 257,600 JUNKFOOD 25,670 18.650 Daniel Streidt, Cairo, Egypt KARATE (Diecom Products) *Wayne Hufford, Kincardine, Ontario Jonathon Ross, Pocomoke City, MD 31,000 11,600 6,300 David David Darling, Longlac, Ontario *Andre Grenier, Quebec, Canada Benoit Landry, Drummondville, 3,824,280 49,400 Quebec Spencer Metcalf, Longview, TX 22,400 KING TUT (Tom Mix)
44,500 ★Curt Lebel, Louisville, KY KORONIS RIFT (Epyx)
186,710 *Tony Harbin, Cullman, AL
184,180 Russell Johnson, Sarnia, Ontario
184,120 John Farrar, Lebanon, TN 174,810 Donald Cathcart, Halifax, Nova Scotia 133,990 Paul Blessing, Spring, TX KUNG-FU DUDE (Sundog Systems) 32,000 *Tony Geitgey, University Park, PA
LUNAR RESCUE (THE RAINBOW 8/87)
260,427 *Tom Beeker, Gracey, KY
246,668 Phillip Holsten, Modesto, CA
175,771 lim Paule Sendwich III Jim Davis, Sandwich, IL 175.771 Jeff Remick, Warren, MI MAGIC OF ZANTH (Computerware)
47 *Robert Williams, Yellowknife, Northwest Territory MEGA-BUG (Radio Shack) *Heather Richwalski, Medford, WI 9.016 Gabe Emerson, Baraboo, WI Tom Beeker, Gracey, KY John Weaver, Amsterdam, NY Benoit Landry, Drummondville, 10.420 9,760 9.080 9,000 Quebec ONE-ON-ONE (Radio Shack) ,302-0 ★●Thomas Payton, Anderson, SC ●Jonathan Dorris, Indianapolis, IN Gregg Thompson, Chesterfield, VA
 Chad Johnson, Benton, AR 1.210-0 ,204-0 1,160-0 •Mark Lang, Downieville, CA PANIC BUTTON (Radio Shack) ★Eric Olson, Wheaton, IL Roby Janssen, Clear Lake, IA 2,192

PAPER ROUTE (Diecom Products)
1,550,110 *Mike LeBrun, Cornwall, Ontario
PARAMISSION (THE RAINBOW, 5/87)
3,500 *Jim Davis, Sandwich, IL PEGASUS AND THE PHANTOM RIDERS (Radio Shack) ★Joseph Delaney, Augusta, GA Mike Grant, Fresno, CA Martinez Domingo, Miami, FL 329,000 303 100

67,100 Ryan Grady, Newbury Park, CA PINBALL (Radio Shack) ★Troy Stoll, Washington, IN Thomas Payton, Anderson, SC 399,350 389,463 213,300 Patrick Martel, Laval, Quebec Thomas Payton, Anderson, SC

PITSTOP II (Epyx)

54 *Rusty Breitbach, Rickardsville, IA
54 *Jeff Coburn, Easton, PA
54 *Walter Hearne, Pensacola, FL

Thomas Payton, Anderson, SC *Thomas Payton, Anderson, SC
*Jeff Szczerba, Sturtevant, WI
*Sean Noonan, Green Bay, WI
*Brad Wilson, Lithia Springs, GA 54 54 51 Christian Grenier, Valleyfield, Quebec 49 Randy Venable, Coal City, WV 9 Laundre Clemon, Sacramento, CA PLANETFALL (Infocom)

*Brad Wilson, Lithia Springs, GA

POLARIS (Radio Shack) 919,085 *Clinton Terry, Toronto, Ontario POLTERGEIST (Radio Shack) 4,855 *Darren Lowe, White Rock, British Columbia
POPCORN (Radio Shack)
94,470 *Patrick Martel, Laval, Quebec

44,010 Kevin Pater, Port Alberni, British Columbia 25.850 Matthew Leitman, Beaconsfield,

Quebec 16,720 Michael PYRAMID (Radio Shack) Michael Bacon, Mt. Vernon, IN

220 *Joson Ebbeling, Berkshire, MA

PYRAMID 2000 (Radio Shack)
220 *Darren King, Yorkton, Saskatchewan
100 Peter Antonacopoulos, Toa Baja, Puerto Rico

PYRAMIX (ColorVenture) 17,170 *
QUIX (Tom Mix) *Janet Kim, Pinckneyville, IL 8,407,772 1,404,000

*John Haldane, Tempe, AZ Curtis Goodson, Sao Paulo, Brazil Elisa Goodson, Sao Paulo, Brazil Martin Parada, Arcadia, CA 1,003,104 326, 192

326,192 Martin Parada, Arcadia, CA
205,335 John Hotaling, Duanesburg, NY

RESCUE ON FRACTALUS (Epyx)
288,084 Donald Cathcart, Halifax, Nova Scotia
270,000 Russell Johnson, Sarnia, Ontario
190,915 Leon Beggs, Bellingham, WA
167,947 Roger Smith, High Prairie, Alberta
148,932 Mike LeBrun, Cornwall, Ontario

RETURN OF JUNIOR'S REVENGE (Colorware) 1,792,800

★Chad Presley, Luseland, Saskatchewan RETURN OF THE JET-I (ThunderVision)
309,250 *Melody Webb, Lakeport, CA

ROGUE (Epyx) 43,222 *Hans Lutenegger, Madison, IA Melanie Lapoint, Fitchburg, MA Paul Blessing, Spring, TX Yvan Langlois, Laval, Quebec Allen Houk, San Diego, CA 27,542 21,682 17,851 8.812

SAILOR MAN (Tom Mix)
1,019,200 *Gabriel Assel, Cameron, MO 1,019,200 341,800 Jason Clough, Houston, TX Jeremy Carter, Spring Lake Park, MN Patrick Devitt, Lombard, IL 332,600

SANDS OF EGYPT (Radio Shack) *Tristan Terkuc, Richmond, Ontario Edward Rocha, Cobleskill, NY 67 82

86 Roy Grant, Toledo, OH 87 Neil Haupt, Elyria, OH 117 John Lente, Austin, TX SANDWORM (THE RAINBOW, 8/86)

*Matthew Smith, Courtenay, British 995 Columbia

5 433 Benoit Landry, Drummondville,

Quebec SHORT-TERM MEMORY TEST (THE RAINBOW, 12/85) *Brian and Harold Matherne, Gretna, LA

SLAY THE NERIUS (Radio Shack) 53,788 *Jim Davis, Sandwich, IL SNAKER (THE RAINBOW, 1/84) 1:22 *Dan Sobczak, Mesa, AZ SPACE ASSAULT (Radio Shack)

10.500 Sara Mittelstaedt, Kiel, WI Andrea Reelitz, Greenville, IL Kevin Hilton, Gurdon, AR 4,710

SPIDERCIDE (Radio Shack)
7,290 *Upton Thomas, Arnold, MD
STELLAR LIFE-LINE (Radio Shack)
629,000 *Steven Smith, Matthews, NC Martinez Domingo, Miami, FL

STRATEGY FOOTBALL (THE RAINBOW, 8/83) 153-0 *Michael |
STORM (Computerware) *Michael Heitz, Chicago, IL

★Tony Bacon, Mt. Vernon, IN Michael Bacon, Mt. Vernon, IN SUCCESS MANSION (THE RAINBOW, 1/87) 13/13 *Dave Allessi, Iselin, NJ

SUPER ROOTER (THE RAINBOW, 5/86)
15,180 **Richard Donnell, Penns Grove, NJ
11,090 Frederick Lajoie, Nova Scotia, Canada

Canada
3,910 Daniel Bradford, Birmingham, AL
TEMPLE OF ROM (Radio Shack)
303,600 *Tim Hennon, Highland, IN
138,400 Gary Budzak, Westerville, OH
125,200 Michelle Murray, Salem, IN
TREASURE QUEST (THE RAINBOW, 11/86)
29,340 *Matthew Smith, Courtenay, British
Columbia

Columbia TREKBOER (Mark Data)

*Matthew Fumich, Munford, TN 132 123 123 Roy Grant, Toledo, OH TUT'S TUMB (Mark Data)

*Reina Roy, Carleton, Quebec Mack Haynes, Nice, CA Chad Presley, Luseland, 118,720 74,780 72,000 Saskatchewan 60,020

Don Siler, Muncie, IN Blake Cadmus, Reading, PA 45,000

VARLOC (Radio Shack)
2,032 ★Tony Harbin, Cullman, AL
2,032 ★Edward Rocha, Cobleskill, NY
2,008 Philip Puffinburger, Winchester, VA
1,995 Denise Rowan, Minneapolis, MN
1,991 Ryan Grady, Newbury Park, CA Randall Edwards, Dunlap, KS Bernard Florence, Croydon, Australia 1,988 1.975 (THE RAINBOW, 7/86)
★Talib Khan, Bronx, NY
Martha James, Swarthmore, PA
Karl Gulliford, Summerville, SC VICIOUS VIC 18.813

11,902 10.489 6,294 4,643 Pat O'Neill, Nepean, Ontario 4,643 Martha James, Swarthmore, PA
3,285 Richard Donnell, Penns Grove, NJ
THE VORTEX FACTOR (Mark Data)
100/276 *Tommy Crouser, Dunbar, WV
100/483 Rick & Brenda Stump,
Laureldale, PA

Laureldale, PA
Paul Maxwell, Vancouver,
British Columbia 210

British Columbia

WARP FACTOR X (Prickly-Pear)

10,577,051 *Doug Lute, Clymer, PA

WISHBRINGER (Infocom)

400/201 *Brad Wilson, Lithia Springs, GA

WRESTLE MANIAC (Diecom)

956,971 *Marc Reiter, Cincinnati, OH

546,315 Louis Bouchard, Gatineau, Quebec

45,483 Tony Bacon, Mt. Vernon, IN

10,2165 Dauid Brown, New Waterford, Nova 42,105 David Brown, New Waterford, Nova

39,086 Billy Helmick, Independence, KY ZAKSUND (Elite Software) 357,550 268,350

* Martin Parada, Arcadia, CA Tony Bacon, Mt. Vernon, IN Michael Adams, Columbia, SC Walter Hearne, Pensacola, FL 44,900 39,950 ZAXXON (Datasoft)

2,061,000 *Byron Alford, Raytown, MO Blake Cadmus, Reading, PA Dan Brown, Pittsford, NY Andrew Urquhart, Metairie, LA 300,500 1.100,600 253,400 Bob Dewitt, Blue Island, IL Matthew Yarrows, East Hampton, MA Daniel Bradford, Birmingham, AL Upton Thomas, Arnold, MD 170,600 163,700 137,200

ZONERUNNER (Radio Shack)
65,535 *Donald Cathcart, Halifax, Nova Scotia
ZONX (THE RAINBOW, 10/85)
6,500 *Daniel Streidt, Cairo, Egypt
ZORK I (Infocom)
400/720 *Brad Wilson, Lithia Springs, GA

ZUES (Aardvark) 3,380 ★ *Martin Kertz, Forrest City, AR

- Jody Doyle

SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints, tips or responses to questions, or want help yourself, we encourage you to write to the Scoreboard, c/o THE RAINBOW.

Feedback

In response to questions from:

- Curtis Schaaf, Eric Reitz and Matt Hoyer: In Sands of Egypt, the dates are in the tree. Feed the dates to the camel and ride to the scepter. The snake oil is to oil the scepter. Check the pyramid after you get the scepter.
- Patrick Slagle: In the *Interbank Incident*, the slot in the yacht is a tape player.
- Cory Harris: Get in the boat and give the monkey some tobacco in *Dallas Quest*.
- Thomas Crowe: In *Dallas Quest*, to pass the rat, get the sunglasses at the pool and give them to the owl. Go to the barn and drop the owl. Read the tombstone or get lost in the field.
- David Whyburd: In *Vortex Factor*, a clue to the combination to the safe is found in the office deck in London.

In Dungeons of Daggorath, how do I incant the wizard's supreme ring?

David A. Ellis Hopkinsville, KY

- John Austin: In Hitchhiker's Guide to the Galaxy, when the bugblatter beast asks for your name, tell him Arthur Dent, then go east. Type PUT TOWEL OVER MY EYES and get the sharp stone. Carve "Arthur Dent" and remove the towel. Go west then southwest and get the interface. Wait until the beasthunters come.
- Marc Paulin: In *Dallas Quest*, to stop sinking, you should try giving the monkey some tobacco out of the pouch. He will then plug the hole with his tail.
- Ted Scarbrough: In Sea Quest, the piece you are missing is the ruby statue. It can be found by digging where the weather balloon is.

I found the anchor, pearl, silver and the statue. Where is the diamond ring?

Chris Holcomb Syracuse, NY

• Paul King: In *Dallas Quest*, bribe the monkey with the tobacco to plug the hole. Then, just row with the shovel.

• Ric Yates: In *Dallas Quest*, get to the trading post and type PULL CURTAIN.

Al Adams Windsor, PA

• Stevie Nakahara: In order to get the vector plotter in *Hitchhiker's Guide to the Galaxy*, turn the switch that is located in the Vogon Hold. You don't need the keyboard. Remember, take it easy and try to enjoy the Vogon poetry. In order to get past the screening door, you must show it tea and no tea at the same time.

In *The Magic of Zanth*, how do I get past the lake and how do I open the bottle?

Jeff Holtham Waterloo, Ontario

• Graham Stinson: In Sands of Egypt, the axe can be found at the top of the pyramid. It is used to cut the palm fronds at the tree. In order to get to the tree, go to the pool and type WALK TREE.

How do you get into Krill's Lair in Enchanter?

> Joseph Delaney Augusta, GA

Scoreboard:

In *Dungeons of Daggorath*, try not to keep everything you find. It will weigh you down, make your heart speed up and make you faint more easily.

If you find an object and cannot reveal it, then stow it in your backpack and try to reveal it again after killing more creatures.

When using rings, be sure your heart is rested or the use of the ring may kill you.

Once you go down a level, don't go back up or the wizard will send stronger creatures to destroy you on that level.

Try to learn to recognize the sound of each monster; this will help you to get ready to fight them.

If you have a cassette player, try to save your place on the tape because it will save you a lot of time and is very handy.

Brian Liguori Bangor, PA

Scoreboard:

In Dungeons of Daggorath, how do you incant the Supreme ring?

In *Pyramid*, how do you water the bean plant? When do you use PLUGH?

In Raaka-Tu, how can you find the gem? What do you do after you go down the secret passage and climb the hole?

Stephane Martel Laval, Quebec

Scoreboard:

How do you defeat the wizard's image in *Dungeons of Daggorath*?

How do you get past the rug and the statue after it turns toward the west door in Raaka-Tu?

Matthew Lohse Camarillo, CA

Scoreboard:

In Hall of the King, I cannot burn the fermenting grain and get to the hidden room. I have the match and the stick, but whenever I try to light it, the game says "You can't do that now!" What is the acid in the vial used for, and what is the purpose of the "still air" in the high priest's chamber?

David Galloway Phoenix, MD

Scoreboard:

In Sands of Egypt, I'm in the outer chamber. I've translated the hieroglyphics but need specific instructions on what to do with the scepter. The hole in the roof just brings me back to the emptied pool.


In Dallas Quest, I'm in Chugalug's Emporium and need to know where the flashlight is so I can light the basement.

George Lane Chicago, IL

To respond to other readers' inquiries and requests for assistance, reply to "Scoreboard Pointers," c/o THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will immediately forward your letter to the original respondent and, just as importantly, we'll share your reply with all "Scoreboard" readers in an upcoming issue.

For greater convenience, "Scoreboard Pointers" and requests for assistance may also be sent to us through the MAIL section of our Delphi CoCo SIG. From the CoCo SIG> prompt, pick MAIL, then type SEND and address to: EDITORS. Be sure to include your complete name and address.

XTEAM OS-9



BOTH WINNERS All of our OS-9 products work with: OS-9 version 1 OS-9 version 2 OS-9 Level 2 BOTH

XTERM

OS-9 Communications program

- · Menu oriented
- · Upload/download Ascii or XMODEM protocol
- from within XTERM
- · Definable macro keys
 - · Works with standard serial port, RS232 Pak, or PBJ 2SP Pack, Includes all drivers
- · Execute OS-9 commands · Works with standard screen, Xscreen WORDPAK or DISTO 80 column board

\$49.95 with source \$89.95

XDIR & XCAL

Hierarchial directory

OS-9 calculator

- Full sorting Decimal, Hex, Binary
 Complete pattern matching +,-,*,/,AND,OR,XOR,NOT

\$24.95 with source \$49.95

XDIS

OS-9 disassembler

\$34.95 with source \$54.95

HARDWARE

512k memory upgrade

\$80.00

Ram Software

Ram Disk

Print Spooler **Ouick Backup**

All three for only \$19.95

*Software by ColorVenture

XWORD OS-9 word processing system

- · Works with standard text screen, XSCREEN, WORDPAK, or DISTO
- True character oriented full screen editing
- · Full block commands
- Find and Replace commands
- Execute OS-9 commands from within
- Proportional spacing supported
 Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- 10 header/footers
- · Page numbering in decimal or Roman numerals
- · Margins and headers can be set different for even and odd pages

\$69.95 with source \$124.95

XMERGE

Mail merge capabilities for XWORD

\$24.95 with source \$49.95

XSPELL

OS-9 spelling checker, with 20000 and 40000 word dictionaries

\$39.95

XTRIO

XWORD/XMERGE/XSPELL

\$114.95 with source \$199.95

XED

OS-9 full screen editor

\$39.95 with source \$79.95

FOR RS AND Call for price

SMALL BUSINESS ACCOUTING

This sales-based accounting package is designed for the non-accountant oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vender status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

\$79.95

INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update inventory data, enter sales, run five sales anal-ysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

\$59.95

PAYROLL

Designed for maintaining personnel and Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Aditional outputs include mailing list, listing of employees year-to-date foderal listing of employees, year-to-date federal and/or state tax listing, and a listing of cur-rent misc. deductions. Suited for use in all states except Oklahoma and Delaware

\$59.95

PERSONAL BOOKKEEPING 2000 Handles 45 accounts. Enters cash expenses as easily as checks. Handles 26 expense categoeasily as checks. Handles 20 capelly. ries. Menu driven and user friendly. \$39.95

ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, perpares invoices and monthly statements, mailing labels, aging lists, and an alphabetized cus-tomer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accting

\$59.95

ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, voids checks, cancels checks, deletes cancelled checks, and deletes paid A/P invoices. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Package.

\$59.95



MICROTECH CONSULTANTS

1906 Jerrold Avenue St. Paul, MN 55112

Dealer Inquiries Invited Author Submissions accepted OS-9 is a trademark of Microware



Ordering Information

Add \$3.00 shipping & handling, MN residents add 6% sales tax. Visa, Mastercard, COD (add \$3.50), personal checks.

(612) 633-6161

his month's tutorial is geared to you beginners who are struggling with the complexities of PRINT, EDIT and SET as you get on familiar terms with your new companion, the CoCo.

Whenever I capture a new convert to CoColand and plop him down in front of the virgin screen, he is taught to create a first program. This usually consists of name and address in three lines, tastefully centered on the Lo-Res text screen. The young student is invariably captivated by seeing his name and vital statistics portrayed on the screen. A copy of My First Program is saved for posterity.

The second lesson is an expansion of the first program, both to reinforce what was previously learned and to augment budding skills, and adds new personalized data such as birthday, age, school, parents' and friends' names, etc. The first thing you know, a personal database or file is created, a file that reflects items of interest to the student that he has committed to memory, allowing him to concentrate on hunting and pecking.

It is strongly recommended that the student have a copy of My First Program. Like a photo of oneself, taken in days long gone, running through the first programs can be a nostalgic and emotional experience.

What has this chatter got to do with you? Most demo programs the newcomer encounters in his march through a manual are wrung-out, barebones, uninspiring programs that ignore the student's desire to create something both personal and useful.

My object is to prepare a follow-up, second lesson that will both inform a student and sustain his interest. The program should be personalized and pleasing to the eye. Rather than blow my own horn and bore you stiff with the niceties of my lesson plan, let's pretend.

Let's pretend you are truly a newcomer and have plowed laboriously through the first lesson in your BASIC manual. Pretend you are in a classroom setting in a hands-on session at the CoCo. You are paying close attention to the instruc-

Florida-based Joseph Kolar is a veteran writer and programmer who specializes in introducing beginners to the powers of the Color Computer. Do you still have your very first program?

Reliving Your First Keystrokes

By Joseph Kolar Rainbow Contributing Editor

tor. I bet you will learn or recall some tidbits you may have forgotten.

"Turn on CoCo! Sssh! Program lines shall begin at 10 and move up by 10s. Line 0 will be reserved for whatever eight-character or less title you choose for the, as yet, unknown and unfinished graphic."

Entering 10 CLS clears the screen and gives us a fresh drawing tablet. A PRINT will conveniently drop the cursor down one horizontal row. Type and enter the following:

20 PRINT

Continue to create three more PRINT lines — 40, 50 and 60. Now run your program (by typing RUN and pressing ENTER). Not very impressive, but we have created five blank rows — no inconsiderable achievement.

To get CoCo to print something on the screen, the desired word or words must be enclosed within quote marks. To be printed, any combination of characters/spaces must be so enclosed.

Rekey Line 20 as 20 PRINT "DOCHITA" and run. You will see DO-CHITA printed on the top line with four innocuous blank lines followed by OK and the cursor ready for action on the sixth line, presently occupied by OK. This means that CoCo is announcing it

has complied with your wishes. So far, so good! It is awaiting more instructions.

To put DOCHITA on Line 60 is no problem. Rekey Line 60, and note that the closing quote is often optional; if you omit it, CoCo assumes it knows your intentions. Try entering and running this:

50 PRINT "DOCHITA

You see, it prints with no difference. However, until you have progressed a lot further in your studies, add the closing quote wherever possible.

To add DOCHITA on the third line (and without dismantling the existing line), use the EDIT statement. Enter EDIT40 and press X to jump to the end of the line. Type "DOCHITA" and press ENTER. This stuffs the word into CoCo's memory. Now run.

Whenever possible, use the EDIT statement rather than rekeying a program line. I advocate the use of EDIT as soon as the second lesson. When you begin to program, you will make plenty of mistakes that must be corrected. To me, EDIT is the eraser at the end of a pencil. Use it!

If you want to indent two spaces in Line 20, enter EDIT20 and press the space bar until your cursor is over D. Pressing I (for *insert*) opens up the space between the opening quote and the first character, D. Press the space bar once for each desired space; in this instance, press the space bar twice and then press ENTER. CoCo inserts two spaces and closes up with the balance of the line. Run.

Line 30 will contain DOCHITA but take care of space by using PRINT-TAB(×). Enter EDIT30 and press X to jump to the end of the line. Enter TAB(0). CoCo will indent the desired number of spaces in the row designated by whatever value is currently between the parentheses. To indent two spaces, enter EDIT30 and press the space bar until the cursor is over 0. Type C2 — CoCo is told to change (C) the character above the cursor to 2. Press SHIFT and the up arrow to get out of the Change mode. Press ENTER, and then run.

On your own, add the missing DO-CHITA on Line 50. Be sure to indent two spaces. Use the PRINTTAB statement.

Did you notice that Line 50 may have

been indented four spaces? This would occur if you used a TAB value of 2 and also left two blank spaces between the opening quote and the first character. The rule to follow whenever using PRINTTAB is to indent with the number value and begin the first character right after the opening quote. Run. Now use EDIT to indent Lines 40 and 60 to get a nice, straight column.

Enter LIST to take a look at our program listing. We want to delete TAB(2) from Lines 30 and 50. Enter EDIT30 and press the space bar until the cursor is over the second T. Six characters (TAB(2)) are to be deleted. Type 6D and press ENTER. Do the same for Line 50. Run the program and then list it. On your own, delete the two indenting spaces in the three remaining lines using FDIT.

Press CLEAR and run again. Five DOCHITAS are bunched up in the upper left-hand corner. What have we done? We have written a name to the screen on five successive lines. Enter LIST to see the program listing. If we wanted only blank rows, we could rekey the five PRINT lines. We could edit out the quotes and the enclosed name. But that is a lot of work. Let's do it the easy way!

Enter DEL20- and key in this line: 20 PRINT: PRINT: PRINT: PRINT: PRINT. Run the program to see what our new line has done. Let's try it another way. Enter DEL20 and replace our defunct line with a new Line 20: 20 FOR X=1 TO 5: PRINT: NEXT. Run. The X is the number of rows involved. In this case, the first through fifth rows. At each row, CoCo prints a blank line (PRINT:) and goes on to the next X until all five PRINTs are executed.

If we want to use this loop to print a three-space indented DOCHITA, we enter EDIT20 and press the space bar until the cursor is over the second colon. Press I, enter "DOCHITA" and run. If you forgot the closing quote, disaster strikes! Make this error to see what happens.

Note, also, that :NEXT is the proper format to agree with the X in the loop. In a single loop, with a FOR-NEXT item, CoCo is forgiving. It is best to use the variable indicator after NEXT because sometimes CoCo is very demanding and wants to know precisely which variable you are referring to.

From Line 20, edit out all instructions to CoCo to print DOCHITA. This includes the quotes. Enter EDIT20 and

press the space bar until the cursor is over the opening quote. Entering 12D deletes both quotes, three spaces and seven letters. Run the program to see the difference.

Now that we know how to move text around the screen, we'll personalize the program. First, bear with me and use my example. I am using the name and address of a good colleague. Remember, if you use your name and address or that of a close associate, aside from yourself, the author, you will have an approving audience of one.

Line 30 will contain the centered name. Enter this line: 30 PRINT-TAB(9) "DOCHITAD. MAY" and run. We indicate a skipped line by using PRINT:

40 PRINT 50 PRINTTAB(7) "510 HIGHLANDS AVE."

We add the town, etc., after an intervening blank line. This time we will use a multiple-line statement. We include both the empty row and the last line, separated by a colon:

60 PRINT:PRINTTAB(5)"
INVERNESS, FL., 32652"

Check Account Information System

If you have one or more checking accounts then you need <u>CAIS</u>. This is not just another checkbook program but an easy to use, menu driven, disk based information system for the CoCo 1, 2, 3.

Record all account activity. Keep of your expenses using the <u>36</u> categories that you define. Set up automatic transactions for such items as direct deposits and deductions. Reconcile and balance your account(s) in minutes! Other features include check search field, edit and delete capability, display and print options, multi-drive capability and more. Requires 1 drive, printer optional.

Reviewed in RAINBOW, February 1988.

After Five Software P.O. Box 210975 Columbia, SC 29221-0975 (803) 788-5995



To order send check or M.O. for \$34.95 plus \$3.00 S/H. COD orders add \$1.00. (SC residents please add 5% sales tax)

MLBASIC 2.0 - BASIC Compiler

The wait is over. WASATCHWARE announces the latest version of MLBASIC designed to allow more compatibility with existing BASIC programs than ever available before for the Color Computer. This version also allows full use of the capabilities and memory of the CoCo 3. Written in machine language, MLBASIC can compile programs as large as 64K bytes. Standard floating point (9 digit precision), INTEGER, and String type variables and arrays supported.

COMMANDS SUPPORTED:

1. I/O co							
	CLOADM		DIR	DRIVE	DSKI\$	DSKO\$	FIELD
	GET		KILL	LSET	OPEN	PRINT	PUT
		LINEINPUT					
Progro	m contro	ol comma	nds				
CALL	DEFUSR	END	EXEC	FOR	NEXT	GOSUB	GOTO
IF	THEN	ELSE	ERROR	ON	RETURN	STOP	USR
3. Function	ons						
ABS	ASC	ATN	COS	CVN	EOF	EXP	FIX
HPOINT	INSTR	INT	LEN	LOG	LPEEK	LOC	LOF
PEEK	POINT		RND	SGN	SIN	SQR	TAN
TIMER	VAL	VARPTR					
4. String	functions						
	INKEY\$		MID\$	MKN\$	RIGHT\$	STRS	STRING\$
		n commar					
	COLOR		CIRCLE	DRAW	HCOLOR	HSCREEN	HDRAW
	HPAINT		HRESET	HCIRCLE	HCLS	HSET	JOYSTK
	LOCATE		PAINT	PCLEAR	PCLS	PLAY	PMODE
	PSET		SCREEN	SET	SOUND	WIDTH	1111001
6. Other			OCKELI	021	000110		
	DIM	MOTOR	POKE	LPOKE	RESTORE	READ	REM
	TROFF	TAB	VERIFY				100000

Plus many more commands not available with regular BASIC which allow interfacing with hardware registers and machine language programs.

ONLY *5998

COCO 3 WITH DISK REQUIRED -Add \$4.00 Postage. CHECK or MONEY ORDERS only. No C.O.D. or Bank cards. Foreign orders use U.S. MONEY ORDERS only.

WASATCHWARE

7350 Nutree Drive Salt Lake City, Utah 84121 Phone (801) 943-1546 Notice that the three lines are neatly centered, both horizontally and vertically. There are five rows above the legend and six rows below. If you count all the rows, you will confirm there are 16 text lines available. If you begin at the left margin and watch the cursor as you space over to the right, you will count to 32, verifying that the text screen is 32-by-16.

At this point, substitute a name and address of your choice. Re-center it by changing values in each TAB line. Use a 6-inch ruler if you are in doubt about the centering. Remember, it need not be centered exactly, so long as it looks pleasing to you.

This program cries out for a border. In Lo-Res graphics, the screen's resolution is 64-by-32 and the color chosen will be orange, 8.

We begin by making a nice orange line across the top of the screen on the first, horizontal row. The leftmost space is designated as '0' and proceeds to the rightmost, 63rd, space. The vertical column ranges from 0 (at the top) down to 31.

To start our border, enter this line:

70 FOR H=0TO63:SET(H,0,8): NEXTH

Compare this loop with the PRINT loop in Line 20. Instead of five blank rows, we are going to place (SET) a dab of orange color (8) in every column of the top row (Column 0), commencing with 0 through 63, horizontally. Run to see the top part of our border.

We will proceed clockwise. This means our next border segment will run down the right side of the screen.

On the last horizontal space, 63, beginning at the top, 0, we shall run down vertically and put a dab of orange in every space until we reach 31, the bottom right-hand corner. Enter this line:

80 FOR V=0T031:SET(63,V,8): NEXTV

Run the program. If the chewed-out space bugs you, enter 200 GOTO 200 and run. This makes a never-ending loop, so the OK is never reached and displayed.

To do the bottom line of our border, we want to continue from right to left to maintain our clockwise direction. Enter this line:

90 FOR H=63TO0 STEP-1:SET(H, 31,8):NEXTH

Run. Going along the bottom, vertical column 31, we place our orange color in every horizontal location from 63, the rightmost spot, left until we reach 0. We indicate that we want every space filled in succession by telling CoCo STEP-1, which means to count backward by increments of 1.

This STEP part of the FOR-NEXT statement was not required in the ascending sequences. CoCo figures if you don't make your wishes known, it will default to STEP+1 and assume that is your intention.

I think you can figure out the rationale for the fourth side — we'd like to move upward and end at the point of origin (H=0;V=0). Enter this line to finish the border and then run the program:

100 FOR V=31TO0 STEP-1:SET (0,V,8):NEXTV

At this time, I prefer to give the program a name, hidden from view by a REM statement. Enter O'TITLE, substituting whatever name you want for the title. Using Line 0 for the title is a handy convention. Now save your program by whatever name you gave it in Line 0.

You can use any Lo-Res color you desire. Merely substitute the new color value for the third variable in each SET statement.

Which makes me note... four sides ... four different colors. One solid color makes a neat border but you may want to experiment by changing colors in various combinations. Do so now. When finished, enter NEW and CLOAD "TITLE", substituting your program name for TITLE. My idea is to use all eight colors in succession, one to a side, and see what it looks like.

Enter EDIT70, type 22 and press the space bar. This is an alternate method of moving around within a line. Pressing the space bar 100 times within Edit is not very efficient. Just use a likely number and press the space bar. If your guess was too low, keep tapping the space bar until you are over the target. If you overshot the landing field, use left arrow key to back up. Type C twice and press ENTER. Run the program.

This time we are going to change 8 to C and insert +1. To get where you want to go faster within Edit mode, enter EDIT80, type 23 and press the space bar. Press C twice, type I+1 and then press ENTER. Run.

Let's edit Line 90 using our shortcut.

Enter EDIT90, type 33 and press the space bar (this moves you 33 spaces within the line, remember?). Press the left arrow key three times, press C twice and I once, then type +2, press ENTER, and run.

On your own, change the color in Line 100 to C+3, and run. It is not quite right, but we are not finished. To move this border through the range of colors from 1 to 8 (not 0 to 8), we have to enclose lines 70 through 100 in a nested loop. Enter LIST and examine the listing.

Can you see why we left all that space between line numbers? There is plenty of room to insert bits and pieces of our program without the annoyance of renumbering lines and throwing our minds into turmoil as we adjust to remembering a new set of line numbers. Enter these lines:

65 FOR C=1 TO 8 110 NEXTC

Run the program and you'll see it goes along nicely, but runs out of steam when we get an FC Error in Line 100. Enter LIST to search for the problem. Ah, when © became 6, C+3=9, a no-no. The solution is to explain what is what to CoCo (somewhere within the outer loop). When © gets unruly and out of range, it should shape up and get back to the first color (green) and Go! Go! Go!

A good place is just before Line 70. Enter this line:

66 IF C+3=9 THEN C=1

Run. This would be a good time to save this version. Give it a title (0 'CLRTITLE) and save it by that title.

Suppose I used IF C=9 THEN C=1? Would it work? Further, why didn't I use FOR C=0 TO 8? This is really splitting hairs

Take time out for a breather When renewed, revise the program to run in a counterclockwise direction.

Enter NEW to start from scratch, and load CLRTITLE (LOAD"CLRTITLE" or CLOAD"CLRTITLE"). Let's see how it looks if we skip every second space.

Enter EDIT70 and press the space bar until the cursor is over the first colon, press I, type STEP+2 or STEP2 and press ENTER.

Ditto for Line 80.

For Line 90, enter EDIT90 and press the space bar until the cursor is over the 1 of -1, press C and enter 2. Ditto for Line 100. Run.

Not bad! It looks like a movie marquee. Change Line 0 and save the program as MARQUEE.

What is wrong with all four sides in one color, which is perpetually changing? Try this: Enter EDIT66 and press the space bar until the cursor is over the 3, press C, type 1 and press ENTER. Enter EDITBO, press X to jump to the end of the line, press the left arrow key to chop off the +, and enter): NEXTV.

Ditto for Line 90, C+2 to C.

Edit these lines whichever way you please. I prefer to use X, backspace and make my adjustment. Another way is to enter EDIT90 and press the space bar until the cursor is over the +, press H and enter (: NEXTH.

Now, in Line 100, change C+3 to C. You know how!

To make the color change occur in the lower-left corner, edit Line 100 to C+1.

I like the last way better because your eye wanders to the upper-left corner where you expect the color change to occur. Save your revision as MARQUEE after you change Line 0

We haven't exhausted the possibilities. Mask lines 80 and 100. This eliminates the vertical sides. Run

Now edit Line 70 to STEP+1 and Line

90 to STEP-1, and run again.

Just for kicks, let's advance the STEP+3 in Line 70 and STEP-3 in Line 90 and run.

This is getting out of hand. Unmask Lines 80 and 100 and run. This is an odd combo of plus and minus STEPs 2 and 3. We might as well see what the whole thing looks line in STEP plus and minus

Edit lines 80 and 100. By mistake, I changed lines 80 and 100 to STEP +1 and -1, respectively. That looks fine!

Save whatever catches your eve. There are other combos to investigate. What do you say to a two-color, flashing screen? Enter these lines:

67 SCREENØ.1 105 SCREENO, 0

Now run. Talk about googly-eyed! Try these:

75 SCREENO, 0 85 SCREENØ,1 95 SCREENO. 0:

105 SCREENO, 1

anything?

Run, and delete Line 85. Care to save

. . . And so it goes! Have you noticed every time we attempt some new variation, our effort is rewarded by suggesting some new experiment? The only thing to stop us is exhaustion or getting bleary-eyed from the constant blinking and rotational motion.

Imagine what we turned up when we lifted the rock of ignorance from the nest of such BASIC concepts. We are scratching around in the most rudimentary BASIC program areas and looking at the wealth of goodies we uncovered. At the rate we are going, we have enough material to be mired down investigating various aspects of Lo-Res graphics that we may never graduate to ponder the wonders of CoCo 3's Super Extended BASIC.

By the same token, we will never tire of our romp through BASIC and Extended BASIC with CoCos 1 and 2

If you are a newcomer to CoColand. you have just taken a giant step on your way to computer literacy . . . or should I say, artistry? Now, get back to your CoCo and kick over a few more rocks that we left undisturbed, and experiment with more variations on our simple, but fun, theme.

Model 101 Interface \$39.95



- Serial to parallel interface
- Works with any COCO
- · Compatible with "Centronics" parallel input printers
- · 6 switch selectable baud rates 300-600-1200-2400-4800-9600
- Small size 45" x 2.5" x 1.25"
- Comes complete with cables to connect to your computer and printer

Other Quality Items

High quality 5 screw shell C-10 cassette tapes \$7.50/ dozen

Hard plastic storage boxes for cassette tapes \$2.50/dozen

Pin-Feed Cassette Labels White \$3.00/100 Colors \$3.60/100 (specify red, blue: yellow, tan)

Model 104 Deluxe Interface \$51.95



Same features as 101 plus · Built in serial port for your

- modem or other serial device Switch between parallel
- output and serial output
- Size is 4.5" x 2.5" x 1.25" · Comes complete with
- cables to connect to your computer and printer

NEW! Cables for vour COCO

- . U.L. listed foil-shielded cable
- · 2 Types: male/female extension cables (used between a serial device and existing cable) male/male cables (used between two serial devices such as a modem and one of our switchers).
- 3 ft./\$3.95, 6 ft./\$4.49, 10 ft./\$5.59 Specify M/M or M/F and length.

Model 102 Switcher \$35.95



- Connect to your COCO serial port and have 3 switch selectable serial ports
- Color coded indicator lights show switch position
- Lights also serve as a power on indicator for your COCO
- Heavy guage blue anodized aluminum cabinet with nonslip rubber feet

The 101 and 104 require power to operate Most printers can supply power to your interface. (Star, Radio Shack and Okidata are just a few that do - Epson and Seikosha do not). The interfaces can also be powered by an AC adaptor; Radio Shack model 273-1431 plugs into all models. If you require a power supply. add a "P" to the model number and add \$5.00 to the price. (Model 101P \$44.95, Model 104P \$56.95)

Model 105 Switcher \$14.95



- Connects to your COCO to give you 2 switch selectable serial ports
- 3 foot cable to connect to your COCO's serial port
- The perfect item to use to connect a printer and a modem to your COCO
- Small in size, only 4.5 x 2.5 x 1.25

The Model 101, 102, 104 and 105 work with any COCO, any level basic and any memory size. These products are covered by a 1 year warranty.

The Model 101 and 104 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Okidata, C. loth, Seikosha, Panasonic and many others. They support BASIC print commands, word processors and graphic commands.

We manufacture these products - dealer inquiries are invited.

Cassette Label V 2.1 Program \$6.95

- New Version tape transferrable to disk - save and load labels from tape to disk
- Prints 7 lines of information on pin-feed cassette labels · Menu driven, easy to use
- · Standard, expanded and condensed characters
- · Each line of text automatically centered.
- · Label display on CRT, enabling editing before printing
- Program comes on tape and is supplied with 24 labels to get you started
- 16K ECB required

Ordering Information

Free shipping in the United States (except Alaska and Hawaii) on all orders over \$50.00. Please add \$2.50 for shipping and handling on orders under \$50.00. Ohio residents add 6%

Call (513) 677-0796 and use your VISA or MASTERCARD or request C.O.D. (Please add \$2.25 for C.O.D. orders). If you prefer, send check or money order; payable in U.S. Funds to

Metric Industries P.O. Box 42396 Cincinnati, Ohio 45242

Listing 1:

- Ø '<TITLE>
- 1Ø CLS
- 20 FOR X=1 TO 5:PRINT:NEXTX
- 3Ø PRINTTAB(9) "DOCHITA D. MAY"
- 40 PRINT
- 5Ø PRINTTAB(7)"51Ø HIGHLANDS AVE
- 6Ø PRINT: PRINTTAB (5) "INVERNESS,
- FL., 32652"
- $7\emptyset$ FOR $H=\emptyset$ TO $63:SET(H,\emptyset,8):NEXT$
- $8\emptyset$ FOR $V=\emptyset$ TO 31:SET(63,V,8):NEX
- TV
- 9Ø FOR H=63 TO Ø STEP-1:SET(H,31
- ,8):NEXTH
- 100 FOR V=31 TO Ø STEP-1:SET(Ø, V
- ,8):NEXTV
- 200 GOTO200

Listing 2:

- Ø '<CLRTITLE>
- 10 CLS
- 2Ø FOR X=1 TO 5:PRINT:NEXTX
- 3Ø PRINTTAB(9) "DOCHITA D. MAY"
- 40 PRINT
- 5Ø PRINTTAB(7)"51Ø HIGHLANDS AVE
- . 11
- 6Ø PRINT: PRINTTAB (5) "INVERNESS,
- FL., 32652"
- 65 FOR C=1 TO 8
- 66 IF C+3=9 THEN C=1
- $7\emptyset$ FOR $H=\emptyset$ TO $63:SET(H,\emptyset,C):NEXT$ H
- 8Ø FOR V=Ø TO 31:SET(63, V, C+1):N EXTV
- 9Ø FOR H=63 TO Ø STEP-1:SET(H,31 (C+2):NEXTH
- 100 FOR V=31 TO Ø STEP-1:SET(Ø, V ,C+3):NEXTV
- 11Ø NEXTC
- 200 GOTO200

Listing 3:

- Ø '<MARQUEE>
- 10 CLS
- 2Ø FOR X=1 TO 5:PRINT:NEXTX
- 3Ø PRINTTAB(9) "DOCHITA D. MAY"
- 4Ø PRINT
- 5Ø PRINTTAB(7)"51Ø HIGHLANDS AVE
- 6Ø PRINT: PRINTTAB(5) "INVERNESS,
- FL., 32652" 65 FOR C=1 TO 8
- 66 IF C+3=9 THEN C=1
- $7\emptyset$ FOR $H=\emptyset$ TO 63STEP2:SET(H, \emptyset , C)
- :NEXTH
- $8\emptyset$ FOR $V=\emptyset$ TO 31STEP+2:SET(63,V)

- C+1):NEXTV
- 9Ø FOR H=63 TO Ø STEP-2:SET(H,31 ,C+2):NEXTH
- 100 FOR V=31 TO Ø STEP-2:SET(Ø,V ,C+3):NEXTV
- 11Ø NEXTC
- 200 GOTO200

Listing 4:

- Ø '<MARQUEE1>
- 1Ø CLS
- 20 FOR X=1 TO 5:PRINT:NEXTX
- 3Ø PRINTTAB(9) "DOCHITA D. MAY"
- 4Ø PRINT
- 5Ø PRINTTAB(7)"51Ø HIGHLANDS AVE
- 6Ø PRINT: PRINTTAB (5) "INVERNESS,
- FL., 32652"
- 65 FOR C=1 TO 8
- 66 IF C+1=9 THEN C=1
- $7\emptyset$ FOR $H=\emptyset$ TO $63STEP2:SET(H,\emptyset,C)$:NEXTH
- $8\emptyset$ FOR $V=\emptyset$ TO 31STEP+2:SET(63,V)C): NEXTV
- 9Ø FOR H=63 TO Ø STEP-2:SET(H,31
- ,C):NEXTH
- 100 FOR V=31 TO Ø STEP-2:SET(Ø, V
- ,C+1):NEXTV
- 11Ø NEXTC 200 GOTO200

Listing 5:

- Ø '<BONUS>
- 10 CLS
- 20 FOR X=1 TO 5:PRINT:NEXTX
- 3Ø PRINTTAB(9) "DOCHITA D. MAY"
- 4Ø PRINT
- 5Ø PRINTTAB(7)"51Ø HIGHLANDS AVE
- 6Ø PRINT: PRINTTAB(5) "INVERNESS,
- FL., 32652"
- 65 FOR C=1 TO 8
- 66 IF C+1=9 THEN C=1
- 67 SCREENØ, 1
- $7\emptyset$ FOR $H=\emptyset$ TO 63STEP3:SET(H, \emptyset , C) :NEXTH
- 75 SCREENØ,Ø
- $8\emptyset$ FOR $V=\emptyset$ TO 31STEP+1:SET(63,V)
- C): NEXTV
- 9Ø FOR H=63 TO Ø STEP-3:SET(H,31
- ,C):NEXTH
- 95 SCREENØ,Ø
- $1\emptyset\emptyset$ FOR V=31 TO \emptyset STEP-1:SET(\emptyset , V
- ,C+1):NEXTV
- 105 SCREENØ,1
- 11Ø NEXTC
- 200 GOTO200

DIGISECTOR DS-69B VIDEO VIDEO DIGITIZER FOR THE COCOS...)

SUPERUTION !!!
RESULTION !!!

COCO 3 SCREEN

USE YOUR COCO 3 TO ITS FULL POTENTIAL!

Use The Micro Works' DIGISECTOR™ DS-69 or DS-69B and your COCO 3's high resolution graphics to capture and display television pictures from your VCR or video camera. The DIGISECTOR™ systems are the only COCO video digitizers available that accurately capture and reproduce the subtle shades of gray in TV pictures!

- COLOR: Add color to your screen for dramatic special effects.
- HIGH RESOLUTION: 256 by 256 spatial resolution.
- PRECISION: 64 levels of grey scale.
- SPEED! 8 images per second on DS-69B, 2 images per second DS-69.
- COMPACTNESS: Self contained in a plug-in Rompack.
- EASY TO USE: Software on disk will get you up and running fast!
- COMPATIBLE: Use with a black and white or color camera, a VCR or tuner.
- INEXPENSIVE: Our low price puts this within everyone's reach.

POWERFUL C-SEE 3.3 SOFTWARE

This menu-driven software will provide 5 and 16 shades of gray to the screen and to the printer with simple joystick control of brightness and contrast. Pictures taken by the DIGISECTOR™ may be saved on disk by C-SEE 3.3 and then edited by our



optional MAGIGRAPH, or by COCO MAX or GRAPHICOM. This versatile new software is included in both DIGISECTORS™

DS-69B and C-SEE 3.3 DS-69 and C-SEE 3.3 \$149.95 \$ 99.95

TRADE IN YOUR OLD DIGISECTOR™

If you already have one of The Micro Works' DS-69 or DS-69A DIGISECTORS™, you may return it to us and we will upgrade your unit to a DS-69B.

UPGRADE DS-69A to DS-69B UPGRADE DS-69 to DS-69B \$49.95 \$69.95


The DS-69B comes with a one year warranty. Cameras and other accessories are available from The Micro Works.

NO RISK GUARANTEE

If you are not completely satisfied with the performance of your new DS-69B, you may return it, undamaged, within ten days for a full refund of the purchase price. We'll even pay the return shipping. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like. We know which one you'll keep.







To Be King is a Simulation that allows two to four players to take on the role of a guildmaster who wants his candidate to be the next king. A 128K CoCo 3 is required to run To Be King as written; however, the program will also run on a 64K CoCo 1 or 2 if the title screen in Listing 1 (lines 10 through 80 and Line 99) and Line 120 of Listing 2 are omitted.

In order to run the programs, type in both listings, one at a time, and save them under the names KINGBOOT.BAS and KING.BAS. Do not write protect the disk, as a data file is written in the KINGBOOT program. When you play To Be King, always begin with a cold start, because most of BASIC's available memory is used by the programs.

The Ultimate Managerial Resource

Running a guild is hard work, but all guildmasters have a magical box from the far future known as a CoCo. This is a wonderful item indeed, for it allows actions to be performed instantaneously, with the results being known almost immediately. There are seven main functions that can be performed by this tool of potent enchantment, as shown on the main menu.

A View to a Kill

First, you have the ability to hire and dispatch thieves and assassins. Assassins are used to eliminate rival candidates and to close businesses that are allied with rival guilds. Spies are used to determine the relative strengths and weaknesses of the opposition, as well as to scout possible targets for your guild to take over.

When a player chooses Option 1, he may hire spies, assassins, or both. Spies and assassins send contacts to each guild only once per turn, so if a guild-master wants to hire assassins, for example, he needs to hire these assassins all at once. Any further contact for that week will be avoided as it poses an unnecessary risk. A third choice under Option 1 (which is also included in most other options) is that of listing the 144 businesses that are currently in the city.

Horse Trading

The second choice on the main menu is negotiation. Negotiation is the primary way to gain constant income for a guild. The first choice on the negotiation menu is to form an alliance with a neutral business. This action requires an amount of gold that you specify and the efforts of two of your guildsmen.

If the negotiations prove successful,



Table 1: Chart of Commands

- I. Hire Spies and Assassins
 - A. Hire Assassins
 - B. Hire Spies
 - C. Main Menu
- II. Negotiate
 - A. Form an Alliance
 - B. Invest in Allies
 - C. List Businesses
 - D. Main Menu

III. Protection

- A. Assign Guards to Candidate
- B. Assign Guards to Business
- C. Hide Candidate
- D. Magically Hide Candidate
- E. Main Menu

IV. Discredit

- A. Magically Discredit
- B. Spread Rumors
- C. Blackmail
- D. Main Menu
- V. Raise Funds
 - A. Beg From Wizard
 - B. Steal
 - 1. From Guild
 - 2. From Business
 - 3. From The Wizard
 - C. Main Menu

VI. Armed Conflict

- A. Recruit Locals
- B. Hire Mercenaries
- C. Train Locals
- D. Ambush a Guild
- E. Ambush a Business
- F. Main Menu

VII. Status

- A. Main Menu
- B. End Turn

Table 2: Investment Costs

2,000
2,600
280
200
2,100



the guild will gain a variable amount of income dependent on the type of business that is being courted.

A guild may also invest in allied businesses. This action requires a set amount of gold (see Table 2) and, although expensive, generally increases the income from that business by a large extent. Any number of negotiations and investments may be done in a turn, subject to available manpower and gold, of course.

Self-Protection

The third set of actions available are those that allow protection of candidates or allied businesses. Either may be protected with any or all men you have at your disposal. Protection helps guard both against assassination of candidates or business owners to prevent a loss of income, and it also works well against overt assault.

Candidates may also be hidden at a cost of 200 gold pieces. Hidden candidates may not be guarded by guild members, but they have 20 guards protecting them who are loyal supporters, but not guild members. Thus, no men are required for this action.

The last option a guild may use to protect a candidate is to hire the wizard to magically protect him. Only guilds that are allied with the wizard may use this function. Magical protection costs 1,000 gold pieces and provides the candidate with a horde of fearsome creations that function as his bodyguards while he is hiding. Both forms of hiding must be renewed for every turn.

Mud Slinging

Another way to impede the flow of coins into rival guilds' coffers is to discredit their allies, which is the fourth option on the main menu. If the wizard is currently allied with a guild, then that guild may magically discredit an enemy business. This action costs 100 gold pieces and eliminates income from the target business for that week.

The same effect can be garnered in a more general fashion by hiring rumormongers to discredit a guild. These rumor-mongers cost 25 gold pieces to hire for one turn. They have the effect of taking away from one to 50 gold pieces of a rival guild's income. Note that you could possibly lose money by plying this tactic.

The final option to discredit a guild is quite different — blackmail. Blackmail costs 150 gold pieces per target and, if successful, the target will end any alliances it may have, making it neutral once more. This action may be particularly useful against businesses that are invested in, as opposed to merely allied with.

Beg, Borrow or Steal

The fifth option available to the guild masters is to raise funds. The first method of doing this is to ask for a contribution from the wizard, who is notoriously fickle and prone to drastic mood swings.

A guild need not be allied with the wizard to gain money in this manner, but it does help. It is always best to ask for very small quantities of money, and it is inadvisable to ask more than once per turn. When the wizard feels that a guild is being overly greedy, he has been known to destroy businesses allied with that guild. Only those in dire straits should ever ask for such a contribution.

The other way to gain money is to send some of your men to steal from a rival guild, business or the wizard. A guildmaster may steal as many times per turn as he wants, subject to the amount of men available. The guildmaster determines how many men to send on each mission. Note that stealing is an all-or-nothing proposition. The penalty for failure is the death of the thieves.

On to Battle

The sixth option on CoCo's magic menu is armed conflict. This option allows the training and recruiting of more guildmembers, which will allow you to ambush rival guilds in order to kill their candidate, and to destroy their businesses and thus remove a source of income. Local people can be recruited to join the guild, but they are considered untrained, and the guild must pay the cost of the training.

Recruitment of locals requires two guild members and an amount of gold the guildmaster specifies. Training requires no guild members, but does require an amount of gold. An alternative to such recruiting is to hire mercenaries at the rate of 100 gold pieces each. It takes one guild member to hire mercenaries, who are already fully trained when hired.

Other options under this menu involve overt armed actions. These functions are similar to the sending of assassins in regard to the effects of success. It is important to note that attackers are at a disadvantage, and even if they face no guards from a rival guild, they run the risk of death at the hands of normal citizens and traps meant to dissuade such activities.

Statement of Conditions

The last option on the main menu is the status report, which shows how much gold a guild's treasury contains as well as current income and income for the previous turns. It also lists how many untrained recruits are awaiting training, how many guildmembers currently exist, and how many are available for action on the current turn.

The second page of the report lists the businesses that are allies as well as those that the guild invests in. This screen also contains the method for ending a guild's turn and going on to the next guildmaster's actions.

Order of Play

When KINGBOOT is run, it asks how many guilds there will be in the game, how many weeks (turns) the game is to last, and what the names of the guilds are. It will then generate a data file called KING.DAT and run KING.

Each player starts the game with

1,000 gold pieces, no income, and 10 guild members. Before each player's turn, he will be asked how much he wants to bid on the wizard's services for the next turn. The high bidder can then use any magical commands for the next turn.

The game continues until there is either one candidate left or until the specified amount of weeks is concluded. If time runs out, the computer selects a winner using several criteria. If the same players want to play again, the computer will start the Simulation using the same parameters as were specified in KINGBOOT. If the players elect not to play again, the computer will return to BASIC with a cold start. The game may be ended at any time by pressing the BREAK key.

Hints

The best way to win at To Be King is to develop a strategy that extends a few turns into the future. It may appear to some people that emphasis in only one or two areas is good, but if an opponent finds a weakness, the game might soon be over! It may be a good idea to have all of the players agree not to use assassins for the first two or three turns, as a lucky break could remove candidates before they could even build a power base. Above all, never leave a candidate totally unprotected, and try to quickly gain a sizable income.

(Questions or comments may be directed to the authors at 210 W. 15th, Hays, KS 67601. Please enclose an SASE when writing for a reply.)

V	80181
	161177
	183 173
	20214
	END118

Listing 1: KINGBOOT

Ø PCLEAR 1

5 CLS

6 X=RND(-TIMER)

1Ø HSCREEN 1

15 HCLSØ:PALETTE Ø,Ø:PALETTE 1,Ø 2Ø HDRAW"BM1Ø,1ØS8BR3BDG3ERE2NR5 DR6DR3NEGL2HLG3RND3ED3G2UH3NRNE3 D2RDRDF2NU2R5NE3UL4BR1ØBU11BR4BD G4ND3RD4ED2ED2FNU7NR5ER5E3NU3LU4 GU2GU2NGNL3HL2G3NGRD4"

3Ø HDRAW"S8BD1ØBL3BR3BDNG3R5GL4N GR4G4NUFDLDBU8BR8ND2FDG5U3NE3LD4 GL3NG2R2DRNR2DR4E3UGUGBR5BU9BR3B DG3ERE2R4GNL3G4ND2RNDBR2NRE5D2ED NRD2NE3G2NR3L4D2NEDR3D2R2ENEL6HL 2G2"

4Ø HDRAW"S8BD8BR3BDG3ERE2NR4DR3G
4NRNFD2BD2LNG2R3GNR3FR3LH2ENU3EU
3E4D2EDR2NEL2BD2L3NGR3DLG2FRD3E2
HDBR5BU1ØBR3BDG3ERE2NR4DR3G3LGLN
GR3DL2FBD2LNG2R2DFU2RU4RND2UE4"
5Ø HDRAW"S8BR2BU1BR2BDG2ER3NHGD7
LNG2R2GR3GNLBR4HUH2UHUH2RF2DFDF2
DFU11NRGR3GR3NEGLBR4BU4BR4BDG4ND
3RD4F3R5E3U2LND2L4NLE4NEL3NDNFLN
EU2G4RND6ED4GD2R5"

6Ø HDRAW "BR7DR2DBR2BU2DR2DBR2BU 2DR2D"

7Ø HPRINT(16,19),"(C) 1988":HPRI NT(14,2Ø),"S&M Software" 8Ø PALETTE 1,64:PALETTE 12,64:PA

LETTE 13, Ø 9Ø I\$=INKEY\$:IF I\$="" THEN 9Ø

95 CLEAR 5000

97 DIM ML\$(6), IN\$(2Ø), CM\$(5Ø), FM \$(6Ø), LT\$(8), BT(2ØØ), BS(2ØØ), BG(2ØØ)

99 HSCREEN Ø

100 INPUT"HOW MANY PLAYERS (2-4) ";NP:IF NP<2 OR NP>4 THEN CLS:GO TO 100

llø CLS:FOR X=1 TO NP:PRINT"WHAT IS THE GUILD NAME FOR PLAY ER"X"?":INPUT GN\$(X):GP(X)=1ØØØ: AF(X)=1Ø:GG(X)=1Ø:NEXT X

120 INPUT"HOW MANY WEEKS UNTIL THE NEW KING IS ELECTED"; W

14Ø FOR X=1 TO 6:READ ML\$(X):NEX T X

141 DATA GUIDO'S MONEY HOUSE, TH E KING'S ENVY, SHARKEY'S LOAN EMP ORIUM, ALPHONSE'S FAMILY, HAPPY ED DIE'S FINANCING, THE GOLD EXCHANG E

16ø FOR X=1 TO 2Ø:READ IN\$(X):NE XT X

161 DATA THE ALE HOUSE, DRINKS A ROUND, THE BATTERED MACE, THE MI NSTREL, EHD'S PLACE, HARNEY'S LIQ UORS, PEACEFUL REST INN, THE DRA GON'S DEN, THE IMPERIAL HOSTEL, THE BLUE HERRING INN

162 DATA THE ELFIN DAMSEL, THE BL ACK ORCHID, THE ADVENTURERS GUILD ,THE CROSSED SWORDS INN, BLOODHA WK TAVERN, THE GOLDEN UNICORN, K ING'S CASTLE, THE LOQUACIOUS BARD ,ALL THE KING'S MEN, ELYSIUM ON E ARTH

18Ø FOR X=1 TO 5Ø:READ CM\$(X):NE XT X

181 DATA SENSUOUS SILKS, MARKAN C LOTHES, CLAY CREATIONS, GOLDEN TIM BRE MUSIC, SEA WORTHY SHIPPING, F ROW'S SMITHY, BANNERS FOR PROCLAM ATION, FLASKS BOTTLES AND JARS, LO WAN'S CABINETS, FINE PARCHMENTS A ND INK

182 DATA SWEETS AND CONFECTIONS, DEWQUAS' BARBERY, GLIMMER OF GOLD, THE GOOD BAKER, SUITS AND CLOAKS, PLEASURE OF PLATINUM, BRITE SKEIN WEAVERY, DELGAR THE ARMORER, SAM'S CHANDLERY, WOVEN DREAM CARPETS 183 DATA PERFECT ESSENCE, THE MINERAL BATHS, MACWEN'S LEATHER SHOP, BROKEN HEEL COBBLER, LEXIS' SCRIPT, LOKAN THE FLETCHER, BARREL MAKERS' GUILD, TITAN LUMBER COMPANY, SAVAR THE PHYSICIAN, SARL'S MORTUARY

184 DATA SORAHAN'S COLORS, RARE S PICE, CLASH OF STEEL, SIGNOR'S STU DIO, THE GRANITE MINER, HELKEN'S F INE WEAPONRY, ETCHED PANES, MOLTEN

WAX, WOOLEN WONDERS, TRUSTY'S SMI

185 DATA LIQUID CURES ALCHEMY, BU TCHER'S BLEND, GLAZED POTTERY, GER WEK'S PAWN SHOP, QUESTEN THE SHAR PENER, TAROT REVEALED, ADDER'S STING POISONS, BESVAN'S CUTLERY, FOR LADIES ONLY, YE OLDE TOY SHOP 200 FOR X=1 TO 60: READ FM\$(X): NE XT X

201 DATA MILLER, CUSHING, FIELDS , BARNETT, HARTMAN, LINDEN, HERL , ROHLEDER, BROOKS, LUEHRS, KLEI N, LEE, SMITH, JONES, BROWN, WHI TE, MINOR, WOLF, CASEY, VILLINES 202 DATA ETHAM, STORM, STACEY, H AGEN, CULVER, MC FLY, WEIS, KASS ON, DINKEL, LAMB, BERRYMAN, MEAD E, WITT, FABER, CAMPBELL, HORN, VINCENT, BREWSTER, DILLON, HEIL 203 DATA FURMANSKI, BARBOUR, MAR SHALL, SCHUSTER, LUCAS, BIRD, WI LSON, SLOOP, DOAN, GRAFF, STURGE ON, THISSEN, ANDERSON, BACH, BOO R, PAGE, NEWTON, SOOK, LEIKER, B REIT

22Ø FOR X=1 TO 8:READ LT\$(X):NEX T X

221 DATA ARABIAN KNIGHTS HORSES,

Clearbrook Software Group

ERINA — Symbolic User-mode Debugger for OS9 is a must for serious assembler and C programers. ERINA helps to find bugs quickly by displaying the machine state and the instruction being executed. Set address and register break points, assemble and disassemble code, dump, search, and change memory, and much more! This program pays for itself over and over!

SERINA — System-mode Debugger for OS9 Level 2 is invaluable when developing OS9 System Modules (device drivers, file managers, etc.). Trace execution, set break points, assemble and disassemble code, examine/change memory and much more. SERINA has special provisions for debugging code with critical timing loops. A must for system programmers!

CSG IMS Information Management System
Full-featured database manager for CoCo/OS9 \$169.95
Shipping — N. America: \$5, Overseas: \$10.

Clearbrook Software Group, Inc.

U.S.: P.O. Box 8000-499, Sumas, WA 98295 CANADA: P.O. Box 8000-499, Abbotsford, B.C. V2S 6H1

Phone: (604)853-9118

OS9 is a trademark of Microware Systems Corp., MS-DOS is a trademark of Microsoft Corp.



JUSAN'S CATTLE PENS, THE GOAT HER D, THE KING'S MOUNT, THE SHEEP AUC TION, KEB'S STOCKYARD, YEWLON'S AN IMALS, THE MULE BARN 222 OPEN"O", #1, "KING. DAT" 223 WRITE #1, NP, W: FOR X=1 TO 6:W RITE #1, ML\$(X): NEXT X: FOR X=1 TO 2Ø:WRITE #1,IN\$(X):NEXTX:FOR X=
1T05Ø:WRITE #1,CM\$(X):NEXTX:FORX
=1T06Ø:WRITE #1,FM\$(X):NEXTX:FOR
X=1T08:WRITE #1,LT\$(X):NEXTX:FOR
X=1T04:WRITE #1,GG(X),GP(X),GN\$
(X),AF(X):NEXTX
224 CLOSE #1:CLS::RUN"KING"

Listing 2: KING

```
Ø PCLEAR 1
1Ø CLEAR 2ØØØ:ZZ=Ø:XX=Ø
2Ø DIM ML$(6), IN$(2Ø), CM$(5Ø), FM
$(6Ø),LT$(8),BT(144),BS(144),BG(
144),QD(144),ZX(144)
25 FOR X=1 TO 4:FQ(X)=\emptyset:NEXTX
3Ø OPEN"I", #1, "KING. DAT"
4Ø INPUT #1, NP, W: FOR X=1T06: INPU
T #1, ML$(X):NEXT X:FOR X=1TO2Ø:I
NPUT #1, IN$(X):NEXT X:FOR X=1T05
Ø:INPUT #1, CM$(X):NEXT X:FOR X=1
TO6Ø: INPUT #1, FM$(X): NEXT X: FOR
X=1TO8:INPUT #1,LT$(X):NEXT X:FO
R X=1TO4:INPUT #1,GG(X),GP(X),GN
(X), AF(X): NEXT X
45 CLOSE #1
5Ø ZZ=ZZ+1:XX=Ø:IF ZZ>W OR DB+1=
NP THEN 17Ø
6\emptyset XX=XX+1:GG(XX)=\emptyset:WV=\emptyset:AF=\emptyset:MH
=Ø:SF=Ø:GOSUB 175Ø:WD=Ø:IF GS(XX
)=1 AND DF(XX)=Ø THEN 18Ø ELSE I
F GS(XX) = 1 THEN 16\emptyset
7Ø CLS
8Ø PRINT"WHAT NEXT GUILDMASTER?"
9Ø IF FQ(XX) = \emptyset THEN GG(XX) = \emptyset: AF(
XX) = 1\emptyset : SF(XX) = \emptyset : MH = \emptyset : FQ(XX) = 1
100 PRINT"1. HIRE ASSASSINS OR S
PYS":PRINT"2. NEGOTIATE":PRINT"3
. PROTECT CANDIDATE OR ALLIES":P
RINT"4. DISCREDIT OTHER CANDIDAT
ES":PRINT"5. RAISE FUNDS":PRINT"
6. ARMED CONFLICT": PRINT"7. STAT
US"
11Ø I$=INKEY$:IF I$="" THEN 11Ø
12Ø ON BRK GOTO 213Ø:ON ERR GOTO
 221Ø
13\emptyset I=VAL(I\$)
14Ø ON I GOSUB 2ØØ, 49Ø, 65Ø, 83Ø, 9
```


```
7Ø,135Ø,166Ø
15Ø GOTO 7Ø
16Ø GOSUB 1885: IF XX<NP THEN 6Ø
ELSE 5Ø
17Ø GOTO 153Ø
18Ø DB=DB+1: PRINT"YOUR CANDIDATE
 IS DEAD ... YOU LOSE... YOU BE
TTER START PRAYING FOR THE KING!
S MERCY!!!"
19Ø I$=INKEY$:IF I$="" THEN 19Ø
ELSE DF(XX)=1:GOTO 16Ø
200 CLS:PRINT"HIRE ASSASSINS OR
SPYS."
21Ø PRINT"1. HIRE ASSASSIN": PRIN
T"2. HIRE SPYS": PRINT"3. MAIN ME
NU"
22Ø I$=INKEY$:IF I$="" THEN 22Ø
23Ø I=VAL(I$)
24Ø ON I GOTO 26Ø,36Ø,25Ø
25Ø RETURN
26Ø CLS:PRINT"HIRE ASSASSINS.":I
NPUT"HOW MANY DO YOU WISH TO HIR
E"; NA: IF AF=1 THEN PRINT"YOU ALR
EADY HAD YOUR CHANCE. ": FOR PP=1
TO 92Ø:NEXT PP:GOTO 2ØØ ELSE 27Ø
27\emptyset CO=NA*(1\emptyset\emptyset+RND(1\emptyset\emptyset)):AF=1:PR
INTNA"ASSASSINS COST"CO:FOR PP=1
 TO 92\emptyset:NEXTPP:GP(XX)=GP(XX)-CO:
IF GP(XX) < Ø THEN PRINT"WE DON'T
DO CHARITY.":GP(XX)=GP(XX)+CO:FO
R PP=1 TO 92Ø:NEXT PP:GOTO 2ØØ E
LSE 28Ø
28Ø IF X=Ø THEN 2ØØ ELSE FOR X=1
 TO NA
285 CLS: PRINT"SEND ASSASSIN"X"TO
29Ø PRINT"1. CANDIDATE": PRINT"2.
 BUSINESS": PRINT"3. LIST BUSINES
SES"
3ØØ I$=INKEY$:IF I$="" THEN 3ØØ
31Ø I=VAL(I$):ON I GOTO 32Ø,34Ø,
335 /
32Ø INPUT"WHICH CANDIDATE"; AT: PD
=RND(1\emptyset\emptyset):IF PD<3 OR PD<=2\emptyset-GG(A
T) THEN PRINT"SUCCESS!!! CANDIDA
               DEAD!!!":GS(AT)=1:
TE "AT" IS
FOR PP=1 TO 92Ø:NEXT PP:NEXT X:G
OTO 200
33Ø PRINT"YOUR ASSASSIN FAILS IN
           MISSION.": FOR PP=1 TO
 HIS
92Ø:NEXT PP:NEXT X:GOTO 2ØØ
```

335 GOSUB 2030:GOTO 285 34Ø INPUT"WHICH BUSINESS"; AT:PD= $RND(1\emptyset\emptyset): IF PD <= 5 OR PD <= 4\emptyset - BG(A$ T) THEN PRINT"SUCCESS!!! BUSINES S "AT" 'S OWNER IS DEAD. ": PM=1:GO SUB 2050:BT(AT)=1:FOR PP=1 TO 92 Ø:NEXT PP:NEXT X:GOTO 200 35Ø PRINT"YOUR ASSASSIN FAILS IN MISSION.": FOR PP=1 TO HIS 92Ø:NEXT PP:NEXT X:GOTO 2ØØ 36Ø CLS:PRINT"HIRE SPYS":INPUT"H OW MANY DO YOU WISH TO HIRE"; NS: IF SF=1 THEN PRINT"TOO LATE, ONE CHANCE IS ALL YOU GET. ": FOR PP= 1 TO 92Ø:NEXT PP:GOTO 2ØØ ELSE 3 7Ø $37\emptyset$ CO=NS*($5\emptyset$ +RND($5\emptyset$)):SF=1:PRIN TNS"SPY(S) COST"CO:GP(XX)=GP(XX)-CO: IF GP(XX) < Ø THEN PRINT"WE DO N'T WORK FOR PAUPERS.":FOR PP=1 TO $92\emptyset$:NEXT PP:GP(XX)=GP(XX)+CO: GOTO 200 ELSE FOR PP=1 TO 920:NE XT PP 38Ø IF X=Ø THEN 2ØØ ELSEFOR X=1 TO NS 385 CLS:PRINT"SEND SPY"X"TO--":P RINT"1. GUILD": PRINT"2. BUSINESS ":PRINT"3. LIST BUSINESSES" 39Ø I\$=INKEY\$:IF I\$="" THEN 39Ø 400 I=VAL(I\$):ON I GOTO 410,430, 41Ø INPUT"WHICH GUILD";ST:PD=RND (1ØØ):IF PD>4Ø THEN 42Ø ELSE PRI NT"YOUR SPY IS CAUGHT": FOR PP=1 TO 92Ø:NEXT PP:NEXT X:GOTO 2ØØ 42Ø CLS:PRINT"GUILD"ST"HAS:":PRI NTGP(ST) "GOLD PIECES.": PRINT AF(ST) "MEN.": PRINT IC(ST) "INCOME PE R TURN.":PRINT AL(ST) "ALLIES.":F OR PP=1 TO 92Ø:NEXT PP:NEXT X:GO TO 2ØØ 425 GOSUB 2030:GOTO 385 43Ø INPUT"WHICH BUSINESS"; ST:PD= RND(1ØØ): IF PD<2Ø THEN PRINT"YOU R SPY IS CAUGHT.": FOR PP=1 TO 92 Ø:NEXT PP:NEXT X:GOTO 200 44Ø CLS:PRINT"BUSINESS"ST"IS:":I F BT(ST)=1 THEN PRINT"CLOSED":GO TO 48Ø 45Ø IF BS(ST)=Ø THEN PRINT"NEUTR AL":GOTO 480 46Ø IF BS(ST) < C5=4 THEN PRINT"AL LIED WITH GUILD"BS(ST):GOTO 48Ø 47Ø PRINT"GUILD"BS(ST)-4" INVEST S IN THIS BUSINESS." 48Ø FOR PP=1 TO 92Ø:NEXT PP:NEXT X:GOTO 200 490 CLS:PRINT"NEGOTIATE":PRINT"1 TRY TO FORM AN ALLIANCE": PRINT INVEST IN AN ALLIED BUSINESS ":PRINT"3. LIST BUSINESSES":PRIN

T"4. MAIN MENU" 500 I\$=INKEY\$:IF I\$="" THEN 500 51Ø I=VAL(I\$):ON I GOSUB 53Ø,59Ø ,640,520 52Ø RETURN 53Ø CLS: INPUT"WHICH BUSINESS DO YOU WISH TO ALLY WITH"; AT 54Ø IF BS(AT)<>Ø THEN PRINT"THAT BUSINESS CLAIMS ALLEGIANCE TO A NOTHER GUILD": FOR PP=1 TO 920:NE XT PP:GOTO 49Ø ELSE IF BT(AT) <>Ø THEN PRINT"THAT BUSINESS IS CLO SED":FOR PP=1 TO 92Ø:NEXT PP:GOT 0 49Ø 55 \emptyset TB(XX)=TB(XX)-2:IF TB(XX)< \emptyset THEN PRINT"YOU HAVE TOO FEW MEN TO PERFORM THIS ACTION.": FOR PP= 1 TO $92\emptyset:NEXT$ PP:TB(XX)=TB(XX)+2 :GOTO 49Ø 56Ø INPUT"HOW MUCH GOLD DO YOU W ISH TO SEND ALONG"; BB: GP(XX) = GP(XX)-BB:IF GP(XX)<Ø THEN PRINT "SMART GUILDMASTERS DON'T MAKE EMPTY PROMISES": FOR PP=1 TO 920 :NEXT PP:GP(XX)=GP(XX)+BB:GOTO 4 $57\emptyset$ PD=RND($1\emptyset\emptyset$):IF PD<=($3\emptyset$ +BB) T HEN 58Ø ELSE PRINT"NEGOTIATIONS FAIL TO PRODUCE FAVORABLE RES ULTS.":FOR PP=1 TO 92Ø:NEXT PP:G OTO 490 58Ø PM=Ø:BS(AT)=XX:PRINT"YOUR AL LIANCE OFFER IS ACCEPTED. ": FOR P P=1 TO 92Ø:NEXT PP:GOSUB 2Ø5Ø:PR INT"YOU GAIN"ZX(AT) "GOLD PIECES INCOME.": FOR PP=1 TO 92Ø: NEXT PP :AL(BS(AT))=AL(BS(AT))+1:GOTO 49 59Ø CLS:INPUT"WHICH ALLIED BUSIN ESS DO YOU WISH TO INVEST IN" ;AT 600 IF BS(AT)=XX THEN 610 ELSE I F (BS(AT)-4)=XX THEN PRINT"YOU H AVE ALREADY INVESTED WITH BUSINESS.":FOR PP=1 TO 92Ø:NEXT PP:GOTO 49Ø ELSE PRINT"YOU AREN' T ALLIED WITH THEM YET. ": FOR PP= 1 TO 92Ø:NEXT PP:GOTO 49Ø 61Ø IF AT<7 THEN CI=2ØØØ ELSE IF AT<27 THEN CI=26ØØ ELSE IF AT<7 7 THEN CI=28Ø ELSE IF AT<137 THE N CI=2ØØ ELSE CI=21ØØ $62\emptyset$ GP(XX)=GP(XX)-CI:IF GP(XX)< \emptyset THEN PRINT"MAN CAN'T LIVE ON EM PTY PROMISES.": FOR PP=1 TO 920:N EXT PP: $GP(XX) = GP(XX) + CI : GOTO 49\emptyset$ ELSE PRINT"IT COSTS"CI"GOLD PIE CES.": $PM = \emptyset$: BS(AT) = XX + 463Ø GOSUB 2Ø5Ø:PRINT"IT ADDS"ZX(AT) "GOLD PIECES TO YOUR INCOME." :FOR PP=1 TO 92Ø:NEXT PP:GOTO 49

64Ø GOSUB 2Ø3Ø:GOTO 49Ø 65Ø CLS: PRINT" PROTECT CANDIDATES BUSINESSES.": PRINT "1. ASSIGN GUARDS TO CANDIDATE": PRINT"2. ASSIGN GUARDS TO BUSINE SS":PRINT"3. HIDE CANDIDATE":PRI NT"4. MAGICALLY HIDE CANDIDATE": PRINT"5. MAIN MENU" 66Ø I\$=INKEY\$:IF I\$="" THEN 66Ø 67Ø I=VAL(I\$):ON I GOSUB 69Ø,74Ø ,78Ø,8ØØ,82Ø 68Ø RETURN 69Ø IF MH=1 THEN PRINT"YOUR CAND IDATE IS HIDING": FOR PP=1 TO 92Ø :NEXT PP:GOTO 65Ø 700 PRINT"YOU HAVE"GG(XX)"GUARDS CURRENTLY ON YOUR CANDIDATE.":I NPUT"HOW MANY DO YOU WISH TO HAV E NOW"; NG: IF NG<Ø THEN NG=Ø 71Ø IF TB(XX)-(NG-GG(XX))< Ø THE N PRINT"YOU CAN'T GUARD WITH GHO STS!":FOR PP=1 TO 92Ø:NEXT PP:GO TO 65Ø 72Ø IF NG>GG(XX) THEN TB(XX)=TB(XX) - (NG-GG(XX)) ELSE TB(XX) = TB(X)X) + (GG(XX) - NG)73Ø GG(XX)=NG:GOTO 65Ø 74Ø GOSUB 2Ø3Ø: INPUT"WHICH BUSIN ESS DO YOU WISH TO GUARD"; PX: P RINT"THERE ARE "BG (PX) "GUARDS THE RE NOW.": INPUT"HOW MANY DO YOU W ISH TO HAVE NOW"; NG: IF NG<Ø THEN NG=Ø 75Ø IF TB-(NG-BG(PX))<Ø THEN PRI NT"YOU MUST THINK THIS ALLY IS BLIND!":FOR PP=1 TO 92Ø:NEXT PP:GOTO 65Ø 76Ø IF NG>BG(PX) THEN TB(XX)=TB(XX) - (NG-BG(PX)) ELSE TB(XX) = TB(X)X) + BG(PX) - NG77Ø BG(PX)=NG:GOTO 65Ø 78Ø PRINT"HIDE CANTIDATE":GP(XX) =GP(XX)-2ØØ:IF GP(XX)<Ø THEN PRI NT"LOYALTY ONLY GOES SO FAR. ":GP $(XX) = GP(XX) + 2\emptyset\emptyset$: FOR PP=1 TO 92 \emptyset : NEXT PP:GOTO 65Ø 79Ø PRINT"YOUR CANDIDATE IS HIDD EN.":GG(XX)=2 \emptyset :FOR PP=1 TO 92 \emptyset :N EXT PP:MH=1:GOTO 65Ø 800 PRINT"MAGICALLY HIDE CANDIDA TE.":IF WF<>XX THEN PRINT"THE WI ZARD ONLY PROTECTS ALLIES": FOR P P=1 TO 92Ø:NEXT PP:GOTO 65Ø ELSE $GP(XX) = GP(XX) - 1\emptyset\emptyset\emptyset$ 8Ø5 IF GP(XX)<Ø THEN PRINT"THE W IZARD IS YOUR ALLY, NOT SLAVE.":GP(XX) = GP(XX) + 1000:FOR P P=1T092Ø:NEXT PP:GOTO 65Ø 81Ø PRINT"THE WIZARD WEAVES MAGI C AROUND YOUR CANDIDATE, AND HE IS THUS HIDDEN.":GG(XX)= $1\emptyset\emptyset$:FO R PP=1 TO 92Ø:NEXT PP:MH=1:GOTO 65Ø 82Ø RETURN 83Ø CLS:PRINT"DISCREDIT BUSINESS ES": PRINT"1. MAGICALLY DISCREDIT .":PRINT"2. SPREAD RUMORS":PRINT "3. BLACKMAIL": PRINT"4. RETURN T O MAIN MENU" 84Ø I\$=INKEY\$:IF I\$="" OR I\$<"1" OR I\$>"4" THEN 84Ø 85Ø I=VAL(I\$):ON I GOSUB 88Ø,9ØØ ,93Ø,87Ø 86Ø RETURN 87Ø RETURN 88Ø CLS:IF WF<>XX THEN PRINT"THE WIZARD ONLY HELPS HIS PORTERS.": FOR PP=1 TO 920: NEXT P P:GOTO 83Ø ELSE $GP(XX) = GP(XX) - 1\emptyset$ Ø:IF GP(XX) < Ø THENPRINT"THE WIZA RD DOESN'T DO CHARITY WORK.":F OR PP=1 TO 92Ø:NEXT PP:GP(XX)=GP (XX) +1ØØ:GOTO 83Ø 89Ø GOSUB 2Ø3Ø:INPUT "WHICH BUSI NESS DO YOU WANT THE WIZARD TO ZAP"; AT: DV(XX) = IC(XX): IC(XX) = TI(XX):PM=1:GOSUB 2Ø5Ø:PM=Ø:TI(XX)=IC(XX):IC(XX) = DV(XX):PRINT"THE W IZARD'S SPELL DRIVES AWAY ALL C USTOMERS THIS WEEK. ": FOR PP=1 TO 92Ø:NEXT PP:GOTO 83Ø 900 PRINT"SPREAD RUMORS" 91Ø $GP(XX) = GP(XX) - 25:IF GP(XX) < \emptyset$ THEN PRINT"EVEN RUMORMONGERS NE ED TO EAT.":GP(XX) = GP(XX) + 25:FORPP=1 TO 920:NEXT PP:GOTO 830 92Ø INPUT"WHICH GUILD DO YOU WIS H TO ATTACK"; AT: PRINT"THE RUMORM ONGERS WORK TO STOP CUSTOMERS FROM DEALING WITH GUILD"AT:T $I(AT) = TI(AT) - RND(5\emptyset) : FOR PP=1 TO$ 92Ø:NEXT PP:GOTO 83Ø 93Ø CLS:PRINT"BLACKMAIL":INPUT"W HICH BUSINESS DO YOU WISH TO LY THIS TACTIC ON"; AT: GP(XX) = GP(XX)-15Ø:IF GP(XX)<Ø THEN PRINT"B LACKMAIL'S A CRIME AND WE AIN'TD OIN' IT FOR FREE.":GP(XX)=GP(XX) +15Ø:FOR PP=1 TO 92Ø:NEXT PP:GOT O 83Ø 94Ø PD=RND(1ØØ):IF PD>4Ø THEN PR INT"THEIR AIN'T ENOUGH DIRT ON T HAT BUSINESS": FOR PP=1 TO 920:NE XT PP:GOTO 83Ø ELSE PM=1:GOSUB 2 Ø5Ø:GOSUB 95Ø:AL(BS(AT))=AL(BS(A T))-1:BS(AT)= \emptyset :PRINT"THEY BROKE THEIR ALLIANCE!": FOR PP=1 TO 92Ø :NEXT PP:GOTO 83Ø 95 \emptyset IF BS(AT)>4 THEN BS(AT)=BS(A 96Ø RETURN 97Ø CLS:PRINT"RAISE FUNDS":PRINT "1. SOLICIT CONTRIBUTIONS FROM

MORE FROM ARK ROYAL!



A C E S is a high resolution, completely machine language game of aerial warfare in WWI. Player flies on many missions to bomb enemy targets including airfields, enemy headquarters, anti-aircraft batteries, bridges and factories, but not player's own air base. He must dodge mountains and dogfight with the enemy's best, including, if unlucky, members of the dreaded Flying Circus. After he shoots down five planes he becomes an ACE and receives special consideration; but the game is far from finished. A C E S averages about 82 targets and over 100 enemy aircraft per game.

A C E S plays in real time and displays flight simulated dash and controls. Operates from the keyboard. Included in the display is a high resolution mini-screen featuring terrain, targets, and player's relative ground position. There are 8 zones in each map which changes as player flies over it. Game Save. (It could take days to win!) In addition, NEWMAP is included to allow for the creation of a zillion new maps. A C E S was created in part with AGS, developed by Ken Schunk. For all CoCo's.

WAR AT SEA: Wooden Ships simulate ship to ship battles during the 18th Century. Player controls a number of sailing ships from different nations and must pit his seamanship against the computer or another player.

RED ALERT: a starship combat simulator. Object of the game is to defeat the computer controlled enemy vessel by using your ship's capacities, strategic maneuvers, and your own smarts.

NEW

RED ALERT: Star Ship Warfare (CC64K D HR MLS J) WAR AT SEA: Wooden Ships (CC64K D HR MLS J) Pro Football: Strategy Gridiron game (CC3 128K HR B) S20 Cokinawa: The Big Invasion (Screen Dump inc) (CC64K D HR ML) S27 Bilitzkrieg West: A Bigger Bulge (CC64K D HR ML) S27 Bilitzkrieg West: A Bigger Bulge (CC64K D HR ML) S27 Barbarossa: The War in Space (CC32K D HR MLS) S28 Batan: Historial & Hypothetical games in one (CC64K D HR ML) S29 CC64K D HR ML) S20 CC64K D HR MLS) S21 Barbarossa: The War in Space (CC32K D HR MLS) S22 Bataan: Historial & Hypothetical games in one (CC64K D HR MLS) S29 DarkHorse: Redstar Sequel (CC64K D HR ML) S20 DarkHorse: Redstar Sequel (CC64K D HR ML) S21 Barbarossa: The War in Russia (C65K HR ML) S22 Barbarossa: The War in Russia (C65K HR ML) S23 Battle of Britain (CC32K D HR MLS) S26 Stallingrad: The turning point. (CC64K HR ML) S27 Brinal Frontier: War in Space (CC32K D HR MLS) S28 RedStar: Nato vs Warsaw Pact (CC32K D HR ML) S29 DarkHorse: Redstar Sequel (CC64K D HR ML) S20 DarkHorse: Redstar Sequel (CC64K D HR ML) S21 S22 Battle Of Britain (CC32K D HR MLS) S23 EedStar: Nato vs Warsaw Pact (CC32K D HR ML) S20 DarkHorse: Redstar Sequel (CC64K D HR ML) S21 S22 Battle Of DarkHorse: Redstar Sequel (CC64K D HR ML) S23 Escape From Denna: Dungeons! (CC32K SG MLS) S315 D DAY: The 6th of June (CC64K D HR ML) S25 Battle of Gettysburg (CC32K SG MLS) S315 Battle of Gettysburg (CC32K SG MLS) S315 Battle of the Bulge 1 or 2 player (CC32K SG B) S315 Battle of the Bulge 1 or 2 player (CC32K SG B) S316 S316 Battle of the Bulge 1 or 2 player (CC32K SG B) S316 Battle of the Bulge 1 or 2 player (CC32K SG B) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316 Battle of the Bulge 1 or 2 player (CC32K SG BLS) S316			· · · · · · · · · · · · · · · · · · ·	
Okinawa: The Big Invasion (Screen Dump inc) (CC64K D HR ML) \$27 Blitzkrieg West: A Bigger Bulge (CC64K D HR ML) \$28 Bataan: Historial & Hypothetical games in one (CC64K D HR ML) \$29 Beataan: Historial & Hypothetical games in one (CC64K D HR ML) \$29 Desert Fox: Rommel (CC64K D HR MLS) \$20 Desert Fox: Rommel (CC64K D HR MLS) \$21 Task Force: Modern Naval War in the Med (CC64K D HR MLS) \$22 DarkHorse: Redstar Sequel (CC64K D HR ML) \$23 DarkHorse: Redstar Sequel (CC64K D HR ML) \$24 CCC64K D HR MLS J) \$25 DarkHorse: Redstar Sequel (CC64K D HR ML) \$26 CCC32K HR MLS) \$27 DAY: The 6th of June (CC64K D HR ML) \$28 DarkHorse: Redstar Sequel (CC64K D HR ML) \$29 DarkHorse: Redstar Sequel (CC64K D HR ML) \$20 CCC64K D HR MLS J) \$21 DAY: The 6th of June (CC64K D HR ML) \$22 DarkHorse: Redstar Sequel (CC64K D HR ML) \$23 DarkHorse: Redstar Sequel (CC64K D HR ML) \$24 CCC32K HR MLS) \$25 CCC32K HR MLS) S26 COMPAN Commander: Squad Level Wargame (CC32K SG MLS) (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Cauldron \$17 Cauldron \$17 Cauldron \$17 Seach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$25 Galactic Taipan: Economics in Space (CC32K SG B) \$10 New for the Tandy 1000	WAR AT SEA: Wooden Ships (CC64K D HR MLS J)			\$27
CCC64K D HR ML \$27 Blitzkrieg West: A Bigger Bulge (CC64K D HR ML \$27 Barbarossa: The War in Russia (CC64K HR ML \$28 Bataan: Historial & Hypothetical games in one (CC64K D HR ML \$29 DarkHorse: Redstar Sequel (CC64K D HR ML \$22 DarkHorse: Redstar Sequel (CC64K	Pro Football: Strategy Gridiron game (CC3 128K HR B)	\$20	Luftflotte: Battle of Britain (CC32K SG MLS)	\$25
Blitzkrieg West: A Bigger Bulge (CC64K D HR ML) \$27 Bataan: Historial & Hypothetical games in one (CC64K D HR ML) \$29 Desert Fox: Rommel (CC64K D HR ML) \$29 DarkHorse: Redstar Sequel (CC64K D HR ML) \$22 Desert Fox: Rommel (CC64K D HR MLS) \$27 Task Force: Modern Naval War in the Med (CC64K D HR MLS) \$27 DDAY: The 6th of June (CC64K D HR ML) \$25 DDAY: The 6th of June (CC64K D HR ML) \$25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Company Commander: Squad Level Wargame (CC32K SG MLS) \$15 Company Commander: Squad Level Wargame (CC32K SG MLS) \$15 (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Cauldron \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	Okinawa: The Big Invasion (Screen Dump inc)		Stalingrad: The turning point. (CC64K HR ML)	\$25
Bataan: Historial & Hypothetical games in one (CC64K D HR ML) \$29 Desert Fox: Rommel (CC64K D HR MLS) \$27 Task Force: Modern Naval War in the Med (CC64K D HR MLS) \$27 D DAY: The 6th of June (CC64K HR ML) \$25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Company Commander: Squad Level Wargame (CC32K SG MLS) \$25 (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Cauldron \$1			Final Frontier: War in Space (CC32K D HR MLS)	\$25
CCC64K D HR ML) Desert Fox: Rommel (CC64K D HR MLS) Task Force: Modern Naval War in the Med (CC64K D HR MLS J) CCC32K HR MLS) D DAY: The 6th of June (CC64K D HR ML) S25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) S25 Company Commander: Squad Level Wargame (CC32K SG MLS) (CC32K SG MLS) (CC32K SG MLS) S26 Company Commander: Squad Level Wargame (CC32K SG MLS) (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing Gemini Cauldron S17 Cauldron S17 Beach Head S17 Beach Head S17 Fire Onel Submarine Simulation (CC3 D HR B) Fire & Steel: Waterloo Campaign (CC64K D HR MLS) S29 Midway: The Turning Point in the Pacific (CC32K SG MLS) S20 (CC32K SG MLS) S15 S40 S40 S41 S41 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S41 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 Battle of the Bulge 1 or 2 player (CC32K SG B) S15 S41 S41 S42 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 S42 Midway: The Turning Point in the Pacific (CC32K SG MLS) S15 S42 S44 S44 S45 S44 S46 S47 S46 S47 S47 S47 S48 S48 S47 S48 S48	Blitzkrieg West: A Bigger Bulge (CC64K D HR ML)	\$27	Barbarossa: The War in Russia (CC64K HR ML)	\$22
Desert Fox: Rommel (CC64K D HR MLS)\$27Midway: The Turning Point in the Pacific (CC32K HR MLS)\$20Task Force: Modern Naval War in the Med (CC64K D HR MLS J)\$27Escape From Denna: Dungeons! (CC32K SG MLS)\$15D DAY: The 6th of June (CC64K HR ML)\$25Tunis: War in the Desert (CC32K SG B)\$15Battle Hymn: Battle of Gettysburg (CC64K D HR ML)\$25Battle of the Bulge 1 or 2 player (CC32K SG B)\$15Company Commander: Squad Level Wargame (CC32K SG MLS)\$25Battle of the Bulge 1 or 2 player (CC32K SG B)\$15(CC32K SG MLS)\$25Rubicon II: Invasion game (CC32K SG B)\$15(House to House Module included in Company Commander)Guadalcanal: America Strikes Back (CC32K SG MLS)\$10Additional Modules for Company Company 3.0\$17Waterloo: Napoleon (CC32K SG MLS)\$10River Crossing\$17(CC32K SG MLS)\$10Gemini\$17Kamikaze: Naval War in the Pacific (CC32K HR B)\$10Cauldron\$17Kamikaze: Naval War in the Pacific (CC32K HR B)\$10Beach Head\$17Starblazer: Strategy Star Trek (CC32K SG MLS)\$10Fire One! Submarine Simulation (CC3 D HR B)\$25Mission Empire: Build an Empire in Space (CC32K SG B)\$10Keyboard General: Bi-monthly newsletter yearly sub\$15Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000\$15New for the Tandy 1000			RedStar: Nato vs Warsaw Pact (CC32K D HR ML)	\$22
Task Force: Modern Naval War in the Med (CC64K D HR MLS J) (CC64K D HR MLS J) D DAY: The 6th of June (CC64K HR ML) S25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) S25 Company Commander: Squad Level Wargame (CC32K SG MLS) (Flouse to House Module included in Company Commander) Additional Modules for Company Company S.0 River Crossing S17 Gemini S17 Gemini S17 Cauldron S17 Beach Head S17 Fire One! Submarine Simulation (CC3 D HR B) Fire & Steel: Waterloo Campaign (CC64K D HR MLS) S26 Keyboard General: Bi-monthly newsletter yearly sub New for the Tandy 1000 (CC32K HR MLS) (CC32K SG MLS) S15 Escape From Denna: Dungeons! (CC32K SG MLS) S15 Escape From Denna: Dungeons! (CC32K SG MLS) S15 Escape From Denna: Dungeons! (CC32K SG MLS) S15 Battle of the Bulge 1 or 2 player (CC32K SG B) S15 Rutle of the Bulge 1 or 2 player (CC32K SG B) S15 Rutle of the Bulge 1 or 2 player (CC32K SG B) S15 Rutle of the Bulge 1 or 2 player (CC32K SG B) S15 Rutle of the Bulge 1 or 2 player (CC32K SG B) S15 Rutle of the Bulge 1 or 2 player (CC32K SG B) S15 Rubicon II: Invasion game (CC32K SG MLS) S10 Waterloo: Napoleon (CC32K SG MLS) S10 Waterloo: Napoleon (CC32K SG MLS) S10 Kamikaze: Naval War in the Pacific (CC32K HR B) S10 Starblazer: Strategy Star Trek (CC32K SG MLS) S10 Starblazer: Strategy Star Trek (CC32K SG MLS) S10 Starblazer: Strategy Star Trek (CC32K SG B) S10 Starblazer: Build an Empire in Space (CC32K SG B) S10 Keyboard General: Bi-monthly newsletter yearly sub S15	(CC64K D HR ML)	\$29	DarkHorse: Redstar Sequel (CC64K D HR ML)	\$22
(CC64K D HR MLS J) \$27 D DAY: The 6th of June (CC64K HR ML) \$25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Company Commander: Squad Level Wargame (CC32K SG MLS) \$15 Company Commander: Squad Level Wargame (CC32K SG MLS) \$15 (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Gealdron \$17 Cauldron \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$25 Keyboard General: Bi-monthly newsletter yearly sub New for the Tandy 1000	Desert Fox: Rommel (CC64K D HR MLS)	\$27		
D DAY: The 6th of June (CC64K HR ML) \$25 Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Company Commander: Squad Level Wargame (CC32K SG MLS) \$15 CC32K SG MLS) \$25 (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Cauldron \$17 Cauldron \$17 Beach Head \$17 Beach Head \$17 Beach Head \$17 Beach Beach Beach (CC3 D HR B) \$25 Reyboard General: Bi-monthly newsletter yearly sub \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$15 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle of the Bulge 1 or 2 player (CC32K SG B) \$10 Battle	Task Force: Modern Naval War in the Med		(CC32K HR MLS)	\$20
Battle Hymn: Battle of Gettysburg (CC64K D HR ML) \$25 Company Commander: Squad Level Wargame (CC32K SG MLS) \$25 (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Cauldron \$17 Beach Head \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Reference Steel: Waterloo Campaign (CC64K D HR MLS) \$25 Robicon II: Invasion game (CC32K SG B) \$10 Robicon II: Invasion game (CC32K SG MLS) \$	(CC64K D HR MLS J)	\$27	Escape From Denna: Dungeons! (CC32K SG MLS)	\$15
Company Commander: Squad Level Wargame (CC32K SG MLS) (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing S17 Gemini Cauldron Beach Head S17 Fire One! Submarine Simulation (CC3 D HR B) Fire & Steel: Waterloo Campaign (CC64K D HR MLS) Keyboard General: Bi-monthly newsletter yearly sub Phalanx: Alexander the Great (CC32K HR ML) S15 Rubicon II: Invasion game (CC32K SG B) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) S10 Waterloo: Napoleon (CC32K SG MLS) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) S10 Waterloo: Napoleon (CC32K SG MLS) S10 Kamikaze: Naval War in the Pacific (CC32K HR B) S10 Starblazer: Strategy Star Trek (CC32K SG MLS) S10 Galactic Taipan: Economics in Space (CC32K SG B) S10 Keyboard General: Bi-monthly newsletter yearly sub S15 Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	D DAY: The 6th of June (CC64K HR ML)	\$25	Tunis: War in the Desert (CC32K SG B)	\$15
(CC32K SG MLS) (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing S17 Gemini S17 Cauldron Beach Head S17 Fire One! Submarine Simulation (CC3 D HR B) Fire & Steel: Waterloo Campaign (CC64K D HR MLS) Keyboard General: Bi-monthly newsletter yearly sub Rubicon II: Invasion game (CC32K SG B) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) Waterloo: Napoleon (CC32K SG MLS) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) S10 Kamikaze: Naval War in the Pacific (CC32K HR B) S10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) S10 Mission Empire: Build an Empire in Space (CC32K SG B) S10 Galactic Taipan: Economics in Space (CC32K SG B) S10 Reyboard General: Bi-monthly newsletter yearly sub New for the Tandy 1000	Battle Hymn: Battle of Gettysburg (CC64K D HR ML)	\$25	Battle of the Bulge 1 or 2 player (CC32K SG B)	\$15
(CC32K SG MLS) (House to House Module included in Company Commander) Additional Modules for Company Company 3.0 River Crossing S17 Gemini S17 Cauldron Beach Head S17 Fire One! Submarine Simulation (CC3 D HR B) Fire & Steel: Waterloo Campaign (CC64K D HR MLS) Keyboard General: Bi-monthly newsletter yearly sub Rubicon II: Invasion game (CC32K SG B) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) Waterloo: Napoleon (CC32K SG MLS) S10 Guadalcanal: America Strikes Back (CC32K SG MLS) S10 Kamikaze: Naval War in the Pacific (CC32K HR B) S10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) S10 Mission Empire: Build an Empire in Space (CC32K SG B) S10 Galactic Taipan: Economics in Space (CC32K SG B) S10 Reyboard General: Bi-monthly newsletter yearly sub New for the Tandy 1000	Company Commander: Squad Level Wargame		Phalanx: Alexander the Great (CC32K HR ML)	\$15
Additional Modules for Company Company 3.0 River Crossing \$17 Gemini \$17 Cauldron \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Keyboard General: Bi-monthly newsletter yearly sub Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000 Waterloo: Napoleon (CC32K SG MLS) \$10 Bomber Command: Strategic Bombing Mission (CC32K SG MLS) \$10 Kamikaze: Naval War in the Pacific (CC32K HR B) \$10 Kamikaze: Strategy Star Trek (CC32K SG MLS) \$10 Kamikaze: Strategy Star Trek (CC32K SG MLS) \$10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) \$10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) \$10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) \$10 Kamikaze: Naval War in the Pacific (CC32K SG MLS) \$10 Starblazer: Strategy Star Trek (CC32K SG B) \$10 Starblazer: Strategy Starblazer: Strategy Starb	(CC32K SG MLS)	\$25		
River Crossing \$17 Bomber Command: Strategic Bombing Mission Gemini \$17 (CC32K SG MLS) \$10 Cauldron \$17 Kamikaze: Naval War in the Pacific (CC32K HR B) \$10 Beach Head \$17 Starblazer: Strategy Star Trek (CC32K SG MLS) \$10 Fire One! Submarine Simulation (CC3 D HR B) \$25 Mission Empire: Build an Empire in Space (CC32K SG B) \$10 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Galactic Taipan: Economics in Space (CC32K SG B) \$10 Keyboard General: Bi-monthly newsletter yearly sub \$15 Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	(House to House Module included in Company Commander)		Guadalcanal: America Strikes Back (CC32K SG MLS)	
Gemini \$17 Cauldron \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Keyboard General: Bi-monthly newsletter yearly sub Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000 \$17 Kamikaze: Naval War in the Pacific (CC32K HR B) \$10 Kamikaze: Naval War in the Pacific (CC32K HR B) \$10 Starblazer: Strategy Star Trek (CC32K SG MLS) \$10 Mission Empire: Build an Empire in Space (CC32K SG B) \$10 Starblazer: Strategy Star Trek (CC32K SG B) \$10 Mission Empire: Build an Empire in Space (CC32K SG B) \$10 Starblazer: Strategy Star Trek (CC32K SG B) \$10 Mission Empire: Build an Empire in Space (CC32K SG B) \$10 Starblazer: Strategy Star Trek (CC32K SG B) \$10 Mission Empire: Build an Empire in Space (CC32K SG B) \$10 Starblazer: Strategy Star Trek (CC32K SG B) \$10 Starblazer: Strategy Starblazer: Strategy Starblazer: Starblazer: Starblazer: Star	Additional Modules for Company Company 3.0			\$10
Cauldron \$17 Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Keyboard General: Bi-monthly newsletter yearly sub Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	River Crossing	C TOWNS CO.	Bomber Command: Strategic Bombing Mission	
Beach Head \$17 Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Keyboard General: Bi-monthly newsletter yearly sub \$10 Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	Gemini	\$17	(CC32K SG MLS)	\$10
Fire One! Submarine Simulation (CC3 D HR B) \$25 Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Keyboard General: Bi-monthly newsletter yearly sub \$15 Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000		T. C.		
Fire & Steel: Waterloo Campaign (CC64K D HR MLS) \$22 Galactic Taipan: Economics in Space (CC32K SG B) \$10 Keyboard General: Bi-monthly newsletter yearly sub				
Keyboard General: Bi-monthly newsletter yearly sub Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000				
Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 1000 New for the Tandy 1000	Fire & Steel: Waterloo Campaign (CC64K D HR MLS)	\$22	Galactic Taipan: Economics in Space (CC32K SG B)	\$10
New for the Tandy 1000	Keyboard General: Bi-monthly newsletter yearly sub			\$15
	Barbarossa, Luftflotte, Battle Hymn (256K) available Tandy 10	00		
				\$25

Codes: CC — Color Computer, all versions

CC3 — CoCo 3 only

D — Disk only (no D means program available tape or disk)
HR — High Resolution SG — Semigraphics ML

SG — Semigraphics ML — Machine Language

MLS — Machine Language Subroutines B — Basic J — Joystick

Write for free catalog!

Prices include shipping to USA and Canada. Others add \$3.00. COD's available in USA only, add \$3.50. Personal Checks accepted with no delays in USA. Others must send M.O. or Bank Draft in U.S. funds. Programs shipped within 24 hours except on weekends. Sorry, no bankcards. Color Computer and Tandy 1000, TM Tandy Corp.

Florida residents add 6% sales tax.

Canadians may order direct from: M & M Software, Post Office Box 1945, Slave Lake, Alberta T06 2A0. Write M & M Software for information.

ARK ROYAL GAMES
P.O. Box 14806
Jacksonville, FL 32238
(904) 786-8603



WIZARD.": PRINT"2. STEAL": PRI NT"3. RETURN TO MAIN MENU" 98Ø I\$=INKEY\$:IF I\$="" OR I\$<"1" OR I\$>"3" THEN 98Ø 99Ø I=VAL(I\$):ON I GOSUB 1Ø2Ø,1Ø 9Ø,1Ø1Ø 1000 RETURN 1010 RETURN 1020 CLS: PRINT"ASK THE WIZARD TO DONATE MONEY": INPUT"HOW MUCH MO NEY ARE YOU GOING TO ASK HIM FOR "; AD: WR=AD+RND(2ØØ): IF WF=XX THE N WR=WR-RND(5 \emptyset) 1030 IF WV=1 THEN WR=200 ELSE WV =1 1Ø4Ø IF WR<1ØØ THENPRINT"THE WIZ ARD SMILES AND GRANTS YOU"AD"GOL D PIECES.":GP(XX)=GP(XX)+AD:FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 1050 IF WR<175 THEN PRINT"THE WI ZARD TELLS YOU TO GO STICK YOUR HEAD IN A PIG. ": FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 1060 PRINT"THE WIZARD GROWS ANGR Y AT YOUR UNMITIGATED OBNOXIOUS NESS." 1070 FOR FE=1 TO 144: IF BS(FE)= XX OR BS(FE) = (XX+4) THEN PRINT"T HE WIZARD DESTROYS BUSINESS ;FE:PM=1:BT(FE)=1:GOSUB 2Ø5Ø:NEX T FE 1080 PRINT"YOU ARE THROWN FROM H IS HOUSE.":FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 1090 CLS:PRINT"STEAL":PRINT"1. F ROM A GUILD": PRINT"2. FROM A BUS INESS": PRINT"3. FROM THE WIZARD" 1100 I\$=INKEY\$:IF I\$="" OR I\$<"1 " OR I\$>"3" THEN 1100 111Ø I=VAL(I\$):ON I GOTO 112Ø,12 ØØ,127Ø 112Ø CLS: INPUT"WHICH GUILD DO YO U WANT TO STEALFROM"; GS: INPUT "H OW MANY MEN DO YOU WISH TO S END"; SM: IF SM>TB(XX) OR SM<1 THE N PRINT"ILLUSIONARY MEN TAKE ONL Y ILLU- SIONARY GOLD": FOR PP=1 T O 92Ø:NEXT PP:GOTO 97Ø ELSE TB(X X) = TB(XX) - SM113Ø IF $TI(XX) = -1\emptyset\emptyset\emptyset\emptyset$ THEN TI(XX)) = IC(XX)114 \emptyset PD=RND(1 \emptyset \emptyset):IF PD+(SM*2)-(G G(GS)+6Ø)>Ø THEN 115Ø ELSE 117Ø 115Ø PD=RND(25Ø): IF PD>GP(GS) TH EN PD=GP(GS) 116Ø PRINT"YOUR THIEVES SUCCEEDE TAKING"PD"GOLD PIECES D IN .":GP(XX) = GP(XX) + PD: FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 117 \emptyset PD=RND(1 \emptyset \emptyset):IF PD<51 THEN 1 18Ø ELSE 119Ø 1180 PRINT"YOUR THIEVES WERE CAU

X) -SM: FOR PP=1 TO 92Ø: NEXT PP:GO TO 97Ø 1190 PRINT"YOUR THIEVES WERE DIS COVERED... BUT THEY ESCAPED.": FO R PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 1200 CLS: INPUT"WHICH BUSINESS DO YOU WISH TO STEAL FROM (Ø FOR LIST) "; AT: IF AT=Ø THEN GOSUB 19 ØØ:GOTO 12ØØ 121Ø INPUT"HOW MANY MEN ARE YOU SENDING"; SM: IF SM>TB(XX) OR SM<1 THEN PRINT"YOUR MATH SKILLS WER E PROBABLY WHAT CAUSED YOUR POV ERTY IN THE FIRST PLACE": FOR PP= 1 TO 92Ø:NEXT PP:GOTO 97Ø $122\emptyset$ TB(XX)=TB(XX)-SM:PD=RND($1\emptyset\emptyset$):IF $(PD+SM*2)-(BG(AT)+4\emptyset)>\emptyset$ THE N 123Ø ELSE 125Ø 123Ø PD=RND(1ØØ):PRINT"YOUR THIE VES STRUCK SWIFTLY AND STOLE"PD" GOLD PIECES":GP(XX)=GP(XX)+PD:FO R PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 124 \emptyset PD=RND(1 \emptyset \emptyset): IF PD>36 THEN 126Ø ELSE 125Ø 125Ø PRINT"THE CITY GUARD JUST L KILLING YOUR THIEVES OVED 'RESISTING ARREST'.": FOR $AF(XX) = AF(XX) - SM: FOR PP=1 TO 92\emptyset$:NEXT PP:GOTO 97Ø 126Ø PRINT"YOUR THIEVES MESSED U P, BUT WERENOT CAPTURED": FOR PP= 1 TO 92Ø:NEXT PP:GOTO 97Ø 127Ø CLS: INPUT"HOW MANY BRAVE SO ULS ARE GOING TO ROB THE WIZARD ";SM 128Ø IF TB(XX)<SM OR SM<1 THEN P RINT"THE WIZARD DOESN'T BELIEVE NON-MAGICAL ILLUSIONS": FOR PP=1 TO 920:NEXT PP:GOTO 970 129Ø TB(XX)=TB(XX)-SM:PD=RND(1ØØ):IF PD<5Ø THEN WQ=1 ELSE WQ=1Ø 13 $\emptyset\emptyset$ PD=RND(1 $\emptyset\emptyset$):IF (PD-SM)<(WQ+ 1) THEN 131Ø ELSE 132Ø 131Ø PD=RND(1ØØØØ):PRINT"YOUR ME N ARE SURE TO REACH LEGENDA RY STATUS. YOU GOT LUCKY AND STO LE"PD"GOLD PIECES FROM A CARELES S WIZARD.":GP(XX)=GP(XX)+PD:FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 132Ø IF WQ<2 THEN 133Ø ELSE 134Ø 133Ø PRINT"THE WIZARD WAS HOME. ALL YOUR MEN MET HORRIBLE DEAT HS BUT THE PROPERTY DAMAGE WAS M INIMAL.": AF (XX) = AF (XX) - SM: FOR PP =1 TO 92Ø:NEXT PP:GOTO 97Ø 1340 PRINT"THE WIZARD'S DEADLY M AGIC TRAPS DESTROYED YOUR HAPLES S THIEVES. ": AF (XX) = AF (XX) - SM: FOR PP=1 TO 92Ø:NEXT PP:GOTO 97Ø 135Ø CLS:PRINT"ARMED CONFLICT":P RINT"1. RECRUIT LOCALS": PRINT"2.

GHT...AND EXECUTED": AF(XX) = AF(X



<<< GIMMESOFT >>>



A new generation of Color Computer products

NEW DDD

GRAPHICS 25

444 NEW

(512k CoCo III only) Utilize the FULL 512k memory range of your CoCo ill from BASIC for graphics! Create up to 25 ONBOARD HIRES SCREENS! Six new BASIC commands allow instant display switching while secretly drawing other screens. Save and load screens to and from disk. Copy one screen to another. Fast Graphics action, Smooth animation, and 100% Machine Language code. Requires DECB 1.0, DECB 1.1, or FKEYS III. Complete with documentation. Disk\$24.95

MULTI-LABEL III

<CoCo III only>

Custom Palette Designer

(See July '87 review) Disk \$16.95

(See Aug '87 review) Disk \$14.95

FKEYS III

<CoCo I/II/III>

SIXDRIVE

(See April '87 review) Disk \$19.95

CoCo Max III

(CoCo III only)

More resolution, power, color, speed, tools, & type styles!!! Built in Animation! / Amazing Color Sequencing!!! Comes with HI-RES INTERFACE, MINILOAD/BAS, DEMO DISK, COCO SHOW PGM. Complete package \$79.95

AUTO DIM

(CoCo III only)

This hardware device protects your RGB or composite monitor, or your TV from IMAGE BURN after a few minutes of inactivity from your keyboard. Illustrated Just..... \$29.95 instructions and easy to install. (See January '88 review)

Now 2 styles

MPI-CoCo Locking Plate

Fits older MPI

Protects your CoCo III and Multi Pak Interface from destroying each other! Installs in seconds. MPI 26-3124 or 26-3024

NEW IMPROVED!

MAXSOUND

NEW LOW PRICE!

(128k or 512k CoCo III only)

Turn your CoCo III into a REAL digital audio sampler with HIGH quality audio reproduction. Easily add exotic effects, stuttering, speed shifting, sequencing, and reverse audio to BASIC or ML programs or GRAPHICS! Imagine recording any Voice, Music, or Sound effect and being able to use these DIGITAL recordings in your own programs! 3 disk set includes: INTERFACT/BIN - ML driver for sound effects. G&M/BAS - Adds sound effects to Graphics. SHOWTIME and DEMO disks. SCOPE/BAS - Turns CRT into a Digital Oscilloscope to look at MAXSOUND waveforms. Some possible uses are: Haunted house sound effects, Telephone answering machine, or Talking door bell. CALL FOR DEMO \$59.95

V-Term Terminal Emulator (128k or 512k CoCo III only)

V-Term is one of the most advanced terminal programs for the CoCo III ever!!! FEATURES: VT-100, VT-52, and standard CRT emulations. Full use of 512K, 80X28 text or graphics characters, Windows & Multi-tasking (Disk Basic!), RAMDISK like buffer, Xmodem, Xon/Xoff, Monochrome monitor support, Capture

PYRAMIX

(CoCo III only)

This 100% machine language arcade game was written exclusively to take advantage of your CoCo 3. The colors are brilliant, the graphics are sharp, and the action is hot! (See Dec. '87 review) Disk...... \$19.95

CHAMPION

(CoCo I/II/III)

Become a superhero in your fight to rid the world of the evil forces of Mr. Bigg in this action adventure. The combat is hot and heavy and requires a fast joystick! (See May '87 review) Disk...... \$19.95

Kung-Fu Dude

(CoCo I/II/III)

This is the long-awaited response to the huge demand for a Kung-Fu program for the CoCo. Destroy opponents and evade obstacles as you grow even closer to your ultimate objective! (See Feb. '88 review) Disk...... \$24.95

White Fire of Eternity

(CoCo I/II/III)

Enter the age of monsters, magic, and adventure. Here you will search for the legendary power of White Fire throughout the Forbidden Wood and dark caverns. (See Dec. '86 review) Disk...... \$19.95

In Quest of the Star Lord NEW >>>

A new animated graphics adventure for the CoCo III from the author of the Hall of the King Trilogy and Kung-Fu Dude! Enjoy the mixture of science and fantasy as you quest for the Phoenix Crossbow, the only thing that can save you in the post-holocaust world. 4 Disk sides of adventure! Outstanding 320x200 graphics! CoCo III 128k Disk \$34.95

Technical assistance: 7pm to 9pm Orders: 9am to 9pm Eastern time On-line orders and up to date information: Delphi's CoCo Sig

GIMMESOFT P.O. Box 421 Perry Hall, MD 21128 301-256-7558 or 301-256-2953 Add \$3.00 for shipping and handling Add \$2.00 for COD (USA only) MD residents add 5% sales tax VISA/MC/Check/Money Order/COD

HIRE MERCENARIES": PRINT"3. TRAI N AND EQUIP RECRUITS": PRINT"4. A MBUSH A GUILD": PRINT"5. AMBUSH A BUSINESS": PRINT"6. RETURN TO MA IN MENU" 136Ø I\$=INKEY\$:IF I\$="" OR I\$<"1 " OR IS>"6" THEN 1360 137 \emptyset I=VAL(I\$):ON I GOSUB 14 $\emptyset\emptyset$,1 420,1450,1470,1500,1390 138Ø RETURN 139Ø RETURN 1400 IF TB(XX)<2 THEN PRINT"YOU DON'T HAVE ENOUGH MEN TO RECR UIT.":FOR PP=1 TO 92Ø:NEXT PP:GO TO 135Ø ELSE TB(XX)=TB(XX)-2:INP UT"HOW MUCH MONEY ARE YOU GOING TO SPEND"; SM 141Ø IF SM>GP(XX) THEN PRINT"PRO MISES... BUT WHERE'S THE EY": FOR PP=1 TO 92Ø: NEXT PP: GOTO 135Ø ELSE GP(XX)=GP(XX)-SM:PD=R $ND(5\emptyset):SR=INT(SM/PD):RC(XX)=RC(XX)$ X) +SR: PRINT"YOU BEAT THE BUSHES AND FOUND"SR"NEW RECRUITS": FOR P P=1 TO 92Ø:NEXT PP:GOTO 1 142Ø IF TB(XX)<1 THEN PRINT"THEY WON'T JUST COME TO YOU, YOU MUS T GO TO THEM.":FOR PP=1 TO 92Ø:N EXT PP:GOTO 135Ø ELSE TB(XX)=TB(143Ø INPUT"HOW MUCH TO YOU WISH TO SPEND ON MERCS"; SM: IF SM>GP (XX) THEN PRINT"MERCENARIES ARE PAID SOLDIERS.": FOR PP=1 TO 92Ø: NEXT PP:GOTO 135Ø ELSE GP(XX)=GP (XX) -SM:SR=INT(SM/1ØØ):PRINT"YOU HIRED"SR"MERCS.":AF(XX)=AF(XX)+SR: FOR PP=1 TO 92Ø: NEXT P 144Ø GOTO 135Ø 145Ø CLS:PRINT"YOU HAVE"RC(XX)"R ECRUITS.": INPUT"HOW MUCH DO YOU WANT TO SPEND ONTRAINING"; SM: IF GP(XX) < SM THEN PRINT"TEACHERS' S ALARIES ARE A BIT HIGHER THAN WHAT YOU HAVE, BUT YOUR OFFER WAS NICE.":FOR PP=1 TO 92Ø:NEXT PP:GOTO 135Ø $146\emptyset$ GP(XX)=GP(XX)-SM:PD=RND(15 \emptyset):SR=INT(SM/PD):IF SR>RC(XX) THE N SR=RC(XX) 1465 PRINT"YOU TRAINED AND EQUIP ED"SR" RECRUITS.":RC(XX)=RC(XX) -SR:AF(XX) =AF(XX) +SR:FOR PP=1 TO 92Ø:NEXT PP:GOTO 135Ø 147Ø CLS: INPUT"WHICH GUILD DO YO U WISH TO AMBUSH"; AG: INPUT" HOW MANY MEN WILL YOU SEND"; SM: I F SM>TB(XX) THEN PRINT"DON'T SEN D MORE MEN THAN YOU HAVE": FOR PP=1 TO 92Ø:NEXT PP:GOTO 135Ø 1475 TB(XX) = TB(XX) - SM148Ø OF=GG(AG):GOSUB 2155:IF LO= XX THEN PRINT"YOU HAVE LOST YOUR DESTROY GUILD"AG:F BID TO OR PP=1 TO 920:NEXT PP:GOTO 1350 149Ø PRINT"YOU HAVE WON!!! CANDI DATE"AG" IS DEAD":GS(AG)=1:FOR P P=1 TO 92Ø:NEXT PP:GOTO 135Ø 1500 CLS: INPUT"WHICH BUSINESS WI LL YOU AMBUSH"; AG: INPUT"HOW MANY MEN WILL YOU SEND"; SM: IF SM>TB(XX) THEN PRINT"YOU HAVE TOO FEW TROOPS LEFT. ": FOR PP=1 TO 92Ø:NE XT PP:GOTO 135Ø 15Ø5 TB(XX)=TB(XX)-SM 151Ø OF=BG(AG):GOSUB 2155:IF LO= XX THENPRINT"BUSINESS"AG"IS STIL L OPEN.": FOR PP=1 TO 92Ø: NEXT PP :GOTO 135Ø 152Ø PRINT"YOU HAVE SUCCEEDED IN BUSINESS"AG".":BT(AG) CLOSING =1:PM=1:AT=AG:GOSUB 2Ø5Ø:FOR PP= 1 TO 92Ø:NEXT PP:GOTO 135Ø 153Ø IF DB+1=NP THEN FOR X=1 TO 4:IF GS(X)<>1 THEN CLS:SOUND 100 ,1:PRINT"PLAYER "X" REPRESENTING GUILD "GN\$(X)" IS THE W INNER": GOTO 164Ø 154Ø CLS: PRINT"ELECTION DAY HAS COME...WHO WILLBE THE NEXT KING" :FOR X=1 TO NP:TV(X)=((IC(X) *2)+ (GP(X)*5)+(AL(X))+RC(X)+AF(X)*3)155Ø KK(X)=TV(X):NEXT X:PRINT"TH E KING IS THE CANDIDATE FROM" 156Ø Y=Ø 157Ø Y=Y+1 158Ø IF Y>NP THEN 163Ø 159Ø IF TV(X)<Ø THEN 163Ø 1600 FOR Z=1 TO NP 161Ø IF KK(Y)>KK(X) THEN X=Y 162Ø NEXT Z 1625 GOTO 157Ø 163Ø PRINTGN\$(X);"(GUILD"X")" 164Ø I\$=INKEY\$:IF I\$="" THEN 164 165Ø INPUT"DO YOU WISH TO PLAY A GAIN"; X\$:IF LEFT\$(X\$,1)="Y" THEN RUN ELSE POKE 113, Ø: EXEC 40999 166Ø CLS:PRINT"STATUS REPORT":PR INT"GOLD PIECES"GP(XX):PRINT"INC OME"IC(XX):PRINT"INCOME THIS TUR N"TI(XX):PRINT"LAST TURN'S INCOM E"LI(XX):PRINT"RECRUITS"RC(XX):P RINT"TROOPS"; AF (XX): PRINT"UNCOMI TTED TROOPS"TB(XX) 167Ø I\$=INKEY\$:IF I\$="" THEN 167 168Ø CLS:PRINT"ALLIES"AL(XX):PRI NT"ALLY NUMBERS: ";: FOR FF=1 TO 1 44:IF BS(FF)=XX AND BT(FF)<>1 TH EN PRINTFF;:NEXT FF ELSE NEXT FF 169Ø PRINT:PRINT 1700 PRINT"INVESTMENTS: ";: FOR FF =1 TO 144:IF BS(FF)=XX+4 AND BT(



C				s over \$	subtract 15% OFF 50 subtract 20% OFF	
70)	2	S) oner exp	1103 473070	. !	0.4450	
	Name Address				GAMES	
	City		State	_Zip	Return of Junior's Revenge	
Add shipping: \$3 surface in the US	VISA Ma	your FREE catalog! sterCard	Exp.		Arcade of Donkey King Junior. Req CoCo 3 Disk, joystick	\$24.95
or \$6 for air/Canada.	Signature				Nuke the Love Boat Strategy simulation/adventure.	
This coupon must be presented or mentioned with order to receive discounts.		Item	Format	Price	Req CoCo 3 Disk, mouse or joystick Magic of Zanth	\$24.95
COMPUTERW	ADE .	6% Calif. S			Dragons, demons, graphics & adventure. Req CoCo 3 Disk	\$24.95
	• Encinitas, CA	00-3312	Add \$5 hipping* TOTAL		Iron Cross World War II simulation. Reg 64K, Ext Basic, RSDOS	\$24.95
		PERSONAL F	PRODUCT	IVITY——		024.55
PROGRAMMING TO CoCo 3 Ramdisk & Diagnostics 512K memory diagnostics, double ramo		CoCo Cookbook Recipe file stores title, ing format data base. Req 32K RSDOS			Pac Attack Popular arcade action. 16K cass 32K RSDOS	\$16.95 \$19.95
CoCo 3 Disk	\$19.95	C.E.O. Electronic desktop organ			BIC: Head Q-bert jumps over cubic surfaces. 16K cass	\$16.95
Color Basic Compiler Compiles Basic code into machine commands available. Req 32K RSDOS	language. List of \$29.95	calculator, clock with all drawer for memos. Req 64K RSDOS		directory, & file-	32K RSDOS Mr. Dig Dig-Dug arcade fun. 32K Cass	\$19.95 \$16.95
Macro Conditional Assembler Supports 6809 mneumonics & dir conditional assembly, repeat sequence files 32K RSDOS		Personal Finance System Checkbook organizer witl budgets, & special investm Req 32K, RSDOS, printe	nent & loan ca	nart of accounts, Iculation module. \$29.95	32K RSDOS Treasure of the Aztecs Unique graphic adventure in Mexico City. 64K cass	\$19.95
64K OS-9 Sourcerer	\$39.95	Merge 'n Mail Name & address data bas & merge feature for word or II only.	se with report I processor le	ts, label printing, tters. For CoCo I	64K RSDOS Escape: 2012	\$24.95
Disassembler & source generator. 32K RSDOS 64K OS-9	\$29.95 \$29.95	Req 64K RSDOS	ONLY_	\$29.95	Graphics space adventure with over 35 of rooms in 3 dimension maze of 4 levels w sequences.	
		Textools Utilities for text file manip			64K cass 64K RSDOS	\$19.95 \$24.95
BUSINESS APPLICAT (all require 64K & dual d	rives)	Req OS-9 OS-9 Combo Utilities	Zulation:	\$29.95	Sam Sleuth Work as a Private Eye to solve 3 cases — di time! Reg joystick or mouse	ifferent every
General Ledger Check Ledger Inventory Control	\$99.00 \$99.00 \$99.00	Utilities for every advance Req OS-9	ed user!	\$49.95	64K cass 64K RSDOS	\$19.95 \$24.95
Accts Payable Accts Receivable Payroll	\$99.00 \$99.00 \$125.00	OS-9 Basic Written for programmers Req OS-9	by programn	ners. \$39.95	Pro Golf Challenging simulation includes practice on p & driving range. 36 holes with life-like c master.	
MODEM SOFTWA	RE-	Data Master Full featured data base sy	vstem		Req 32K, RSDOS, Ext Basic	\$24.95
Color Connection Comprehensive modem software sup XMODEM protocol, & XON/XOFF; all b. able buffer, macros. CoCo I, II, & III Req 32K RSDOS	aud rates, expand-	Req 0S-9 Level 2 Screen Star Screen editor implementa Req 0S-9		\$49.95	Colorbowl Football Each team has 6 players & you control the or roving safety using joysticks. Practice against your opponent. 32K cass	alone or play \$19.95
OS-9 Connection Comprehensive modem software sup XMODEM protocol, & XON/XOFF; all b able buffer, macros. Level I & II inclu Req RS232 pak, OS-9	aud rates, expand-	w/Formatter OS-9 Text Formatter Advanced formatter interf Req OS-9 w/Screen Star	aces with any	\$74.95 y ASCII editor. \$34.95 \$74.95	Bio Detector Bio feedback & Lie detector game. All hard ware included. Req 16K	\$24.95 dware & soft- \$24.95

FF) <>1 THEN PRINTFF;: NEXT FF ELS E NEXT FF 171Ø PRINT: PRINT 172Ø PRINT"HIT 1 FOR MENU OR 2 T O END TURN." 173Ø I\$=INKEY\$:IF I\$="" OR I\$<"1 " OR I\$>"2" THEN 173Ø 174Ø I=VAL(I\$):ON I GOTO 7Ø,16Ø 175Ø IF DF(XX)=1 THEN 16Ø ELSE I F ZZ<2 THEN 1835 176Ø FOR PP=1 TO NP:Z(PP)=WB(PP) :X=Ø:NEXT PP 1770 X=X+1178Ø IF X>4 THEN 18ØØ 179Ø IF Z(X)<Ø THEN 177Ø 1800 FOR Y=1 TO 4 181Ø IF Z(Y) > Z(X) THEN X = Y1820 NEXT Y 183Ø WF=X 1835 FOR RR=1 TO 144:IF BS(RR)=X X OR BS (RR) = XX+4 THEN BG (RR) = \emptyset : N EXT RR ELSE NEXT RR 184Ø CLS:PRINT@268, "PLAYER"XX:PR INT@3Ø1, "WEEK"ZZ:SOUND 1ØØ,1 185Ø I\$=INKEY\$:IF I\$="" THEN 185 186Ø PRINT"WELCOME GUILDMASTER O F THE GUILD"GN\$(XX): IF WF=XX THE N PRINT"THE WIZARD SENDS A NOTE ALLIANCE." 187Ø FOR PP=1 TO 92Ø:NEXT PP 1875 INPUT"HOW MUCH GOLD DO YOU WISH TO SPEND ON THE WIZARD"; WB(XX):GP(XX)=GP(XX)-WB(XX) $188\emptyset \text{ GP(XX)} = \text{GP(XX)} + \text{TI(XX)} : \text{TI(XX)}$ =IC(XX):TB(XX)=AF(XX):LI(XX)=QI(XX) 1883 RETURN 1885 TI(XX) = IC(XX) : TB(XX) = AF(XX)189Ø RETURN 1900 CLS: PRINT"MONEYLENDERS": FOR Y=1 TO 6:PRINTY;:PRINTML\$(Y):NE XT Y:GOTO 2010 191Ø CLS:PRINT"INNS":FOR Y=1 TO 1920 IF Y=15 THEN I\$=INKEY\$:IF I \$="" THEN 192Ø 193Ø PRINTY+6;:PRINT IN\$(Y):NEXT Y:GOTO 2010 194Ø CLS:PRINT"CRAFTSMEN":FOR Y= 1 TO 5Ø 195Ø IF Y=15 OR Y=3Ø OR Y=45 THE N I\$=INKEY\$:IF I\$="" THEN 1950 196Ø PRINTY+26;:PRINT CM\$(Y):NEX T Y:GOTO 2010 197Ø CLS:PRINT"FARMERS":FOR Y=1 TO 60 198Ø IF Y=15 OR Y=3Ø OR Y=45 OR Y=55 THEN I\$=INKEY\$:IF I\$="" THE N 198Ø 199Ø PRINTY+76;:PRINT FM\$(Y):NEX T Y:GOTO 2010

2000 CLS: PRINT"LIVESTOCK TRADERS ":FOR Y=1 TO 8:PRINTY+136;:PRINT LT\$(Y):NEXT Y 2010 PRINT" (R) ETURN OR (C) ONTINU 2020 I\$=INKEY\$:IF I\$="R" THEN RE TURN ELSE IF I\$="C" THEN 2030 EL SE 2Ø2Ø 2Ø3Ø CLS:PRINT"1. MONEYLENDERS": PRINT"2. INNS": PRINT"3. CRAFTSME N":PRINT"4. FARMERS":PRINT"5. LI VESTOCK TRADERS" 2Ø4Ø INPUT WG:IF WG<1 OR WG>5 TH EN 2030 ELSE ON WG GOTO 1900,191 Ø,194Ø,197Ø,2ØØØ 2050 IF BS(AT)<1 THEN 2060 ELSE IF BS(AT)<5 THEN 2070 ELSE 2090 2060 RETURN $2\emptyset7\emptyset$ QD(AT)=BS(AT):IF AT<7 THEN RN=2ØØ ELSE IF AT<27 THEN RN=26Ø ELSE IF AT<77 THEN RN=28 ELSE I F AT<137 THEN RN=2Ø ELSE RN=21Ø 2Ø8Ø GOTO 21ØØ $2\emptyset9\emptyset$ QD(AT)=BS(AT):BS(AT)=BS(AT) -4:IF AT<7 THEN RN=45Ø ELSE IF A T<27 THEN RN=6ØØ ELSE IF AT<77 T HEN RN=6Ø ELSE IF AT<137 THEN RN =4Ø ELSE RN=42Ø 2100 IF PM=1 THEN 2110 ELSE 2120 $211\emptyset$ IC(BS(AT))=IC(BS(AT))-ZX(AT):AL(BS(AT))=AL(BS(AT))-1:BS(AT) =QD(AT):RETURN $212\emptyset ZX(AT) = ZX(AT) + RND(RN - ZX(AT)$): IC(BS(AT)) = IC(BS(AT)) + ZX(AT) : BS(AT) = QD(AT) : QI(BS(AT)) = IC(BS(AT)))):RETURN 213Ø CLS: PRINT"DO YOU REALLY, REA LLY WANT TO QUIT THIS AWESOME LLY FUN GAME? (ARE YOU POSITIVE ???) " 2140 INPUT VVS:IF VVS="Y" OR VVS ="YES" THEN END 215Ø GOTO 7Ø 2155 HA=SM:HB=OF 216Ø OA=(OF*2)+2Ø:AA=SM:PRINTAA" ATTACKERS";" "OF"DEFENDERS" 217Ø XF=RND(1Ø):YF=RND(15):IF (X F+OA) > (YF+AA) THEN SM=SM-INT(((X F+OA) - (YF+AA))/2) ELSE OF=OF-INT (((YF+AA)-(OA+XF))/2)218Ø IF OF<Ø THEN OF=Ø:LO=AG ELS E IF SM<Ø THEN SM=Ø:LO=XX 219Ø PRINT"ATTACKING FORCES: "SM: PRINT"DEFENDING FORCES: "OF 2200 IF OF=0 OR SM=0 THEN HA=ABS (SM-HA):AF(XX)=AF(XX)-HA:HB=ABS(OF-HB):AF(AT)=AF(AT)-HB:RETURN E LSE 216Ø 221Ø CLS:PRINT"BAD GONZO WHOPPER ERROR. IT'S ALL YOUR FAULT!":



Help for the amateur BASIC programmer

Easy As Pie

By Raymond Lueders

tilities 1 is a simple program to aid amateur programmers in performing certain functions from within their BASIC programs. It can also be used as a utility program to perform certain functions, such as Set Maximum Memory or Change Printer Line Width, etc.

This program is based strictly on PEEK and POKE commands. Upon execution, some of these commands will erase all of the memory contents. For this reason I highly recommend making a backup copy before running it. For example, Set Maximum Memory command allows you to access those addresses of memory set aside by the CoCo for graphics and, upon execution, will erase all the memory contents. Cold Start (re-boot) also erases the memory.

There are two uses for this program. First, it can be used as an aid for performing a certain function in your BASIC program. Let's say you want your program to cold start after execution and don't know what command to use. At the main menu, type the number for Cold Start and you

will see the command to use preceded with Line 100, which I used as an example. Copy down the command and place it in your program as it applies.

You can use *Utilities 1* as a utility program to perform a certain function such as Set Printer Line Width (depending on your printer type). From the main menu, enter the number for Set Printer Line Width. You are prompted to execute it. After execution, you will have set your printer's line width to that specified.

Take special care when typing in this program because typing in the wrong PEEK or POKE command may give unpredictable results. I also have included remarks and reset commands to complete the function. After executing one PEEK or POKE command, others executed may not function properly, depending on which ones were used prior to execution.

After running *Utilities I* a couple of times, you will notice that I used many of the commands myself. One example is Printer Not Ready, which is very useful in programs that use the printer (a simple error-trapping routine, you might say). To exit *Utilities I*, type 14.

Raymond Lueders lives in Hanover Park, Illinois, and is employed as purchasing manager with Heinz Plastic Mold Company.
Raymond is 26 years old and is an active Delphi member. His username is MOONSHINE.

Raymond is an active Delphi member is MOONSHINE.

For Tandy 1000, SX, TX



TANDY ADD-ONS

1000, SX, TX



1000, SX, TX




Rodime









2400 Baud 300/1200/2400 (Hayes Compatible)
Complete with software manuals

\$149.95

1000, SX, TX

40 Meg

Cards

\$499.95

300/1200 Modem	\$119.95
300/1200/2400 Modem	\$149.95
don outset	\$70 OF

Modem \$149.95 Mini IO \$79.95 2 Meg Board \$169.95

TANDY 1000

1000, SX, TX, 3000, 4000

2nd Floppy

		1-1-3
360K	TEAC	\$119.95
720K	Mitsubishi	\$99.95
31/2"	Mitsubishi	\$119.95
	(SAME)	A

1000, 1000A

Memory Cards

Zucker Memory

ONLY

DMA & 512K

CALL

Zucker Multifunction

- Serial
- Real Time Clock
- 512K DMA
- Software

CALL

Tandy 3000 & 3000HL

Hard Drive Kits
Includes Drive, Controller & Cable

20 Meg \$399.95 30 Meg \$599.95 40 Meg \$699.95 80 Meg \$999.95 Tandy Model 3, 4, 4P

Hard Drive Systems

External

Complete - ready to run

10 Meg **\$**499.95 20 Meg **\$**699.95



Tandy 1000, 1000SX, 3000 & 3000HL

Tape Backup

20, 30, 40 Meg Tape Backup

\$399.95

60 Meg Tape Backup Archive

\$659.95

TRUE DATA PRODUCTS

115 So Main Street Uxbridge, MA 01569

Tel. 617-278-6555 1-800-635-0300

Hours: 9 a.m.-6 p.m., Sat. 10 a.m.-4 p.m.

Software Included

- Pc-Write word processor
- Pc-Calc Spreadsheet
- Pc-File Database
- Print Spooler
- Ram Disk
- Runs all popular software



COMPATIB

Complete system


only

Hardware Included

- 4.77 mhz and 8mhz Turbo
- 360k Floppy Disk Drive
- Monochrome or Color Card
- At style Case w/pwr light & key
- · Game, Printer and Serial Port
- Real Time Clock
- 150 watt power supply
- 640k memory
- At keyboard optional expanded
- Monochrome Monitor
- Optional Hard Disk Drive



PRINTER CABLES AND INTERFACES AVAILABLE Call for current pricing



NX10 (New 120CPS NLQ 80 col.)

19995

NX15 (New 120CPS NLQ 132 col.)

34995

PANASONIC PRINTER

1080I (New 120CPS NLQ 80 col.)

17995

Complete Packages

NX10

10801 includes:

Panasonic 1080I Printer
 Star NX10 Printer

- Interface

Interface

includes:

- Screen Dump Program
 Screen Dump Program

TRUE DATA PRODUCTS



9 South Main Street Uxbridge, MA 01569 617-278-6555





Serial to Parallel Interface for Color Computer I, II, III

• 300-19,200 BAUD rates

External to printer — No AC plugs

 Built in modem/printer switch -No need for Y-cables or plugging/ unplugging cables

only

Power supply + 5.00

64K Upgrades

19 95

Video Driver

Enables your CoCo to operate with a video monitor instead of a television!

Screen Dump Program 1995

The best screen dump program for the Epson & Star printers ever!! Have the option of standard images reverse w/regular or double sized pictures.

Dealer Inquiries invited 617-278-6555

Call us today! 617-278-6555 Order Toll Free 1-800-635-0300

	/	
V		221093
35.5	360108	242031
	570179	267043
	78095	2840 202
	1100144	3020112
	127088	320059
	1470201	3420235
12	1640207	3560202
The same	1830115	3750155
	1990252	END65

The listing: UTILITY1

```
20 1*
3Ø '*
                               *
           UTILITIES 1
40 1*
5Ø '*
       BY:
            RAYMOND LUEDERS
6Ø '*
           HANOVER PK, IL
7Ø '*
8Ø 1*
9Ø '*********
løø '
11Ø '
12Ø '
13Ø '
14Ø '
15Ø '
16Ø GOTO23Ø
17Ø A=PEEK(116) *256+PEEK(117)-1Ø
\emptyset: X = INT(A/256): Y = A - (X*256): FORI =
A TO A +72: READB: POKEI, B: NEXTI: P
OKE362,126:POKE363,X:POKE364,Y:C
LEAR2ØØ, A: DATA5Ø, 1ØØ, 52, 2Ø, 189, 1
61,121,132,127,52,2,189,161,193,
142,4,254,189,167,211,182,1,83,1
29,191,38,37
18Ø DATA53,22,15Ø,255,129,8,38,7
,9Ø,39,31,48,31,32,15,129,32,37,
22,129,123,36,18,193,249,36,14,1
67,128,92,189,162,13Ø,52,2Ø,32,2
Ø1,53,22,151,255,57,198,1,32,251
19Ø CLS:PRINT:PRINT" KEY REPEAT
NOW ACTIVATED."
200 PRINT" HOLD DOWN A KEY AND P
RESS "
21Ø PRINT" THE <CLEAR> KEY.":PRI
NT:
22Ø END
23Ø '
24Ø CLSØ
25Ø PRINT: PRINT" ARE YOU USING A
                ";:
 COCO 3? (Y/N)
26Ø COCO$=INKEY$:IF COCO$="" THE
27Ø IF COCO$="Y" THEN 28Ø ELSE 2
```

```
9Ø
28Ø PALETTE12, Ø: PALETTE13, 48:ON
BRK GOTO 280:GOTO 300
29Ø IF COCO$="N" THEN 3ØØ ELSE 2
6Ø
3ØØ GOTO39ØØ
31Ø 'DEFINITIONS FOR HI-RES CHR
32Ø LA$="BM+1, ØU4E2F2D2BL4R4D2BR
33Ø LB$="BM+1, ØU6R3F1D1G1BL3R3F1
D1G1BL3R3BR4"
34Ø LD$="BM+1,ØBR3E1U4H1L3D6R3BR
35Ø LE$="BM+1, ØBR5BU6L5D3R3BL3D3
R5BR3"
36Ø LI$="BM+1, ØBU6R4BL2D6BL2R4BR
311
37Ø LL$="BM+1, ØU6BD6R5BR3"
38Ø LM$="BM+1, ØU6R1F2D1U1E2R1D6B
R3"
39Ø LN$="BM+1, ØU6F5BU5D6BR3
4ØØ LO$="BM+1, ØBR3L2H1U4E1R2F1D4
G1BR4"
41ø LR$="BM+1, ØU6R3F1D1G1BL3R3F1
D2BR3"
42Ø LS$="BM+1, ØBU1F1R2E1U1H1L2H1
UlElR2F1BD5BR3"
43Ø LT$="BM+1, ØBR6BU6L6BR3D6BR5"
44Ø LU$="BM+1,ØBU6D5F1R3E1U5BD6B
R3"
45Ø LY$="BM+1, ØBU6D2F2E2U2BL2BD4
D2BR5"
46Ø NO$(1)="BM+1,ØBU4E2D6BR3"
47Ø NO$(9)="BM+1, ØBU1F1R2E1U4H1L
2G1D1F1R3BD3BR4"
480 \text{ NO} (8) = "BM+1, ØBR3L2H1U1E1H1U
1E1R2F1D1G1L2BR2F1D1G1BR4"
49\emptyset NO$(6)="BM+1,\@BR5BU5H1L2G1D4
F1R2E1U1H1L3BD3BR6"
500 MUS$="04;T10;V12;A;V9;A;V6;A
; V3; A; V2; A; V1; A; "
510 'DISPLAY TITLE PAGE
52Ø PMODE4,1:PCLS:SCREEN1,1
53Ø PLAYMUS$
54Ø LINE(8,8)-(246,162), PSET, B
55Ø LINE(1Ø,1Ø)-(244,16Ø), PSET, B
56Ø LINE(12,12)-(242,158), PSET, B
57Ø LINE(14,14)-(24Ø,156), PSET, B
58Ø LINE(16,16)-(238,154), PSET, B
59Ø LINE(18,18)-(236,152), PSET, B
600 LINE(20,20)-(234,150), PSET, B
61Ø LINE(22,22)-(232,148), PSET, B
62Ø LINE(27,26)-(227,144), PSET, B
63Ø FOR X=1TO5ØØ:NEXT
64Ø DRAW"BM84,44;XLU$;XLT$;XLI$;
XLL$;XLI$;XLT$;XLI$;XLE$;XLS$;"
```

65Ø DRAW"BM174,44;XNO\$(1);" 66Ø FORX=1TO5ØØ:NEXT 67Ø DRAW"BM118,64;XLB\$;XLY\$;" 68Ø FORX=1TO5ØØ:NEXT 69Ø DRAW"BM67,1Ø4;XLR\$;XLA\$;XLY\$;XLM\$;XLO\$;XLN\$;XLD\$;" 7ØØ DRAW"BM134,1Ø4;XLL\$;XLU\$;XLE \$; XLD\$; XLE\$; XLR\$; XLS\$;" 71Ø FORX=1TO5ØØ:NEXT 72Ø DRAW"BM66,1Ø4;XLR\$;XLA\$;XLY\$;XLM\$;XLO\$;XLN\$;XLD\$;" 73Ø FORX=1TO2ØØ:NEXT 74Ø DRAW"BM133,1Ø4;XLL\$;XLU\$;XLE \$; XLD\$; XLE\$; XLR\$; XLS\$;" 75Ø FORX=1TO1ØØØ:NEXT 76Ø DRAW"BM68,1Ø4;XLR\$;XLA\$;XLY\$;XLM\$;XLO\$;XLN\$;XLD\$;" 77Ø FORX=1TO2ØØ:NEXT 78Ø DRAW"BM135,1Ø4;XLL\$;XLU\$;XLE \$;XLD\$;XLE\$;XLR\$;XLS\$;" 79Ø FORX=1TO5ØØ:NEXT 8ØØ DRAW"BM11Ø,12Ø;XNO\$(1);XNO\$(9);XNO\$(8);XNO\$(6);" 81Ø FORX=1TO5ØØ:NEXTX 82Ø Y=244:Z=16Ø 83Ø FORX=1ØTO85STEP2 84 \emptyset LINE(X,X)-(Y,Z),PSET,B 85Ø Y=Y-2:Z=Z-2 86Ø NEXTX 87Ø FORX=1TO1ØØ:NEXT 88Ø Y=244:Z=16Ø 89Ø FORX=1ØTO85 $9\emptyset\emptyset$ LINE(X,X)-(Y,Z),PSET,B 91Ø Y=Y-1:Z=Z-1 92Ø NEXTX 93Ø PLAYMUS\$ 940 GOSUB1330'MAIN MENU 95Ø IF MAIN\$="1"THENGOSUB153Ø 96Ø IF MAIN\$="2"THENGOSUB165Ø 97Ø IF MAIN\$="3"THENGOSUB177Ø 98Ø IF MAIN\$="4"THENGOSUB187Ø 99Ø IF MAIN\$="5"THENGOSUB219Ø 1000 IF MAIN\$="6"THENGOSUB2710 1010 IF MAIN\$="7"THENGOSUB2860 1020 IF MAIN\$="8"THENGOSUB3080 1030 IF MAIN\$="9"THENGOSUB3210 1Ø4Ø IF MAIN\$="1Ø"THENGOSUB334Ø 1050 IF MAIN\$="11"THENGOSUB3450 1Ø6Ø IF MAIN\$="12"THENGOSUB37ØØ 1070 IF MAIN\$="13"THENGOSUB1230 1Ø8Ø IF MAIN\$="14"THENGOSUB11ØØ 1Ø9Ø GOTO94Ø 1100 CLS: PRINT: PRINT" YOU MAY DI RECT QUESTIONS TO ME" 1110 PRINT" PLEASE SEND A SASE T O:":PRINT"" RAYMOND LUEDERS 112Ø PRINT" 113Ø PRINT" 1341 SEA BISCUIT LN"



THE COLOR COMPUTER MONTHLY MAGAZINE

Back Issue Availability

RAINBOW Back Issu
Rainbow Magazine
Services area or

BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users—a great way to expand your library!

A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS will not deliver to a post office box or to another country.

MOST ISSUES STILL AVAILABLE

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To check availability and order, review and fill out the form on the next page and mail it with your payment to:

THE RAINBOW

The Falsoft Building P.O. Box 385 Prospect, KY 40059

BACK ISSUE ORDER FORM

(See overleaf for instructions.)

MONTH/YE	MONTH/YEAR PRI		E .	MONTH/YEAR		PRICE		
	VOLUME 1			A SOUTH A SOUT	VOLUME 5			
JUL '81	Premier Issue	\$2.00		AUG '85	Games	\$3.95		
AUG '81	Tronner leade	\$2.00		SEP '85	Education	\$3.95		
SEP '81	Education	\$2.00	ō	OCT '85	Graphics	\$3.95		
OCT '81	Printer	\$2.00		NOV '85	Data Comm.	\$3.95		
NOV '81		\$2.00		JAN '86	Beginners	\$3.95		
DEC '81	Holiday	\$2.00		FEB '86	Utilities	\$3.95		
JAN '82	rionady	\$2.00		MAR '86	Business	\$3.95		
FEB '82		\$2.00		APR '86	Home Help	\$3.95		
MAR '82		\$2.50	ō	MAY '86	Printer	\$3.95		
APR '82		\$2.50	ō	JUN '86	Music	\$3.95		
JUN '82		\$2.50	ö	JUL '86	Anniversary	\$3.95		
0011 02		ΨΕ.ΟΟ	_	002 00	· · · · · · · · · · · · · · · · · · ·			
	VOLUME 2			VIII C	VOLUME 6			
JUN '83	Printers	\$2.95	0	AUG '86	Games	\$3.95		
JUL '83	Anniversary	\$2.95		SEP '86	Education	\$3.95	ò	
JUL 63	VOLUME 3	\$2.50		OCT '86	Graphics	\$3.95		
AUG '83	Games	\$2.95	0	NOV '86	Data Comm.	The second		
SEP '83	Education	\$2.95	ö	DEC '86	Holiday	\$3.95		
OCT '83		\$3.95		JAN '87	Beginners	\$3.95	Ö	
DEC '83	Graphics Holiday	\$3.95		Translate Section	Utilities	\$3.95		
MAR '84	Business	\$3.95		FEB '87 MAR '87	Business	\$3.95		
APR '84		\$3.95	STO V	APR '87	Home Help	\$3.95	ō	
UTIED IO POVIDE DAY	Gaming Printer	\$3.95		MAY '87	Printer	\$3.95	Ē	
MAY '84	Music	\$3.95	James Co.		Music	\$3.95		
JUN '84 JUL '84		\$3.95		JUN '87 JUL '87	Anniversary	\$3.95		
JUL 64	Anniversary	φο.συ	-	JUL 87	Alliiversary	40.00		
	VOLUME 4				VOLUME 7			
AUG '84	Games	\$3.95		AUG '87	Games	\$3.95	C	
SEP '84	Education	\$3.95		SEP '87	Education	\$3.95	E	
OCT '84	Graphics	\$3.95		OCT '87	Graphics	\$3.95	Е	
NOV '84	Data Comm.	\$3.95		NOV '87	Data Comm.	\$3.95	E	
DEC '84	Holiday	\$3.95		DEC '87	Holiday	\$3.95	E	
JAN '85	Beginners	\$3.95		JAN '88	Beginners	\$3.95	E	
FEB '85	Utilities	\$3.95		FEB '88	Utilities	\$3.95	C	
MAR '85	Business	\$3.95		MAR '88	Business	\$3.95	Г	
APR '85	Simulations	\$3.95				\$3.95	E	
MAY '85	Printer	\$3.95						
	Music	\$3.95						
MAY '85 JUN '85 JUL '85 RAINBOW II 1984, is print	Printer Music Anniversary NDEX A complet led in the July 19 h and Fifth Year	\$3.95 \$3.95 \$3.95 e inde: 984 iss	to thue. Se	parate copies	Home Help ears, July 1981 th are available fo OW ON TAPE are ar Index is in th	ro r\$	ugh 2.50	

TOTAL	-
KY RESIDENTS ADD 5%	_
U.S. MAIL CHARGESHIPPING & HANDLING U.P.S. CHARGE	
TOTAL AMOUNT	

In instances where a given issue is now out of print and not available for purchase, we do provide photocopies of specific articles. The cost for this service is \$1.50 plus 50 cents S/H per article. This service is provided only in the case of out-of-

stock issues.
Name
Address
City State ZIP
□ Payment Enclosed, or Charge to my: □ VISA □ MC □ AE
CARD#
EXPIRATION DATE PHONE ()
SIGNATURE

TO ORDER BY PHONE (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

```
114Ø PRINT"
               HANOVER PARK IL 6
ØlØ3"
115Ø PRINT
1160 PRINT" YOU CAN ALSO GET HOL
D OF ME ON"
117Ø PRINT" DELPHI."
118Ø PRINT" USERNAME 'MOONSHINE'
 FROM THE"
119Ø PRINT" COCO SIG."
1200 PRINT" -RAY-";:
121Ø PRINT: PRINT"": PRINT" HIT AN
Y KEY."
122Ø EXEC44539:END
123Ø ' EXIT TO BASIC
124Ø CLS:PRINT@8,"COLD START POK
E
125Ø PRINT: PRINT" CMD: 1ØØ POKE1
13, Ø: EXEC4Ø999": PRINT: PRINT" COM
MENTS: COLD-START"
126Ø PLAYMUS$
127Ø PRINT: PRINT" warning MEMORY
WILL BE ERASED": GOSUB 388Ø
128Ø IF A$="Y" THEN129ØELSERETUR
129Ø POKE113,Ø:EXEC4Ø999
13ØØ RETURN
131Ø '
132Ø 'MAIN MENU
133Ø CLS:PRINT@7,"*** MAIN MENU
***"
134Ø PRINT
135Ø PRINT"(1)
                PRINT DIRECTORY"
136Ø PRINT"(2)
                PRINTER NOT READ
Y PEEK"
137Ø PRINT"(3)
                DISABLE THE RESE
T BUTTON"
138Ø PRINT"(4)
               KEY REPEAT"
139Ø PRINT"(5)
                SET PRINTER LINE
 WIDTH"
1400 PRINT"(6)
                SET MAXIMUM MEMO
RY"
                HI SPEED POKE CM
141Ø PRINT"(7)
D"
142Ø PRINT"(8)
                ALTERNATE CMD FO
R INKEYS"
143Ø PRINT"(9)
                SLOW KEYBOARD RE
SPONSE"
144Ø PRINT"(1Ø) DISK OR CASSETTE
 PEEK"
145Ø PRINT"(11) DISK DRIVE LIGHT
 POKE"
146Ø PRINT"(12) DISABLE ALL FUNC
TIONS"
147Ø PRINT"(13) COLD-START POKE"
148Ø PRINT"ENTER NUMBER:";:INPUT
MAINS
149Ø IF VAL(MAIN$) < 1 THEN152Ø
1500 IF VAL(MAIN$)>14 THEN1520
151Ø RETURN
```



For peak performance with any computer, you have to get information into and out of the system as easily as possible

This is the purpose of the HJL family of professional enhancements for ALL MODELS of the Color Computer, including CoCo 3.

The Self-contained ProCase-57 Keyboard - \$79.95

It's the popular HJL keyboard perfectly fitted into its own sleek, low-profile case. Put your CoCo on a shelf or hang it on the side of your desk. ProCase-57 comes with 5-foot cable; installs in just a few minutes with no soldering.

The HJL-57 Keyboard Kit - \$59.95/69.95

Overwhelming favorite of serious CoCo users worldwide, the HJL-57 keyboard provides the smooth consistent feel and reliability you need for maximum speed with minimum input errors. Installs in your color computer without soldering. Just \$59.95 for Original or F-version. Kits for CoCo 2 and CoCo 3 are \$69.95.

The NumberJack Keypad - \$59.95

A self-contained numeric keypad for serious number-crunching. Besides the

numbers, it has all the cursors, symbols and math keys, including autoshifted ADD and MULTIPLY. Includes cable and connectors for solderless installation.

The Monitor Adapter - \$25.95

This universal driver works with all monochrome monitors. Easily installed without clips, jumpers or soldering (except some CoCo 2s with soldered-in video chips). Here's crisp, flicker-free monitor output with all the reliability you've come to expect from HJL Products.

The Monitor - \$99.95

Our high-resolution amber monitor gives you the display preferred by most computer pros. Once you've used it, you'll never go back to the TV set. 12-inch CRT has etched non-glare face-plate. (Requires adapter sold above)

Quick Basic Plus - \$19.95

High-performance programming aid works with any CoCo that has 4 function keys. 26 one-touch BASIC statements, 10 user-defined macros at a time (save as many sets of macros as you like), auto line-numbering, instant screen dump to printer, and global search, make this software ideal for any BASIC programmer. Specify disk or cassette.

The SoftSwitch - \$89.95

Connect any two parallel printers to one computer; select printers manually or insert a simple printer code in the text to be printed for fully-automatic, all solid-state switching. Complete with three cables and operating instructions.

The HJL Warranty

Every HJL product comes with a full, one-year warranty and the exclusive HJL 15-day unconditional guarantee (except software).

Pick a Pair and Save 15%

Take 15% off the price of any two or more products shown here. Just mention this ad when you order.

1-800-828-6968

In New York 1-800-462-4891 International calls: 716-235-8358



Div. of Touchstone Technology Inc. 955 Buffalo Road • P.O. Box 24954 Rochester, New York 14624

Ordering information: Specify model (Original, Fiversion, or CoCo 2 Model Number). Payment by C.O.D., check, MasterCard, or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping, 3.90 to Canada; except monitors (cell for shipping charges before ordering monitors). New York state residents add 7% sales tax. Dealer Inquiries Invited



RAINBOW'S BROADENING ITS SPECTRUM

THE RAINBOW and the Delphi Information Utility have joined together to allow CoCo owners all over the world to connect with one another!

Delphi is a full-service information utility. It offers everything from upto-the-minute news stories from The Associated Press to electronic mail services. But, best of all, it now has a special forum for Color Computer owners, and it's operated by the people who bring you THE RAINBOW each month.

The CoCo Special Interest Group (SIG) features a variety of services, including an open forum where you can send and receive messages from Color Computer owners all over the world. It also has several databases to which you can upload your favorite programs and from which you can download programs written by other CoCo enthusiasts. Some of these databases are BASIC programming, OS-9 and home applications.

When setting up your account with Delphi, if you do not have a credit card or prefer not to use it, Delphi requires that you send \$25 to give your account a positive balance. This will be refunded after your first free hour if you choose to no longer use the system or it will be applied to future connect charges. If you do not maintain a positive balance, you will be charged \$3.50 each month for direct billing.

PEEK INTO THE RAINBOW

The CoCo SIG's conference feature allows you to meet electronically with other members of the CoCo Community. You can join conferences with notables such as Dale Puckett, Cray Augsburg, Marty Goodman, Don Hutchison, Jim Reed, Lonnie Falk and others — on a regular basis. Conference schedules will appear in THE RAINBOW each month. Be sure to check online announcements for changes and additions.

THE OTHER SIDE OF THE RAINBOW

On Delphi, you also are able to buy RAINBOW ON TAPE — order a whole set, or download an individual program immediately. You can also renew your RAINBOW subscription, make a fast and easy order for software or hardware from a multitude of vendors, or inquire about products on the CoCo SIG.

We also have a number of programs that you can download and use, just for the cost of the time you spend transferring them. There'll also be corrections for RAINBOW articles, helpful hints and many other useful features.

FREE LIFETIME MEMBERSHIP

THE RAINBOW is offering subscribers a free lifetime subscription to Delphi — a \$24.95 value — and a free hour of connect time — a \$7.20 value at either 300, 1200 or 2400 Baud — so you can sample Delphi and the RAINBOW CoCo SIG. That's right. Your subscription to THE RAINBOW entitles you to this \$32.15 value as a free bonus!

If you're not a RAINBOW subscriber, just enter your order when you sign on with Delphi and you'll get the same great deal! For our \$31 subscription fee, you'll get the finest Color Computer magazine ever, a free lifetime subscription to Delphi and a free hour of connect time.

SAVE EVEN MORE

Want to save even more? While you're online you can order, for only \$29.95, a deluxe package which includes the Delphi membership, the Delphi Handbook and Command Card (\$21.95) and a total of three hours of connect time (\$21.60).

Delphi provides us all with Immediate CoCo Community. Check it out today. After all, you can sample it for free!

Problems? Call Delphi:

(800) 544-4005 (617) 491-3393

DELPHI TYPE:
GROUP COCO



How to reach RAINBOW's Color Computer SIG . . .

There are several ways to connect to Delphi and THE RAINBOW'S CoCo SIG. In most cities you will not even have to pay long distance charges; you can use special data communications networks like Telenet, Tymnet and the Canadian Datapac network.

First, set your terminal program to operate at either 300 or 1200 Baud (depending on the modem you have), and also select either 7 bits with even parity or 8 bits with no parity, and one stop bit. (If one combination doesn't work, try another.)

Decide which network you should use. There is no surcharge for Telenet or Tymnet. Canadian residents using Datapac will be charged an additional \$10.80 (U.S.) per hour

On Telenet: Uninet network has merged with Telenet. To get the Telenet number for your area, call (800) 336-0437. After you call the local access number and make connection, press ENTER twice. When the "TERMINAL=" prompt appears, press ENTER again. When the "@" prompt appears, type C DELPHI and press ENTER.

On Tymnet: Call (800) 336-0149 to get the Tymnet number for your area. After you dial your designated number and connect, you will see either "garbage" or a message saying "please type your terminal identifier." At this point, even if the screen is garbled, simply press 'A'. When "please log in:" appears, type DELPHI and press ENTER

From Canada (on Datapac): Call Delphi Customer Service at (617) 491-3393 to get the Datapac number for your area. After you connect, press the period key (.) and ENTER (use two periods if you're using 1200 Baud). Type SET 2:1, 3:126 and press ENTER. Now type p 1 3106, DELPHI; and press ENTER. Delphi's new rates indicate an additional \$10.80 hourly surcharge for evening use of Datapac, which means a total of \$18 (U.S.) for connect time

From other countries: Many countries have their own data networks that can connect to either Telenet or Tymnet. Check with the telephone authorities in your country for details on how to sign up for this service. When you have an account set up, you can reach Delphi with a "host code" of 3110 6170 3088 through Telenet, or 3106 90 6015 through Tymnet. (You'll have to pay the toll charges for this connection.)

Type in Your Username

If you're already a subscriber to THE RAINBOW, at the

"USERNAME:" prompt, type JOINDELPHI and press ENTER. At the "PASSWORD:" prompt, type RAINBOW. Then, at the "NUMBER:" prompt, type your individual subscription number from the mailing label of your latest issue of THE RAINBOW. (If there are one or more zeros at the beginning of this number, include them.)

If you don't already have a subscription, at the "USER-NAME:" prompt, type JOINDELPHI and press ENTER. At the "PASSWORD:" prompt, type SENDRAINBOW and press ENTER. Have your MasterCard, VISA or American Express card ready, because you'll be led through a series of questions that will enable us to put your RAINBOW and Delphi subscriptions into effect. In an effort to hold down non-editorial costs, we do not bill for subscriptions.

If you make a typing error, just use Control-X and start over. Remember that at any point, when you're on Delphi, you can type HELP to get help on how to use the system. To get off the system just type BYE.

If you find that you're unable to log on to Delphi and enter the CoCo SIG after following these instructions, call us during afternoon business hours at (502) 228-4492. We'll be glad to offer assistance.

Come Visit Us! Type: GROUP COCO

After you sign in, you'll be prompted to set up your own, personal "user name" — Delphi is a friendly service, no numbers to remember — and you'll be asked a number of questions so Delphi can set up your account. You'll also be assigned a temporary password.

Delphi will tell you that your account will be ready after 6 p.m. the same day if you sign up before noon (Eastern time zone.) If not, your account will be ready at 6 p.m. the next day. Once an account is verified and opened, each RAINBOW subscriber will be credited with an hour of free time!

When you log back in, use your chosen username and your temporary password to access the system. At that point, you will meet Max, who will help you configure things and will change your temporary password into your own personal password. This is the password you will use for subsequent sessions — or until you change it.

After Max bids you goodbye, you'll wind up at the Delphi Main Menu; type in GROUP COCO and join us on the CoCo SIG!


152Ø PLAYMUS\$: RETURN	187Ø '
153Ø '	188Ø 'KEY REPEAT
154Ø ' PRINT DIRECTORY	1890 CLS: PRINT@11, "KEY REPEAT"
1550 CLS:PRINT@8, "PRINT DIRECTOR	1900 PRINT: PRINT" CMD 100 A=PEEK
Υ"	(116)*256+PEEK(1"
156Ø PRINT: PRINT" CMD: 1ØØ POKE	191Ø PRINT" 17)-1ØØ:X=IN
111,254:DIR"	T(A/256):Y"
1570 PRINT: PRINT" COMMENTS: DISK	192Ø PRINT" =A-(X*256):F
BASIC ONLY"	ORI=A TO A"
158Ø GOSUB388Ø	193Ø PRINT" +72:READB:PO
	KEI, B: NEXT"
159Ø IF A\$="Y"THEN16ØØELSERETURN	
1600 PRINT: PRINT" PLEASE WAIT": F	194Ø PRINT" I:POKE362,12
ORX=1TO3ØØØ:NEXT:IF(PEEK(65314)A	6: POKE363,"
ND1)=1 THEN GOTO 161Ø ELSE GOTO	195Ø PRINT" X:POKE364,Y:
1640	CLEAR2ØØ, A"
161Ø PLAYMUS\$: PRINT: PRINT" PRINT	196Ø PRINT" : DATA5Ø, 1ØØ,
ER NOT READY"	52,20,189,"
	197Ø PRINT" 161,121,132,
162Ø GOTO158Ø	
163Ø IF A\$="Y" THEN158ØELSERETUR	127,52,2,1"
N	198Ø PRINT" 89,161,193,1
164Ø DIR: POKE111, 254: DIR: PRINT: R	42,4,254,1"
ETURN	199Ø PRINT" 89,167,211,1
165Ø '	82,1,83,12"
1660 ' PRINTER NOT READY PEEK	2000 PRINT" 9,191,38,37"
167Ø CLS:PRINT@6, "PRINTER NOT RE	2010 PRINT
ADY PEEK"	2020 PRINT" MORE. HIT ANY KEY";:
168Ø PRINT: PRINT" CMD: 1ØØ IF (P	2030 A\$=INKEY\$:IF A\$=""THEN2030
EEK(65314)AND1)=1";:	2Ø4Ø CLS:PRINT"":PRINT" CMD 11Ø
169Ø PRINT" THEN GOTO	DATA53,22,15Ø,255,129,"
	2Ø5Ø PRINT" 8,38,7,9Ø,39
1700 PRINT: PRINT" COMMENTS: IF L	,31,48,31,"
INE 100 RETURNS 1"	2Ø6Ø PRINT" 48,31,32,15,
171Ø PRINT" PRINTER IS	129,32,37,"
NOT READY"	2070 PRINT" 22,129,123,3
172Ø GOSUB388Ø	6,18,193,2"
173Ø IF A\$="Y"THEN174ØELSERETURN	2080 PRINT" 49,36,14,167
174Ø PRINT: PRINT" PLEASE WAIT": F	
1749 PRINT: PRINT PLEASE WAIT": F	,128,92,18"
ORX=1TO3ØØØ:NEXT:IF (PEEK(65314)	2Ø9Ø PRINT" 9,162,13Ø,52
AND1)=1 THEN GOTO175Ø ELSE GOTO1	,2Ø,32,2Ø1"
76Ø	21ØØ PRINT" ,53,22,151,2
175Ø PLAYMUS\$:PRINT:PRINT" PRINT	55,57,198,"
ER NOT READY": GOTO 1720	211Ø PRINT" 1,32,251"
176Ø PRINT: PRINT" PRINTER READY"	212Ø PRINT:PRINT" COMMENTS: USE
:GOTO 172Ø	<clear> KEY TO"</clear>
177Ø '	213Ø PRINT" REPEAT THE
178Ø ' PRINTER SCREEN MODE	KEY."
179Ø CLS:PRINT@4,"DISABLE THE RE	214Ø GOSUB 388Ø
SET BUTTON"	
	215Ø IF A\$="Y"THEN216ØELSERETURN
1800 PRINT: PRINT" CMD: 100 POKE1	216Ø GOTO17Ø
13,0"	2170
181Ø PRINT: PRINT" COMMENTS: RESE	218Ø CLS:PRINT:PRINT" KEY REPEAT
T COMMAND"	IN EFFECT.": END
182Ø PRINT: PRINT" CMD: 1ØØ POKE1	219Ø '
13,85"	22ØØ 'PRINTER LINE WIDTH
183Ø PRINT: PRINT" COLDSTARTS WHE	221Ø CLS:PRINT@5, "SET PRINTER LI
N RESET IS PUSHED"	NE WIDTH"
184Ø GOSUB388Ø	222Ø PRINT: PRINT" (1) 16 CPL"
185Ø IF A\$="Y"THEN186ØELSERETURN	223Ø PRINT" (2) 32 CPL"
186Ø POKE113,Ø:RETURN	224Ø PRINT" (3) 64 CPL"

225Ø PRINT" (4) 132 CPL (DEFAULT) " 226Ø PRINT" (5) 255 CPL" 227Ø PRINT" (6) EXIT TO MAIN MEN TI 228Ø PRINT: PRINT" ENTER NUMBER:" :PRINT:PRINT" ALL MAY not BE COM PATIBLE, ": PRINT" CONSULT YOUR PR INTER MANUAL";: 229Ø A\$=INKEY\$:IF A\$="" THEN229Ø 23ØØ IF VAL(A\$)<1 THEN233Ø 231Ø IF VAL(A\$)>6 THEN233Ø 232Ø GOTO234Ø 233Ø PLAYMUS\$:GOTO219Ø 234Ø IF A\$="1" THENGOSUB241Ø 2350 IF AS="2" THENGOSUB2470 236Ø IF A\$="3" THENGOSUB253Ø 237Ø IF A\$="4" THENGOSUB259Ø 238Ø IF A\$="5" THENGOSUB265Ø 239Ø IF A\$="6" THEN RETURN 2400 RETURN 241Ø '16 CPL 242Ø CLS:PRINT@5,"16 CHARACTERS PER LINE" 243Ø PRINT"":PRINT" CMD: 1ØØ POK E155,16" 244Ø GOSUB388Ø 245Ø IF A\$="Y"THEN246ØELSERETURN 246Ø POKE155,16:RETURN 247Ø '32 CPL 248Ø CLS:PRINT@5,"32 CHARACTERS PER LINE" 249Ø PRINT: PRINT" CMD: 1ØØ POKE1 55,32" 25ØØ GOSUB388Ø 251Ø IF A\$="Y"THEN252ØELSERETURN 252Ø POKE155,32:RETURN 253Ø '64 CPL 254Ø CLS:PRINT@5,"64 CHARACTERS PER LINE" 255Ø PRINT: PRINT" CMD: 1ØØ POKE1 55,64" 256Ø GOSUB388Ø 257Ø IF A\$="Y"THEN258ØELSERETURN 258Ø POKE155,64:RETURN 259Ø '132 CPL 2600 CLS:PRINT@4,"132 CHARACTERS PER LINE" 261Ø PRINT: PRINT" CMD: 1ØØ POKE1 55,132" 262Ø GOSUB388Ø 263Ø IF A\$="Y"THEN264ØELSERETURN 264Ø POKE155,132:RETURN 265Ø '255 CPL 266Ø CLS:PRINT@4,"255 CHARACTERS PER LINE" 267Ø PRINT: PRINT" CMD: 1ØØ POKE1

55,255"

268Ø GOSUB388Ø

269Ø IF A\$="Y"THEN27ØØELSERETURN 27ØØ POKE155,255:RETURN 271Ø ' 272Ø 'SET MAX MEMORY 273Ø CLS:PRINT@7,"SET MAXIMUN ME MORY" 274Ø PRINT: PRINT" CMD: 1ØØ POKE2 5,6:POKE26,1:" 275Ø PRINT" POKE1536, Ø: NEW" 276Ø PRINT: PRINT" USE BELOW POKE FOR DISK SYSTEMS" 277Ø PRINT" CMD: 1ØØ POKE25,14:P OKE26,1:" 278Ø PRINT" POKE3584, Ø: 279Ø PLAYMUS\$: PRINT: PRINT" warni ng WILL ERASE MEMORY!!!" 2800 PRINT" DOES NOT ALLOW USE O F GRAPHICS" 281Ø GOSUB388Ø 282Ø IF A\$="Y"THEN283ØELSERETURN 283Ø IF PEEK(188)=14 THEN 285Ø 284Ø CLS: PRINT: PRINT" CASS. SYSTE M POKE CMD EXECUTED!":FORX=1T02Ø ØØ:NEXT:POKE25,6:POKE26,1:POKE15 36,Ø:NEW 285Ø CLS:PRINT:PRINT" DISK SYSTE



The VIP Integrated Library combines all six popular VIP application programs - VIP Writer**, Speller, Calc, Database, Terminal and Disk-Zap - into one program on one disk. The program is called VIP Desktop. From the desktop you have instant access to word processing with a spelling checker always in attendance, data management with mail-merge, spreadsheet financial analysis, telecommunications and disk maintenance. Just move the hand to the volume on the bookshelf and the application is there. 64K req'd. VIP Integrated Library DISK \$149.95

** CoCo 3 owners: Purchase the VIP Integrated Library /WE (Writer Enhanced) which has VIP Writer III in place of VIP Writer. \$159.95 Previous VIP Library owners upgrade to the VIP Library /WE for \$49.95 + \$3 shipping. Send \$52.95 and original VIP Library disk.

SD Enterprises POB.1233. Gresham, Or. 97030 503 663-2865
Please add \$3.00 for shipping. COD orders add an additional \$2.25. Personal checks allow 3 weeks for delivery. All other orders shipped the same day.

M POKE CMD EXECUTED!":FORX=1T02Ø RESPONSE" 324Ø PRINT: PRINT" CMD: 1ØØ POKE2 ØØ:NEXT:POKE25,14:POKE26,1:POKE3 83,X" 584,Ø:NEW 325Ø PRINT: PRINT" X=5 TO 255, 5 286Ø ' IS THE FASTEST" 287Ø 'SET HI-SPEED POKE 288Ø CLS: PRINT@9, "HI-SPEED POKE" 326Ø PRINT: PRINT" RESET CMD FOR 289Ø IF COCO\$="Y"THEN293Ø ABOVE:" 327Ø PRINT: PRINT" CMD: 1ØØ POKE2 2900 PRINT: PRINT" CMD: 100 POKE6 83,4" 5495, Ø" 328Ø GOSUB388Ø 291Ø PRINT: PRINT" RESET POKE FOR ABOVE:" 329Ø IF A\$="Y"THEN33ØØELSERETURN 3300 PRINT: PRINT" ENTER X (5-255 292Ø PRINT: PRINT" CMD: 1ØØ POKE6) RECOMMEND 4Ø ":PRINT" 4 TO 5494, Ø": GOTO296Ø 293Ø PRINT: PRINT" CMD: 1ØØ POKE& RESET";: INPUT X 331Ø IF X<4 OR X>255 THEN 332Ø E HFFD9, Ø" 294Ø PRINT: PRINT" RESET POKE FOR LSE 333Ø ABOVE: " 332Ø PLAYMUS\$:GOTO33ØØ 295Ø PRINT: PRINT" CMD: 1ØØ POKE& 333Ø POKE283, X: RETURN HFFD8, Ø":GOTO296Ø 3340 ' 3350 'DISK OR CASS PEEK 296Ø PRINT: PRINT" COMMENTS: DOUB LES RUNNING SPEED" 336Ø CLS:PRINT@5,"DISK OR CASSET 297Ø PLAYMUS\$ TE PEEK" 337Ø PRINT: PRINT" CMD: 1ØØ IF PE 298Ø PRINT" warning USING HI-SPE EK(188)=14 THEN " ED HEATS" 299Ø IF COCO\$="Y"THEN3ØØØ:ELSE3Ø 338Ø PRINT: PRINT" IF LINE 100 RE TURNS 14 = DISK" lø 339Ø PRINT" IF LINE 1ØØ RETURNS 3ØØØ PRINT" UP CHIPS.":GOTO3Ø3Ø 3010 PRINT" UP CHIPS, ALSO WILL $\emptyset 6 = CASS"$ NOT WORK" 34ØØ GOSUB388Ø 341Ø IF A\$="Y"THEN342ØELSERETURN 3Ø2Ø PRINT" ON DISK OR CASSETTE I/0" 342Ø IF PEEK(188)=14 THEN GOTO34 3Ø3Ø GOSUB388Ø 3Ø ELSE GOTO344Ø 3430 PRINT: PRINT" 14, YOU ARE USI 3Ø4Ø IF A\$="Y"THEN3Ø5ØELSERETURN NG A DISK SYSTEM": FOR X=1 TO 400 3Ø5Ø IF COCO\$="Y"THEN3Ø6Ø ELSE 3 Ø7Ø Ø:NEXT:RETURN 344Ø PRINT: PRINT" 6, YOU ARE USI 3Ø6Ø POKE&HFFD9,Ø:RETURN NG A CASSETTE": FOR X=1T04ØØØ:NEX 3Ø7Ø POKE65495,Ø:RETURN T: RETURN 3Ø8Ø ' 3Ø9Ø 'ALTERNATE CMD FOR INKEY\$ 345Ø ' 3100 CLS:PRINT@3,"ALTERNATE CMD 346Ø 'DISK/DRIVE LIGHT FOR 'INKEY\$'" 347Ø CLS:PRINT@6,"DISK/DRIVE LIG 311Ø PRINT: PRINT" CMD: 1ØØ EXEC4 HT POKE" 4539" 348Ø PRINT: PRINT" CMD: 1ØØ POKE6 312Ø PRINT: PRINT" COMMENTS: HELP 5344,X 349Ø PRINT FUL WHEN MAXIMUM" 3500 PRINT" IF X=1 THEN IT USES 313Ø PRINT" MEMORY IS NEEDED" DRIVE Ø" 351Ø PRINT" IF X=2 THEN IT USES 314Ø GOSUB388Ø 315Ø IF A\$="Y"THEN316ØELSERETURN DRIVE 1" 316Ø CLS:PRINT:PRINT" 1Ø PRINT " 352Ø PRINT" IF X=4 THEN IT USES ;:PRINT CHR\$(34);:PRINT"HIT ANY DRIVE 2" 353Ø PRINT" IF X=64 THEN IT USES KEY.";:PRINT CHR\$(34) 317Ø PRINT" 2Ø EXEC44539" DRIVE 3" 318Ø PRINT:PRINT" RUN" 354Ø PRINT" IF X=Ø RESETS ABOVE 319Ø PRINT: PRINT" HIT ANY KEY." CMD'S" 32ØØ EXEC44539:RETURN 355Ø PRINT: PRINT" TURNS ON LIGHT 321Ø ' DOES NOT " 322Ø 'SLOW KEYBOARD RESPONSE 356Ø PRINT" EFFECT DISK/DRIVE MO 323Ø CLS:PRINT@4,"SLOW KEYBOARD TOR"

376Ø PRINT: PRINT" CMD: 100 POKE3 Ø1,129:POKE3Ø2,6Ø"

377Ø PLAYMUS\$:PRINT:PRINT" warni ng SAVE PROGRAM BEFORE "

378Ø PRINT" EXECUTING THIS COMMA ND."

379Ø PRINT" OR COPY DOWN THE RES ET CMD."

38ØØ GOSUB388Ø

381Ø IF A\$="Y"THEN382ØELSERETURN 3820 CLS:PRINT:PRINT" ALL FUNCTI ONS DISABLED"

383Ø POKE3Ø1,129:POKE3Ø2,119

384Ø PRINT: PRINT" TRY IT. TYPE ' LIST', AND VIEW"

385Ø PRINT" THE PROGRAM IN MEMOR Y, THEN"

3860 PRINT" TRY AND 'RUN' IT, OR 'SAVE' IT"

387Ø END

SPRING 1988

388Ø A\$="":PRINT:PRINT" EXECUTE? $(Y/N, \langle ENTER \rangle = N)$ ";:

389Ø A\$=INKEY\$:IF A\$="" THEN 389 Ø ELSE RETURN

39ØØ PMODE4,1:PCLS:SCREEN1,1 391Ø GOTO31Ø

359Ø IF PEEK(188)=6 THEN 361Ø 36ØØ GOTO363Ø 3610 PRINT" YOU HAVE A CASSETTE, TRY #10" 362Ø PRINT" FROM MAIN MENU.":FOR X=1TO4ØØØ:NEXT:RETURN 363Ø CLS:PLAYMUS\$:PRINT:PRINT" W ATCH LIGHT ON DRIVE #Ø":FOR X=1T O4ØØØ:NEXT 364Ø POKE65344,1:FOR X=1TO3ØØØ:N 365Ø POKE65344,Ø:FOR X=1T01ØØØ:N EXT 366Ø FOR X=1TO1Ø 367Ø POKE65344,1:FOR Y=1T015Ø:NE 368Ø POKE65344,Ø:FOR Y=1TO1ØØ:NE XTY:NEXT X 369Ø PLAYMUS\$:RETURN 37ØØ 371Ø 'DISABLE ALL FUNCTIONS 372Ø CLS:PRINT@6, "DISABLE ALL FU NCTIONS" 373Ø PRINT: PRINT" CMD: 1ØØ POKE3 Ø1,129:POKE3Ø2," 374Ø PRINT" 119"

358Ø IF A\$="Y"THEN359ØELSERETURN

357Ø GOSUB388Ø

Leonardos Pencil

(Reviewed in Oct. 87 RAINBOW) Makes programming sensational-looking graphics as easy as moving a joystick! Converts precision drawings into "DRAW" commands which can be standalone BASIC programs or merged into other programs. Also includes "DEMO" and "PAINT" programs. Requires a springcentered joystick or touch-pad. 32k ECB tape or disk \$14.95

? ENIGMA?

Transform your computer into an ultra-secret code machine capable of enciphering and deciphering in over 12 million virtually unbreakable codes! (not simple substitution codes). Print hard copy or store & retrieve coded data on tape or disk. Only the person who has the password can read it! 32k ECB tape or disk \$12.95

New! 82 Writer

Just answer the prompts & type your message; "EZ WRITER" will put it into perfect letter form and send it to your DMP or DWP. Professional-quality, single-page letters every time! Do one letter or multiple copies for "personalized" mailings. Saves letters and mailing lists. Even does labels. Menu-driven. Undoubtedly the EZ-est letter writing system available! Free sample on request! 32k ECB tape or disk \$19.95

EZ MATH PACKAGE
FOUR superior educational "games": "RACEWAY", "GO TO THE TOP" (multiplication tables drill), "WORD PROBLEMS", & "PYRA-MID". Covers addition, subtraction, multiplication, & division. Different levels of difficulty. Exciting graphics & sounds. EZ and fun! 32k ECB tape or disk \$19.95

KEYBOARD COMMANDER NEW!

Probably the most exciting typing tutor available for your CoCo. You are the commander of a space ship & it's your job to shoot down alien letters & words as they speed toward you & attack your spaceship. Exciting Hi-Res action! 32k ECB tape or disk \$24.95

E.Z. FRIENDLY SOFTWARE
HUTTON & ORCHARD STS. • RHINECLIFF, NY 12574 • (914) 876-3935 (Add \$1.50 s/h to all orders. NY residents add state sales tax.) ENCECE CONTRACTOR DE PROPERTOR D

NEW FROM K-SOFT

FROGDAY AFTERNOON

It ain't easy being a Frogman, and somebody's gotta keep the subs and torpedos and squids off his back. That's you!

You won't want to quit!

8 Levels - Disk only Not Protected - Coco 3 only

ZANDAR

(See Feb. and March Rainbow)

\$24.95 each Spring Special Save \$15 - Both for \$34.90

WA State residents add 7.5% sales tax Overseas send U.S. Money Order

Check - Money Order - C.O.D. Phone (509) 884-0338

K-Soft 300 13th N.E. E. Wenatchee, WA 98802

NEW FROM K-SOFT

0



eeping track of your finances is very important in this day and age, and your Color Computer can help. I have seen several programs for home budgeting lately, but have not seen any that suited my particular needs. So, I went ahead and created my own. There were four things in particular I wanted to accomplish:

- keep track of my income and expenses while staying balanced against my checking and savings account
- calculate my income and expenses by account (or category), and project a budget from these accounts
- keep an orderly record for filing an itemized 1040 income tax return (with check numbers or other information for proof of deductibility)
- 4) have provision for easy addition, deletion or correction of entries

To accomplish these requirements, I wrote two programs. The first program, Home Financial Analyst, keeps track of my income and expenses for a single month. The second program, Yearly Report, totals the monthly files together and gives a year-end (or part of the year) report and projects a monthly budget (adjusted for inflation, if you want). It also has an option to print out a form for planning your next month's budget. This is what budgeting is all about being able to see how you have spent your money in the past and using this information to plan how you are going to use your money in the future.

Running Home Financial Anaylst

Upon running Listing 1, BUDGET, you are asked to enter the month and year you will be working on (use numbers, not letters). After that, you just need to select a number off the screen to go to the function you want, as the program is menu-driven.

But there is one thing you must do at the beginning of each month — enter

Dan Piersma has an associate's degree in electronics and is currently employed as an electronic technician at a hospital in Evansville, Indiana. His wife, Michelle, is a registered nurse.

Get help at tax time by organizing your income, expenses and banking accounts

The Home Financial Analyst

By Daniel Piersma

your cash balance (total of checking, savings, etc.) in Account 100 as your first entry. After that, do not use Account 100 for the rest of the month. I have set up the account numbers so that accounts 100 through 140 are income accounts, accounts 200 through 283 are non-taxable expenses, and accounts 300

through 340 are tax-deductible expenses. The list of account numbers can be found by using the file maintenance option on the screen.

This program runs like a database program, which means each transaction you enter is filed in memory with a file number attached to it. Each file will

	BUDGET PLA	NNING FORM	
BUDGET PLAN FOR//		BUDGET PLAN FOR//	
100 CASH BALANCE		100 CASH BALANCE	
118 EARNED INCOME		110 EARNED INCOME	
128 INTEREST INCOME		120 INTEREST INCOME	
130 MISC. TAXABLE INCOME		130 MISC. TAXABLE INCOME	
14ø NON-TAXABLE INCOME		140 NON-TAXABLE INCOME	
200 FEDERAL WITHOLDING		299 FEDERAL WITHOLDING	
201 FICA		201 FICA	
202 STATE WITHOLDING		202 STATE WITHOLDING	
203 LOCAL WITHOLDING		283 LOCAL WITHOLDING	
21ø GROCERY EXPENSE	********	210 GROCERY EXPENSE	
22Ø WATER	********	22Ø WATER	
23Ø MORTGAGE		23Ø MORTGAGE	
24Ø GAS & ELECTRIC		24Ø GAS & ELECTRIC	
250 TELEPHONE		25Ø TELEPHONE	*******
260 CAR EXPENSE		260 CAR EXPENSE	
27Ø INSURANCE		27Ø INSURANCE	
280 HOUSE REPAIRS		280 HOUSE REPAIRS	*******
281 ANNUITY		281 ANNUITY	
282 MISC. EXPENSE	*********	282 MISC. EXPENSE	
283 LOAN PAYMENTS		283 LOAN PAYMENTS	
300 MEDICAL EXPENSE		300 MEDICAL EXPENSE	
31# CONTRIBUTIONS		31Ø CONTRIBUTIONS	*******
320 INTEREST PAID		320 INTEREST PAID	
33Ø TAXES PAID		33Ø TAXES PAID	
340 MISC. (TAX DED.)		34ø MISC. (TAX DED.)	

have five pieces of information in it: date, account number, amount, check number (or savings account) and any comments you may want to enter. By setting up the information by files, you can easily recall it from memory for editing or deletion. This also makes it possible to have a search function, which lets you search for dates, individual accounts, amount spent, or a check number.

The monthly program will generate three reports, which can be printed either to a printer or to the computer screen:

- 1) a report of each account number
- a report of all account total dollar amounts, with a grand total matched against your checking and savings accounts
- a report of each data file in numerical order (to aid in error detection and correction)

The program will save your files to, and load them from, disk upon selection from the menu. Use care when saving a file. The disk file titles are set up by the date you are working with; if you work on a month that already has a disk file created, trying to save new information may erase the old file. Also, if you load a file from disk or break the program and start over, all the files that were in the computer's memory will be gone. You will have to start from scratch if you haven't saved your information to disk.

One other thing I do is designate my checks for separate accounts. For example, I write one check for my mortgage, putting the interest in Account 320 and the principal in Account 230. This way, the interest is under a tax-deductible account, but both can still be referenced by the proper check.

Running Yearly Report

The report program is very simple to run and assumes you have your data files loaded in Drive 0 when you start. Just load and run Listing 2, REPORT. Enter the starting and ending dates. The program will ask if you want a budget planning form, which is a printout to be used to plan your budget. You are then asked for a cost of living factor, which will be used to print out a projected budget.

The budget figures are calculated by taking the total value for each account and dividing it by the number of months. Then it is multiplied by your cost of living factor and a report is

ACCOUNT NUMBER	CREDIT	PDTM
ACCOUNT NORDER	CREDIT	LDII
LØØ CASH BALANCE	\$ 2500.00	
110 EARNED INCOME	\$ 3336.72	
12Ø INTEREST INCOME	\$ 9.75 \$ Ø.ØØ \$ 15Ø.ØØ	
130 MISC. TAXABLE INCOME	\$ 0.00	
14Ø NON-TAXABLE INCOME	\$ 150.00	
200 FEDERAL WITHOLDING	\$	281.28
2Ø1 FICA	\$	183.96
202 STATE WITHOLDING	\$ \$ \$	20.70
203 LOCAL WITHOLDING	\$	6.24
21Ø GROCERY EXPENSE	Ş	187.65
220 WATER	5	39.75
230 MORTGAGE 240 GAS & ELECTRIC	\$	165.00
250 TELEPHONE	2	167.7Ø 74.55
260 CAR EXPENSE	3	165.30
270 INSURANCE	ž	27.00
28Ø HOUSE REPAIRS	š	9.99
281 ANNUITY	Š	150.00
282 MISC. EXPENSE	<i>\$</i>	29.85
283 LOAN PAYMENTS	\$	45.00
300 MEDICAL EXPENSE	\$	64.50
31Ø CONTRIBUTIONS	\$	90.00
32Ø INTEREST PAID	\$	340.10
33Ø TAXES PAID		137.70
340 MISC. (TAX DED.)	\$	Ø. ØØ
BEGINNING BALANCE & INCOME	\$ 5996.47	
TOTAL EXPENSE	\$ 2176.28	
END OF YEAR BALANCE	\$ 382Ø.19	
CHECKBOOK BALANCE	\$ 1410.07	
SAVINGS BALANCE	\$ 2410.12	
CASH BALANCE ON HAND	\$ 3820.19	

generated. The report program will take quite a bit of time to load and calculate all your transactions.

Variables and Strings

The program listings have remark statements that will help you follow the program operation. Listed below are most of the strings and variables and what they are used for in the program:

Expression	Function
A\$(C) - E\$(C)	Data fields
BA\$ - BF\$	Data field descrip-
	tions
M\$,AD\$	Month and account
	descriptions
AN\$	Account numbers
MM, MM\$,	Creates dates
YY, YY\$	Used in reports and
	disk files
TITLE\$	Used for naming
	disk data files
Н	H=0 print to screen/
	H=1 print to printer
W	Width of data fields
U,I,D,CB	Used in calculating
	income, expense and
	balance
CH,SA,BA	Checkbook and sav-
	ings balances and
	total

Here are a few program tips you might find helpful. Line 14 sets the printer speed at 1200 baud, and there are several places where a CHR\$(12) is

used to form feed reports. You may need to modify these to get the program to run with your printer. To change account descriptions, just change the DATA statements at the end of the program. To add or delete accounts, you must change the numbers for AD\$ and AN\$ in Line 10, change all values of Y used in the program, and add or delete DATA statements at the end of the program. Remember to change both program listings when you do this.

If you want to change the width of your data fields, you can change the value of W in Line 14 of BUDGET. You may need to change the tabs in the printer routines if you do this, though. If you need to expand the number of transactions per month, just change the numbers for A\$ through E\$ in Line 10 and clear 50 bytes of memory for as many files as you increase — and remember to do this to both programs.

I hope you find this program useful in helping save money on taxes and managing your money better. I think the next project will be to modify this program to keep a running balance of my checking and savings accounts. That's what a computer is for, to do our work for us. Right?

(Questions or comments regarding this program may be directed to the author at 1414 Thompson Ave., Evansville, IN 47715. Please enclose an SASE when writing for a reply.)



Tandy Computers: Because there is no better value.™

Tandy Color Computer 3 Disk System

Superb graphics and uncompromising performance at an incredible price.

Here's a powerful, low-cost system that does it all. The Color Computer 3 (26-3334, \$199.95) is a computer you can put to work right away for word processing, creating graphs and illustrations, spreadsheet analysis, budgeting—even writing your own programs! And it's expandable, too.

Disk drive power and flexibility

Get the most out of your Color Computer with the Color Computer Disk Drive (26-3133,



\$299.95). With this easy-to-connect drive, you can write your own sophisticated disk applications or utilize ready-to-run software on popular 5¹/₄" diskettes. We offer a wide selection of software—the number of applications is almost limitless.

DeskMate 3[™] seven-in-one software

Best of all, we've got a lowpriced software package that may be all you ever need: DeskMate 3 (26-3262, \$99.95). It's easy to use because there are no complicated commands to memorize, and the program itself actually guides you along with prompts at each step.

DeskMate 3 is an integrated program including Text word processing, a general-purpose text-entry and editing program. Text performs search and replace, file merge, and block select, copy and delete. Ledger is a simple spreadsheet which includes an easy-touse menu and automatic column formatting. Index Cards filing comes in handy as a personal filing system—it actually eliminates mounds of paperwork and records. Index Cards also allows you to enter and edit data and perform sorts and searches. Using Paint, you can create colorful charts, graphs and designs. Calendar is a simple monthly planner that allows you to list "to do's" for any date. Calculator has four functions for quick and easy calculations. With the included Telecom telecommunications program, you can access national information banks or send messages to other computers.

See what you've been missing

The Color Computer 3 offers better graphics than any previous




Color Computer. Simply connect the Color Computer 3 to the CM-8 high-resolution monitor (26-3215, \$299.95), and you can create incredibly detailed charts and graphs, make engineering drawings in vivid colors, or form simple sketches. Choose 160 × 192 or 320 × 192-resolution with 16 colors, or display 640 × 192 graphics and 4 colors. Extended BASIC language commands let you alternate screens, colors and backgrounds at a higher resolution. and you can choose from a palette of 64 colors.

Come in today!

Stop by your local Radio Shack and get the power of a full, disk-based system. The Color Computer 3 delivers professional performance—for less.





Listing 1: BUDGET

```
2 '*HOME FINANCIAL ANALYST*
4 '* 4/85 BY DAN PIERSMA
5 1*
       32K-ECB & 1 DISK
6 GOTO448
8 DIMENSION DATAFILES & DESCRIP
TIONS
1Ø CLEAR55ØØ: DIMA$(1ØØ), B$(1ØØ),
C$(1ØØ), D$(1ØØ), E$(1ØØ), M$(12), A
D$(25), AN$(25)
12 'SET BAUD 1200 & DEFINE NONVA
RIABLE STRINGS
14 W=8:POKE15Ø,41:V$=" "+STRING$
(3Ø,"*"):U$=STRING$(72,"-"):W$=C
HR$(32):BA$=" DAY (DD) ":BB$=" A
CCOUNT# ":BC$=" AMOUNT
                         ":BD$="
 CHECK #
         ":BE$=" COMMENTS ":BF$
="REC #"
16 'ENTER DATE
18 CLS:PRINT@9, "BUDGET MANAGER":
PRINT"ENTER MONTH AND YEAR THAT
      WILL BE ENTERING DATA ON.
":INPUT"MONTH (MM)
                    ";MM:INPUT"Y
EAR (YYYY) ";YY$
2Ø IFMM<lORMM>12THEN18
22 YY=VAL(YY$):IFYY<1984ORYY>198
8THEN18
24 'READ DESCRIPTIONS
26 FORM=1TO12:READM$(M):NEXT:FOR
AD=1TO25:READAD$(AD):NEXT
28 'CREATE DISK FILE TITLE
3Ø MM$=M$(MM):TITLE$=MM$+"-"+YY$
32 L=LEN(TITLE$)/2:Z=2Ø7-L
34 'CREATE MAIN MENU
36 H=Ø:CLS:PRINT@9, "BUDGET MANAG
ER": PRINT"
                SELECT A NUMBER
1-5"
38 PRINT@128, V$: PRINT" 1> FILE M
AINTENANCE": PRINT" 2> SEARCH FIL
E":PRINT" 3> GENERATE REPORTS":P
RINT" 4> SAVE FILE": PRINT" 5> LO
AD FILE": PRINTV$
4Ø L$=INKEY$
42 L=VAL(L$):IFL<10RL>5THEN4Ø
44 ONL GOTO48, 212, 276, 392, 42Ø
46 'FILE MAINTENANCE MENU
48 CLS3:PRINT@32,"
                         SELECT
```

A NUMBER 1-4":PRINT@16Ø,V\$:PRINT

```
" 1> ADD AN ENTRY": PRINT" 2> DEL
ETE AN ENTRY": PRINT" 3> EDIT OR
VIEW A FILE": PRINT" 4> LIST CHAR
T OF ACCOUNTS": PRINT" R> RETURN
TO MAIN MENU": PRINTV$
5Ø L$=INKEY$:IFL$="R"THENGOTO36
52 L=VAL(L$):IFL<10RL>4THEN5Ø
54 ONL GOTO58, 112, 128, 200
56 'ADD A FILE
58 CLS:PRINT@11, "ADD A FILE":GOS
UB452: PRINT@136, "FILE NUMBER: "C
+1:PRINT
60 PRINTBAS":";:LINEINPUTAS(C)
62 IFLEN(A$(C))<(W) THENA$(C)=A$(
C) +W$ELSE66
64 GOTO62
66 PRINTBB$":";:LINEINPUTB$(C)
68 IFLEN(B$(C)) < (W) THENB$(C) = B$(
C) +W$ELSE72
7Ø GOTO68
72 PRINTBC$":";:LINEINPUTC$(C)
74 IFLEN(C$(C)) < (W) THENC$(C) = C$(
C)+W$ELSE78
76 GOTO74
78 PRINTBD$":";:LINEINPUTD$(C)
8\emptyset IFLEN(D$(C))<(W)THEND$(C)=D$(
C)+W$ELSE84
82 GOTO8Ø
84 PRINTBES":";:LINEINPUTES(C)
86 IFLEN(E$(C))<(W*2)THENE$(C)=E
$(C)+W$ELSE9Ø
88 GOTO86
9Ø IFLEN(A$(C))>(W)THEN58
92 IFLEN(B$(C))>(W)THEN58
94 IFLEN(C$(C))>(W)THEN58
96 IFLEN (D$ (C) ) > (W) THEN 96
98 IFLEN(E$(C))>(W*2)THEN58
100 X=C:GOSUB446
1Ø2 PRINT"IS THIS CORRECT <Y/N>"
1Ø4 L$=INKEY$:IFL$="Y"THEN1Ø8
1Ø6 IFL$="N"THEN58ELSE1Ø4
1Ø8 C=C+1:GOTO48
110 'DELETE A FILE
112 CLS:PRINT@128,V$:PRINT" *
     DELETE A FILE
                          *": PRIN
T" * PRESS <R> TO RETURN TO MENU
*": PRINT" *
                 OR <C> TO CONTIN
       *": PRINTV$
UE
114 L$=INKEY$:IFL$="C"THEN118
116 IFL$="R"THEN36ELSE114
118 INPUT"RECORD # TO BE DELETED
 :";D
12Ø FORX=(D-1)TOC-1
122 A$(X)=A$(X+1):B$(X)=B$(X+1):
C$(X) = C$(X+1) : D$(X) = D$(X+1) : E$(X)
) = E$(X+1)
124 NEXTX: CLS: PRINT@232, "FILE DE
LETED":FORT=1T08ØØ:NEXTT:C=C-1:G
OT036
126 'EDIT A FILE
128 CLS:GOSUB452:PRINT:INPUT" EN
```

TER FILE NUMBER :"; E: X=E-1: IF(X) >(C) THEN128ELSEGOSUB446 13Ø PRINT" EDIT WHICH FIELD OR PRESS <R> T <1-5>":PRINT" O RETURN" 132 L\$=INKEY\$:IFL\$=""THEN132 134 IFL\$="R"THEN36 136 L=VAL(L\$):IFL<1ORL>5THENGOTO 132 138 ONL GOTO14Ø, 156, 166, 176, 186 14Ø PRINTBA\$":";:LINEINPUTA\$(X) 142 IFLEN(A\$(X))<(W) THENA\$(X)=A\$ (X) + W\$ELSE146 144 GOTO142 146 IFLEN(A\$(X))>(W)THEN128ELSE1 48 148 GOSUB446 15Ø PRINT"IS THIS CORRECT <Y/N>" 152 L\$=INKEY\$:IFL\$="Y"THEN36 154 IFL\$="N"THEN13ØELSE152 156 PRINTBB\$":";:LINEINPUTB\$(X) 158 IFLEN(B\$(X)) < (W) THENB\$(X) = B\$ (X) + W\$ELSE162 16Ø GOTO158 162 IFLEN(B\$(X))>(W)THEN128ELSE1 164 GOSUB446:GOTO15Ø 166 PRINTBC\$":";:LINEINPUTC\$(X)

(X)+W\$ELSE172 17Ø GOT0168 172 IFLEN(C\$(X))>(W)THEN128ELSE1 174 GOSUB446:GOTO15Ø 176 PRINTBD\$":";:LINEINPUTD\$(X) 178 IFLEN (D\$(X)) < (W) THEND\$(X) = D\$ (X)+W\$ELSE182 18Ø GOT0178 182 IFLEN(D\$(X))>(W)THEN128ELSE1 184 GOSUB446:GOTO15Ø 186 PRINTBES":";:LINEINPUTES(X) 188 IFLEN(E\$(X))<(W*2)THENE\$(X)= E\$(X)+W\$ELSE192 19Ø GOTO188 192 IFLEN(E\$(X))>(W*2)THEN128ELS E194 194 GOSUB446:GOTO15Ø 196 GOTO48 198 'LIST CHART OF ACCOUNTS 200 CLS0:PRINT@192,"DO YOU WANT A HARD COPY <Y/N> ?" 2Ø2 L\$=INKEY\$:IFL\$="Y"THEN2Ø6 2Ø4 IFL\$="N"THEN2Ø8ELSE2Ø2 2Ø6 PRINT#-2,"LIST OF ACCOUNTS": FORY=1TO25: PRINT#-2, AD\$(Y): NEXTY :GOT036

IF YOU PLAY LOTTO TO WIN THEN YOU NEED LOT-PRO

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

RAINBOW

LOT-PRO IS SPECIFICALLY DESIGNED FOR THE COLOR COMPUTER and features:

\$ \$

168 IFLEN(C\$(X))<(W) THENC\$(X)=C\$

\$ \$ \$ \$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

-A handicapping system for any pick-6 lotto

-Choice of 6 wheeling systems to increase your winning probabilities \$

-LOT-PRO SYSTEM 60 number selection routine option

ONLY \$25.95 (specify disk or tape) (Ca. residents add 6% sales tax)

> CJN Enterprises P.O. Box 40487

Bakersfield, CA. 93384-0487 (805)-836-1323

Invest in LOT-PRO. It might make YOU RICH!

(printer needed) \$ \$ \$ \$

ENVELOPE & LABEL ADDRESSING

208 CLS: PRINT@7, "CHART OF ACCOUN

Automatically addresses all standard envelopes or labels using a choice of size options for either!!

THESE FILES MAY BE USED FOR RECORDS OTHER THAN ADDRESSESS!!! IMAGINATION IS ALL THAT'S NEEDED!!! There are 15 files that hold 18 records per file! This TOTALS 270 ADDRESSES, or records that can be stored per disk!! They are divided alpabetically into the 15 files where they are alphabetically arranged! Each record can hold 8 lines of 64 characters per line!!

WELL DOCUMENTED WHILE RUNNING + INSTRUCTION BOOKLET! 10 MENU DRIVEN ROUTINES TO FULLY MANIPULATE FILES AND RECORDS INCLUDING; SEARCH; UPDATE AND DELETE! UNLIMITED STORAGE CAPACITY WITH BACKUP DISKS YOU MAKE! REQUIRES: CoCo 3; Disk Drive; Printer; Monitor OR TV!

R.J.F. SOFTWARE; R.R. #2; WHITE LAKE, ONTARIO; KOA 3LO PHONE (613) 623-7824

This program has been sealed and certified by RAINBOW MAGAZINE! SEE REVIEW IN THE MARCH/88 ISSUE!!

\$14.95 U.S. FUNDS plus \$3.00 Shipping and Handling. Visa; Money Order or Personalized Check accepted! Residents add 7% Provincial Sales Tax.

CoCo 3 WORD PROCESSOR for a DMP105 or DMP106 PRINTER and DISK DRIVE. Can be used with a monitor OR TV!!! Underlining, bold and all font styles + much more!!!!! SUPER WORD PROCESSOR ON A 64 COLUMN SCREEN!!! \$19.95 U.S. FUNDS plus \$3.00 Shipping and Handling. add 7% Provincial Sales Ontario residents

```
#)":PRINT" R> RETURN TO MAIN MEN
TS":FORY=1TO25:PRINTAD$(Y):FORT=
1TO5ØØ:NEXTT:NEXTY:GOTO36
                                     U": PRINTV$
21Ø 'SEARCH FUNCTION
                                     284 FORY=1TO25:AN$(Y)=MID$(AD$(Y
212 CLS:PRINT"
                       SEARCH FUN
                                     ),1,3):NEXTY
                                     286 L$=INKEY$:IFL$="R"THEN36
CTION"
                                     288 L=VAL(L$):IFL<1ORL>3THEN286
214 PRINT"DO YOU WANT A HARD COP
                                     29Ø ONL GOTO294,338,386
Y <Y/N>"
216 H$=INKEY$:IFH$="N"THEN224
                                     292 'REPORT EACH ACCOUNT
                                     294 IFH=1THENGOSUB44Ø:PRINT#-2
218 IFH$="Y"THEN22ØELSE216
22Ø H=1
                                     296 FORY=1T025
                                     298 IFH=1ANDY=6THENGOSUB3Ø8:GOTO
222 IFH=1THENGOSUB44Ø
224 LINEINPUT"DATA TO LOOK FOR:"
                                     3ØØ IFH=1ANDY=1Ø THENGOSUB3Ø8:GO
226 IFLEN(T$)<(W)THENT$=T$+W$ELS
                                     T031Ø
E23Ø
                                     3Ø2 IFH=lANDY=17THENGOSUB3Ø8:GOT
228 GOTO226
                                     031Ø
23Ø PRINT: PRINT" SELECT FIELD TO
                                     3Ø4 IFH=1ANDY=21THENGOSUB3Ø8:GOT
SEARCH"
                                     031Ø
232 PRINT" 1> ";BA$:PRINT" 2> ";
                                     3Ø6 GOTO31Ø
BB$:PRINT" 3> ";BC$:PRINT" 4> ";
                                     3Ø8 PRINT#-2, CHR$(12):GOSUB44Ø:P
BD$:PRINT" R> RETURN TO MAIN MEN
                                     RINT#-2:RETURN
U"
                                     31Ø IFH=1THENPRINT#-2, TAB(22) AD$
234 L$=INKEY$:IFL$=""THEN234
                                     (Y)
236 IFL$="R"THEN36
                                     312 FORX=ØTOC-1
238 L=VAL(L$)
                                     314 IFAN$(Y)=MID$(B$(X),1,3)THEN
24Ø IFL<10RL>4THEN234ELSE242
                                     316ELSE322
242 ONL GOTO244,254,258,262
                                     316 IFH=1THENGOSUB266
244 FORX=ØTOC-1: IFA$(X)=T$THENGO
                                     318 IFH=ØTHENGOSUB272
                                     32\emptyset U=U+VAL(C$(X))
SUB266ELSE246
246 NEXTX
                                     322 NEXTX: IFU=ØTHEN324ELSE328
248 CLS: PRINT@232, "NO MORE FILES
                                     324 IFH=1THENPRINT#-2
":FORT=1T08ØØ:NEXTT
                                     326 GOTO332
25Ø IFH=1THENPRINT#-2,CHR$(12)
                                     328 IFH=1THENPRINT#-2, "TOTAL FOR
252 GOTO36
                                      ACCOUNT"TAB(2Ø):PRINT#-2,USING"
254 FORX=ØTOC-1: IFB$(X)=T$THENGO
                                     $#####.##";U:PRINT#-2:U=Ø
SUB266ELSE256
                                     33Ø IFH=ØTHENPRINT"TOTAL FOR ACC
256 NEXTX: GOTO248
                                     OUNT "; AN$ (Y); " $"U:U=Ø:FORT=1TO
258 FORX=ØTOC-1:IFC$(X)=T$THENGO
                                     1000:NEXTT
SUB266ELSE26Ø
                                     332 NEXTY: IFH=1THENPRINT#-2, CHR$
26Ø NEXTX:GOTO248
                                     (12)
262 FORX=ØTOC-1:IFD$(X)=T$THENGO
                                     334 GOTO36
SUB266ELSE264
                                     336 CHART OF ACCOUNTS
264 NEXTX: GOTO248
                                     338 IFH=1THENPRINT#-2, TAB(25) TIT
266 IFH=1THENGOSUB27ØELSE272
                                     LE$;" CHART OF ACCOUNTS":PRINT#-
268 RETURN
                                     2:PRINT#-2,U$:PRINT#-2,"ACCOUNT
27\emptyset PRINT#-2,A$(X)TAB(1\emptyset)B$(X)TA
                                     #"TAB(32) "CREDIT"TAB(52) "DEBIT":
B(2\emptyset) "$"C$(X) TAB(3\\ \\ D$(X) TAB(4\\ \\ \\ \)
                                     PRINT#-2,U$
E$(X) TAB(59) X+1: RETURN
                                     34Ø INPUT"ENTER CHECKBOOK BALANC
272 GOSUB446:FORT=1T08ØØ:NEXTT:R
                                     E"; CH: INPUT"ENTER SAVINGS BALANC
ETURN
                                     E ";SA:BA=SA+CH
274 'REPORT SETUP & MENU
                                     342 CLS:FORY=1TO5:V=3Ø:GOSUB348
276 CLSØ: PRINT@192, "DO YOU WANT
                                     344 I=U+I:U=Ø:NEXTY
A HARD COPY <Y/N> ?"
                                     346 V=5Ø:GOTO36Ø
278 L$=INKEY$:IFL$="Y"THENH=1:GO
                                     348 FORX=ØTOC-1
T0282
                                     35Ø IFAN$(Y)=MID$(B$(X),1,3)THEN
28Ø IFL$="N"THEN282ELSE278
                                     U=U+VAL(C$(X))
282 CLS3:PRINT"
                        REPORT GE
                                     352 NEXTX
NERATION": PRINT@16Ø, V$: PRINT" 1>
                                     354 IFH=1THENPRINT#-2, AD$(Y)TAB(
 REPORT FOR EACH ACCOUNT #":PRIN
                                     V):PRINT#-2,USING"$#####.##";U
T" 2> REPORT OF ACCOUNT TOTALS":
                                     356 IFH=ØTHENPRINTAN$(Y);" $";U
PRINT" 3> REPORT OF ALL TRANSACT
                                     358 RETURN
          (OR LIST ALL FILES BY
IONS
                                     36Ø FORY=6TO25:GOSUB348
```


```
362 D=D+U:U=Ø:NEXTY
364 CB=I-D:IFH=ØTHEN366ELSE374
366 PRINT"TOTAL INCOME
                             $";I
:PRINT"TOTAL EXPENSE
                          $";D:PR
                       $"; CB: PRIN
INT"CASH BALANCE
368 PRINT"CHECKBOOK BALANCE $";C
H: PRINT"SAVINGS BALANCE
                           $";SA:
                         $";BA
PRINT"CASH BALANCE
37Ø IFINT(BA)=INT(CB)THENPRINT"
*****STATEMENT BALANCES*****
LSEPRINT"??DOES NOT BALANCE PLEA
SE REDO??"
372 FORT=1T01ØØØ:NEXTT:GOT0382
374 IFH=1THENPRINT#-2:PRINT#-2,"
TOTAL CREDITS"TAB(3Ø):PRINT#-2,U
SING"$#####.##";I:PRINT#-2,"LESS
 TOTAL DEBITS"TAB(3Ø):PRINT#-2,U
SING"$#####.##"; D: PRINT#-2, "CASH
 BALANCE"TAB(3Ø):PRINT#-2,USING"
$#####.##";CB:PRINT#-2
376 PRINT#-2, "CHECKBOOK BALANCE"
TAB(3Ø):PRINT#-2,USING"$#####.##
"; CH: PRINT#-2, "PLUS SAVINGS BALA
NCE"TAB(3Ø):PRINT#-2,USING"$####
#.##";SA:PRINT#-2,"CASH BALANCE"
TAB(3Ø):PRINT#-2,USING"$#####.##
";BA:PRINT#-2
378 IFINT(CB)=INT(BA)THENPRINT#-
2, TAB(2Ø) "*****STATEMENT BALANCE
S****"ELSEPRINT#-2, TAB(2Ø)"??TO
TALS DO NOT ADD PLEASE REDO??"
38Ø PRINT#-2, CHR$(12)
382 D=Ø:I=Ø:GOTO36
384 'LIST OF DATA FILES
386 IFH=1THENGOSUB44Ø:GOTO442
388 FORX=ØTOC-1:GOSUB446:FORT=1T
095Ø:NEXTT:NEXTX:GOTO36
39Ø 'SAVE TO DISK
392 CLS3:PRINT@192," INSERT DATA
 DISK IN DRIVE #Ø ":PRINT" PRESS
 <C> TO CONTINUE OR <R>
                            TO RE
TURN TO MAIN MENU.
394 L$=INKEY$:IFL$="C"THEN398
396 IFLS="R"THEN36ELSE394
398 PRINT"SAVE TO DISK-ARE YOU S
URE <Y/N>"
400 L$=INKEY$:IFL$="Y"THENGOTO40
4Ø2 IFL$="N"THENGOTO36ELSE4ØØ
4Ø4 CLS:PRINT@14Ø, "SAVING":PRINT
@Z,TITLE$:PRINT@267,"DATA FILE"
406 OPEN"O", #1, TITLE$
4Ø8 X=Ø
41Ø IFA$(X)=""THEN416
412 WRITE#1,A$(X),B$(X),C$(X),D$
(X), E$(X)
414 X=X+1:GOTO41Ø
416 CLOSE#1:GOTO36
```

418 'LOAD FROM DISK

42Ø CLS3: PRINT@192," INSERT DATA DISK IN DRIVE #Ø":PRINT" PRESS <C> TO LOAD DATA OR <R> TO RET URN TO MAIN MENU." 422 L\$=INKEY\$:IFL\$="C"THEN426 424 IFL\$="R"THENGOTO36ELSE422 426 CLS:PRINT@14Ø, "LOADING":PRIN T@Z, TITLE\$: PRINT@267, "DATA FILE" 428 OPEN "I", #1, TITLE\$ 43Ø X=Ø 432 INPUT #1, A\$(X), B\$(X), C\$(X), D (X), E(X): X=X+1434 IFEOF(1)=-1THEN436ELSE432 436 CLOSE #1:C=X:N=C:GOTO36 438 'PRINTER SUBROUTINE 44Ø PRINT#-2, TAB(32) TITLE\$: PRINT #-2,U\$:PRINT#-2,BA\$TAB(1Ø)BB\$TAB (2Ø) BC\$TAB(3Ø) BD\$TAB(4Ø) BE\$TAB(5 9) BF\$: PRINT#-2, U\$: RETURN 442 FORX=ØTOC-1:PRINT#-2,A\$(X)TA $B(1\emptyset)B\$(X)TAB(2\emptyset)"\$"C\$(X)TAB(3\emptyset)$ D\$(X)TAB(4Ø)E\$(X)TAB(59)X+1:NEXT X:PRINT#-2,CHR\$(12):GOTO36 444 'PRINTER SUBROUTINE 446 CLS: PRINT" THIS IS FILE NUMBER "X+1: PRINT: PRINTA\$(X): PRI NTB\$(X):PRINTC\$(X):PRINTD\$(X):PR INTE\$(X):RETURN 448 PCLEAR1: GOTO1Ø 450 'DATA OVERFLOW SUBROUTINE 452 PRINT" FIRST 4 ENTRIES ARE L IMITED TO 8 CHARACTERS EACH, AN D COMMENTS ARE LIMITED TO 16 CHA RACTERS.": RETURN 454 DATA DESCRIPTIONS 456 DATA JAN, FEB, MAR, APR, MAY, JUN ,JUL, AUG, SEP, OCT, NOV, DEC, 100 CAS H BALANCE, 11Ø EARNED INCOME, 12Ø INTEREST INCOME, 130 MISC. TAXABL E INCOME, 140 NON-TAXABLE INCOME, 200 FEDERAL WITHOLDING, 201 FICA, 202 STATE WITHOLDING, 203 LOCAL W ITHOLDING 458 DATA 21Ø GROCERY EXPENSE, 22Ø WATER, 23Ø MORTGAGE, 24Ø GAS & EL ECTRIC, 25Ø TELEPHONE, 26Ø CAR EXP ENSE, 27Ø INSURANCE 46Ø DATA 28Ø HOUSE REPAIRS, 281 A NNUITY, 282 MISC. EXPENSE, 283 LOA N PAYMENTS, 300 MEDICAL EXPENSE, 3 10 CONTRIBUTIONS, 320 INTEREST PA ID,33Ø TAXES PAID,34Ø MISC. (TAX DED.)

We Cannot Tell A Lie

Lonnie's gone nuts!! He's chopped down prices on Rainbow Bookshelf items!



SAVE 70%

The First Rainbow Book of Adventures

Contains 14 winning programs from our first Adventure contest. Includes *Sir Randolph of the Moors, Horror House, One Room, Dr. Avaloe* and more. Plus hints, tips on solving Adventures.

Book \$2, Tape \$2 — a 43% savings!

SAVE 50%! Book and tape only \$3.50

The Second Rainbow Book of Adventures

Featuring 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, find a hidden fortune, or win the heart of a mysterious princess. Ring Quest, Secret Agent Man, Dark Castle, Curse of Karos and more! Book \$6.95, Tape \$6.95 — a 50% savings!

SAVE 57%! Book and tape only \$11.95

The Third Rainbow Book of Adventures

The excitement continues with 19 new Adventures. Discover backstage intrigue at the London Theatre, attempt a daring space rescue, or defeat evil in the year 2091 as a genetic android. *Evil Crypt, Spymaster, Time Machine, The Amulet*, and that's only the beginning! Book \$6.95, Tape \$6.95, Two-Disk Set \$7.95 — a savings of up to 47%!

SAVE 45%! Book and tape only \$11.95 SAVE 52%! Book and disk only \$12.95

The Rainbow Introductory Guide to Statistics

Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes and thinking for both the beginner and the professional. (80-column printer required.)

Book \$2.95, Tape or Disk \$2.95 - a savings of 54%!

SAVE 62%! Book and tape or disk only \$4.95

Name	
Address	
City	
	ZIP
☐ Payment Enclosed, or ☐ Charge to:	
□ VISA □ MasterCard □ American	Evnress
Account Number	Express
Card Expiration Date	ME OF THE PERSON
Signature	
Please send me:	\$ 9.95 \$ 3.50
☐ The Rainbow Book of Simulations (first)	\$ 9.95 \$ 3.50
☐ Rainbow Simulations Tape(first) ☐ First Simulations Package	\$19.90 \$11.95 \$ 6.00
☐ The Second Rainbow Book of Simulations	\$ 9.95 \$ 4.95
□ Second Rainbow Simulations Tape	\$ 9.95 \$ 4.95
□ Second Rainbow Simulations Disk	\$10.95 \$ 4.95
☐ Second Simulations Package with Tape	\$19.90 \$12.95 \$ 8.95
☐ Second Simulations Package with Disk	\$20.90 \$13.95 \$ 8.95
☐ The Complete Rainbow Guide to OS-9	\$19.95 \$16.95 \$12.95
☐ Rainbow Guide to OS-9 Disk Set (2 disks)	\$31.00 \$19.95
☐ Rainbow Guide to OS-9 Package	\$47.95 \$36.95 \$29.95
☐ The Windows & Applications Disk for	
The Complete Rainbow Guide	610.05
to OS-9 Level II, Vol. I	\$19.95
☐ The Rainbow Book of Adventures (first)	\$ 7.95 \$ 3.50 \$ 2.00 \$ 7.95 \$ 3.50 \$ 2.00
☐ Rainbow Adventures Tape (first) ☐ First Adventure Package	\$15.90 \$ 7.00 \$ 3.50 \$15.90 \$ 7.00
☐ The Second Rainbow Book of Adventures	\$13.95 \$ 6.95
☐ Second Rainbow Adventures Tape	\$13.95-\$ 6.95
☐ Second Adventure Package	\$27.90 \$17.95 \$11.95
☐ The Third Rainbow Book of Adventures	\$11.95 \$ 6.95
☐ Third Adventures Tape	\$ 9.95 \$ 6.95
☐ Third Adventures Disk Set (2 disks)	\$14.95 \$ 7.95
☐ Third Adventure Package with Tape	\$21.90 \$15.95 \$11.95
☐ Third Adventure Package with Disk	\$26.90 \$16.95 \$12.95
☐ Introductory Guide to Statistics	\$ 6.95 \$ 2.95
☐ Guide to Statistics Tape or Disk (indicate choice)	\$ 5.95 \$ 2.95
☐ Guide to Statistics Package	\$10.00 \$ 0.05 \$ 4.05
(indicate choice of tape or disk) Add \$1.50 per book Shipping and Handling in U.S.	\$12.90 \$ 8.95 \$ 4.95
Outside U.S., add \$4 per book	
Kentucky residents add 5% sales tax	
(Allow 6 to 8 weeks for delivery)	Total

Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.

Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book for loading and operating instructions. OS-9® is a registered trademark of the Microware Systems Corporation.

1	
V	30 188
_	6861
	102 183
	13015
	15059
	17022
	END123

Listing 2: REPORT

```
2 '* YEARLY REPORT PROGRAM
4 1 *
          FOR USE WITH
6 '* HOME FINANCIAL ANALYST *
8 '* 4/85 BY DAN PIERSMA
1Ø GOTO184
12 'DIMENSION DATAFILES & DESCRI
PTIONS
14 CLEAR55ØØ: DIMA$(1ØØ), B$(1ØØ),
C$(1ØØ),D$(1ØØ),E$(1ØØ),M$(12),A
D$(25), AN$(25), AN(25)
16 'SET BAUD 1200 & DEFINE NONVA
RIABLE STRINGS
18 POKE15Ø, 41:U$=STRING$(8Ø,"-")
:BG$=STRING$(1Ø,"."):BP$="BUDGET
 PLAN FOR .../..."
20 'READ DESCRIPTIONS
22 FORM=1TO12:READM$(M):NEXT:FOR
Y=1TO25:READAD$(Y):NEXT
24 'ENTER DATES
26 CLS:PRINT@9, "ANNUAL REPORT":P
RINT: PRINT" ENTER BEGINNING MONT
H AND YEAR AND ENDING MONTH AND
 YEAR"
28 PRINT: PRINTV$: INPUT" BEGINNIN
G MONTH (MM) "; BM: INPUT" BEGINNI
NG YEAR (YYYY)"; BY$: INPUT" ENDIN
           (MM) "; EM: INPUT" ENDI
G MONTH
           (YYYY)"; EY$
NG YEAR
3Ø EY=VAL(EY$):BY=VAL(BY$)
32 IFBM<10RBM>12THEN26
34 IFEM<10REM>12THEN26
36 IFBY<1984ORBY>1988THEN26
38 CREATE REPORT TITLE
4Ø IFEY<(BY)OREY>1988THEN26
42 RTITLE$=M$(BM)+"-"+BY$+" TO "
+M$ (EM) +"-"+EY$
44 IFEM< (BM) THENEM= (EM) +12
46 'PRINT BUDGET PLANNING FORM
48 CLS: PRINT@163, "WOULD YOU LIKE
 TO PRINT A
                  BUDGET PLANNIN
G FORM <Y/N>"
5Ø L$=INKEY$:IFL$="Y"THEN54
52 IFL$="N"THEN76ELSE5Ø
54 CLS: PRINT@2Ø1, "HARDCOPY ONLY"
:PRINT"IF PRINTER IS READY PRESS
       PRESS <C> TO SKIP TO REPO
 <P>
RTS"
56 L$=INKEY$:IFL$="C"THEN76
```

```
58 IFL$="P"THEN6ØELSE56
6Ø CLS:PRINT@2Ø4, "PRINTING":PRIN
        BUDGET PLANNING FORM"
TH
62 PRINT#-2,U$:PRINT#-2,TAB(28)"
BUDGET PLANNING FORM": PRINT#-2, U
$:PRINT#-2:PRINT#-2,BP$TAB(4Ø)BP
$:PRINT#-2
64 FORY=1TO5:GOSUB7Ø:NEXTY
66 PRINT#-2,U$:PRINT#-2
68 FORY=6TO25:GOSUB7Ø:NEXTY:GOTO
7Ø PRINT#-2, AD$(Y) TAB(25) BG$TAB(
4Ø) AD$ (Y) TAB (65) BG$: PRINT#-2: RET
URN
72 PRINT#-2, CHR$(12)
74 GENERATE REPORTS
76 CLSØ: PRINT@16Ø,"
                            REPORT
 GENERATION": PRINT"PRINT HARD CO
PY REPORTS <Y/N> ?":PRINT"
SS <E> TO END PROGRAM"
78 L$=INKEY$:IFL$="Y"THENH=1:GOT
084
8Ø IFL$="N"THEN84
82 IFLS="E"THENENDELSE78
84 INPUT"ENTER COST OF LIVING RA
TE FOR
         BUDGET PROJECTIONS IN %
"; I: I = (I/100) + 1
86 INPUT"ENTER CHECKBOOK BALANCE
"; CH: INPUT"ENTER SAVINGS BALANCE
  ";SA:BA=SA+CH
88 FORY=1TO25:AN$(Y)=MID$(AD$(Y)
,1,3):NEXTY
9Ø TITLE$=M$(BM)+"-"+BY$:GOSUB17
2:FORX=\emptyset TOC-1:IFAN$(1)=MID$(B$(X
),1,3)THEN92ELSE94
92 AN(1)=VAL(C$(X))
94 NEXTX
96 FORYY=(BM) TO (EM)
98 IFYY>12THEN1ØØELSE1Ø2
100 \text{ S} = (YY) - 12: TITLE = M$(S) + "-"+E
YS:GOTO1Ø4
102 TITLE$=M$(YY)+"-"+BY$
1Ø4 GOSUB172:CLS:PRINT@195,"CALC
ULATING ACCOUNT TOTALS"
1Ø6 FORY=2TO25
1Ø8 FORX=ØTOC-1
11\emptyset IFAN$(Y)=MID$(B$(X),1,3)THEN
AN(Y) = AN(Y) + VAL(C$(X)) ELSE112
112 NEXTX: NEXTY: NEXTYY
114 IFH=ØTHEN116ELSE118
116 FORY=1TO25:PRINTAD$(Y):PRINT
USING"$#####.##";AN(Y):FORT=1T09
ØØ:NEXTT:NEXTY:GOTO124
118 PRINT#-2, TAB(3Ø)RTITLE$:PRIN
T#-2:PRINT#-2,U$:PRINT#-2,TAB(3)
"ACCOUNT NUMBER"TAB(37)"CREDIT"T
AB(52) "DEBIT": PRINT#-2, U$: PRINT#
12Ø FORY=1TO5:PRINT#-2,AD$(Y)TAB
(35): PRINT#-2, USING"$#####.##"; A
N(Y):NEXTY
```

122 FORY=6TO25: PRINT#-2, AD\$ (Y) TA $B(5\emptyset): PRINT#-2, USING"$#####.##";$ AN(Y): NEXTY 124 FORY=1TO5:TI=AN(Y)+TI:NEXTY 126 FORY=6TO25:TE=AN(Y)+TE:NEXTY 128 CB=TI-TE:IFH=ØTHEN13ØELSE14Ø 13Ø CLS: PRINT@16Ø, "TOTAL INCOME \$";TI:PRINT"TOTAL EXPEN \$";TE:PRINT"YEAR END CASH BALANCE \$"; CB 132 PRINT"CHECKBOOK BALANCE \$"; CH: PRINT"SAVINGS BALANCE \$";SA:PRINT"TOTAL CASH ON HAND 134 IFINT (BA) = INT (CB) THEN 136ELSE 138 136 PRINT" *****STATEMENT BALAN CES******":FORT=1T015ØØ:NEXTT:GO 138 PRINT"STATEMENT OUT OF BALAN CE - REDO": END 14Ø PRINT#-2:PRINT#-2, "BEGINNING BALANCE & INCOME"TAB(35):PRINT# -2, USING"\$#####.##";TI:PRINT#-2, "TOTAL EXPENSE"TAB(35):PRINT#-2, USING"\$#####.##";TE 142 PRINT#-2,"END OF YEAR BALANC E"TAB(35): PRINT#-2, USING"\$#####. ##"; CB 144 PRINT#-2:PRINT#-2, "CHECKBOOK BALANCE"TAB(35):PRINT#-2,USING" \$#####.##"; CH: PRINT#-2, "SAVINGS BALANCE"TAB(35):PRINT#-2,USING"\$ #####.##";SA:PRINT#-2,"CASH BALA NCE ON HAND"TAB(35):PRINT#-2,USI NG"\$#####.##";BA 146 IFINT (BA) = INT (CB) THEN148ELSE 15Ø 148 PRINT#-2: PRINT#-2, TAB(27) "** **STATEMENT BALANCES****": PRINT# -2, CHR\$ (12):GOTO154

One-Liner Contest Winner . . .

Run Picoco to see a "modern art generator."

The listing:

Ø PMODE3:SCREEN1,1:PCLS:FOR R=1T 01Ø:X=RND(256):Y=RND(192):X1=RND (256):Y1=RND(192):X2=RND(256):Y2 =RND(192):PX=(X+X1+X2)/3:PY=(Y+Y)1+Y2)/3:PC=RND(4):LINE(X,Y)-(X1,Y1), PSET: LINE-(X2, Y2), PSET: LINE-(X,Y), PSET: PAINT (PX, PY), PC, Ø: NEX TR: FORW=1T05ØØ: NEXTW: GOTOØ

> Lonny Guilford Lompoc, CA

(For this winning one-liner contest entry, the author has been sent copies of both The Second Rainbow Book of Simulations and its companion The Second Rainbow Simulations Tape.)

15Ø IFH=1THENPRINT#-2,"******* TATEMENT DOES NOT BALANCE. PLEAS E FIND YOUR ERROR AND REDO***** **": END 152 'FORMULATE BUDGET PROJECTION 154 A = (EM) - (BM-1)156 FORY=2TO25:AN(Y)=AN(Y)/A:AN(Y) = AN(Y) *I:NEXTY158 IFH=ØTHEN16ØELSE162 16Ø CLS: PRINT"MONTHLY BUDGET PRO JECTIONS": FORY=2TO25: PRINTAD\$(Y) :PRINTUSING"\$#####.##";AN(Y):FOR T=1T09ØØ:NEXTT:NEXTY:GOT0168 162 PRINT#-2, TAB(28) "MONTHLY BUD GET PROJECTIONS": PRINT#-2: PRINT# -2, U\$: PRINT#-2, TAB(3) "ACCOUNT NU MBER"TAB(37) "CREDIT"TAB(52) "DEBI T":PRINT#-2,U\$:PRINT#-2 164 FORY=2TO5: PRINT#-2, AD\$ (Y) TAB (35):PRINT#-2, USING"\$#####.##"; AN(Y): NEXTY 166 FORY=6TO25: PRINT#-2, AD\$ (Y) TA B(5Ø):PRINT#-2, USING"\$#####.##" ;AN(Y):NEXTY:PRINT#-2:PRINT#-2," MULTIPLIED BY"I" FOR RISE IN COS T OF LIVING": PRINT#-2, CHR\$(12) 168 END 17Ø 'LOAD FILES FROM DISK SUBROU TINE 172 FORX=ØTOC-1:A\$(X)="":B\$(X)=" ":C\$(X)="":D\$(X)="":E\$(X)="":NEX TX: CLS: PRINT@14Ø, "LOADING": PRINT @2Ø3,TITLE\$:PRINT@267,"DATA FILE 174 OPEN "I", #1, TITLE\$ 176 X=Ø 178 INPUT #1, A\$(X), B\$(X), C\$(X), D (X), E(X): X=X+1 $18\emptyset$ IFEOF(1)=-1THEN182ELSE178 182 CLOSE #1:C=X:RETURN 184 PCLEAR1: GOTO14 186 DATA JAN, FEB, MAR, APR, MAY, JUN JUL, AUG, SEP, OCT, NOV, DEC, 100 CAS H BALANCE, 110 EARNED INCOME, 120 INTEREST INCOME, 130 MISC. TAXABL E INCOME, 140 NON-TAXABLE INCOME, 200 FEDERAL WITHOLDING, 201 FICA, 2Ø2 STATE WITHOLDING, 2Ø3 LOCAL W ITHOLDING 188 DATA 21Ø GROCERY EXPENSE, 22Ø WATER, 230 MORTGAGE, 240 GAS & EL ECTRIC, 250 TELEPHONE, 260 CAR EXP

ENSE, 27Ø INSURANCE 19Ø DATA 28Ø HOUSE REPAIRS, 281 A NNUITY, 282 MISC. EXPENSE, 283 LOA N PAYMENTS, 300 MEDICAL EXPENSE, 3 1Ø CONTRIBUTIONS, 32Ø INTEREST PA ID,33Ø TAXES PAID,34Ø MISC. (TAX DED.)

123



A utility to make color selection easier

PALETTEable Color Mixing

By H. Allen Curtis

The CoCo 3 offers a "palette" of (4*4*4 = 64). 64 colors from which you can


your selection process by mixing colors combination. to your prescription. Also, it provides a screen or hard copy printout of your color selections, saves them to disk or tape, and loads them back from disk or tape for emendation. The saved selections are recorded in BASIC program form, ready for merging with a larger program.

Colormix selects its colors via a "color mixer," which consists of three "color-meters." Each of the colors (red, green and blue) has one meter, referred

work.

ecisions, decisions, decisions, vide a total of 64 color combinations

The shades of color vary from dark select up to 16 for your graphics mas- to light as they progress from the low terpieces, and that's a selection often to the high ends of the color meters. difficult to make. To facilitate decision Each color meter controls the amount making, I wrote the program Colormix. of intensity of its color red, green or blue Colormix is a color editor that aids — to be used in the selected color



Colormix was written for use with an to as the R, G or B meter. There are four RGB monitor. After you have typed the values (0, 1, 2 and 3) on each of the listing and saved it, run Colormix to scales of the three color meters. Since produce a Mode 2 (320-by-192 resolueach color meter provides four color tion, 16-color) screen. At the top of the values, the three meters together pro- screen are 16 slots containing the standard colors resulting from the execution H. Allen Curtis lives in Williamsburg, of PALETTE RGB. Below the slots on the Virginia. He is interested in 17th and left is the color mixer and on the right 18th century history and enjoys biking is a command menu. At the bottom of through the colonial capital. He balan- the screen is a message board to prompt ces past and present with his computer you in the proper operation of ColorThe initial message on the board is "0-9" or "A-J." The color slots are numbered in hexadecimal from 0 to F, with A, B, C, D, E and F representing 10, 11, 12, 13, 14 and 15, respectively. The commands on the menu board — Load, Save, Lprint and Print — are labelled G, H, I and J, respectively.

The initial message means you can press one of the number keys 0 through 9 or letter keys A through F to send the color in the corresponding slot to the mixer. The message also means you may alternatively select one of the menu commands by pressing a key from G to J. Pressing any key other than 0 through 9 or A through J results in the sounding of a short blast of a beep alarm.

Suppose you press a number key, say 2. Blue, the color in Slot 2, will be sent to the mixer. The colors of both the menu and message board will also change to blue. The message board will then read ARROWS or ENTER. The color mixer is cursor-controlled by means of the arrow keys. ENTER is pressed after the color mixing has been accomplished to your satisfaction.

You will see a plus (+) symbol on each of the three color meters, which serves as the cursor for that meter. A fourth plus located immediately to the left of the R meter indicates which of the three meter cursors is active.

For the color blue in the mixer, the R meter cursor moves to its leftmost position corresponding to the lowest R meter color intensity value, 0. Pressing the right arrow key moves the R meter cursor one position and changes the color in the mixer. After pressing the right arrow key a total of three times, you will find the cursor at its rightmost position, corresponding to the highest R meter color intensity value, 3; it will have passed through positions corresponding to intensity values 1 and 2. Likewise, pressing the left arrow key moves the cursor left from high to low intensity value positions while causing associated color changes.

The up and down arrow keys serve to determine which of the color meters has an active cursor. Pressing the down arrow key transfers cursor active control from the R meter to the G meter. Pressing the right and left arrow keys actuates the G meter cursor in the same manner as it did for the R meter. Pressing the up arrow key returns cursor control to the R meter, and pressing the down arrow key gives the B meter cursor control. Again, the right and left arrow keys move the active cursor in corresponding directions. Pressing the

right or left arrow key when the cursor is in its rightmost or leftmost position, respectively, produces no cursor movement

After you have experimented with cursor movement and have obtained a color in the mixer to your liking, press ENTER. Suppose the R, G and B meter cursors were in positions corresponding to the values 0, 1 and 1, respectively — Color 3 would be transferred to Slot 2. You will be informed of this fact via an auxiliary massage board just below the mixer. The message on the main board will read 0 through 9 or A through J once again.

You will note that the color in Slot D has also changed to Color 3. The reason for the change is that the color in Slot D has been used in *Colormix* to paint the mixer, menu and message boards. *Colormix* also uses the colors in slots E and F for all printing and coloring of the screen's background, respectively.

Even though the color in Slot D changes with every color change in the mixer, *Colormix* remembers the last color selected for Slot D. To verify this, press the D key; the color green will be sent both to the mixer and to Slot D itself. You may select a new color for Slot D and press ENTER or press ENTER alone to retain green as the color for Slot D.

The auxiliary message board refers to Slot D by its decimal designation, 13. The hexadecimal designations were given to the last six slots for the purpose of having single-key selection of each slot.

Changing the colors of slots E and F will also change the print and background colors, respectively. Selecting Slot E turns the mixer, menu and message boards black, effectively erasing all printing on the menu and message boards. Pressing the right arrow key will quickly make the printing in the menu and message boards visible again. Black in Slot E seems to yield the best printing clarity. For aesthetic purposes, you may want to alter the background color of the screen by mixing a new color for Slot F.

When the message board reads 0 through 9 or A through J, you may, by pressing J, obtain a screen printout of the present contents of slots 0 through F. The printed information appears on the auxiliary message board for one slot at a time. The main message board tells you to press ENTER to receive information for each succeeding slot. When you terminate the program by pressing BREAK, you automatically get a full text

Slot	Color	RGB
0	34	210
1	54	330
2	15	113
3	36	300
4	63	333
5	31	133
6	41	203
7	42	212
8	0	000
9	18	030
10	6	110
11	27	033
12	0	000
13	18	030
14	0	000
15	38	310
	Table 1	

4 HSCREEN2
5 DIMC(15):FORI=0T015:READC
(I):PALETTEI,C(I):NEXT
6 DATA 34,54,15,36,63,31,41,
42,0,18,6,27,0,18,0,38

Table 2

screen printout of all 16 slots. You may be greeted with a beep the first time you press BREAK, but repeated pressing of the key will indeed stop the program.

For a hard copy printout of the slot information, merely press I. Table 1 shows a sample printout. If your printer is not connected, a program hang-up will occur; this can be eliminated by pressing BREAK. In such a case, you will have a screen printout as a consolation. If you don't have a printer, change the number 660 in Line 480 to 650. Pressing I will then produce a beep instead of a hang-up.

Pressing H allows you to save the current slot information in BASIC program form (ASCII format). A sample listing of such a recording is shown in Table 2. The saving process differs depending on whether you have a disk or cassette system.

Saving to Disk

On disk systems, pressing H causes the prompt FILENAME: to be printed on the message board. Answer the prompt by entering a filename of eight characters or less. The information will immediately be recorded on disk in the designated file. Instead of typing a filename, you may merely press ENTER.

If you have not previously loaded any

slot information, the current slot information will be recorded on disk in a file named SLOTCOLS. On the other hand, if in the present session with *Colormix* you have loaded from a previously saved file, you will record the current information in that file; that is, you will overwrite the most recently loaded file. All saved files automatically have the extension .DAT appended to the filename.

If an I/O Error occurs during recording, Colormix won't be terminated. Instead, I-O ERROR is printed on the message board. Moments later, the message will be replaced with 0 through 9 or A through J.

Saving to Cassette

On cassette systems, pressing H also causes the prompt FILENAME: to be printed on the message board. Position the tape in your recorder before you answer the prompt, then respond by typing a filename of up to eight characters but do *not* press ENTER yet. First,

press both the Record and Play buttons on your recorder, and then press ENTER. When the recording is complete, the prompt will be replaced with 0 through 9 or A through J. If you fail to type in a filename and instead just press ENTER, the prompt will be replaced momentarily with the message NEED FILENAME.

Loading from Disk

To load a previously saved file, press G. The prompt FILENAME: is then printed on the message board. Answer the prompt by entering a filename of up to eight characters. If the program cannot find that file in the disk directory, the prompt is replaced with the message ILLEGAL FILENAME. If you merely press ENTER without typing a filename, the message NEED FILENAME appears on the screen for a short time.

Colormix responds to a correct filename by loading the designated file. You will see the slot colors change during loading. When loading is complete, the messages 0 through 9 or A through J return to the message board. An I/O Error is treated as it was for a save.

Loading from Cassette

Pressing G brings the prompt FILE-NAME: to the message board. You may respond by pressing ENTER. Position the tape for loading the desired file, then press the Play button on the recorder to start loading the file. You will see the slot colors change during the loading. When loading is finished, the messages 0 through 9 or A through J return to the message board.

You may type a full filename of an already saved file and press ENTER instead of just pressing ENTER alone. However, if you type an incorrect filename, a fruitless search for the file could ensue.

After acquainting yourself with the operation of *Colormix*, you should find that slot color selection is not only "PALETTE" able but also easy and timesaving.

```
100 171 590 207
200 221 700 36
360 32 840 237
450 153 END 169
```

The listing: COLORMIX

```
5 CLEAR5ØØ
1Ø REM ****
                COLORMIX
20 REM BY H. ALLEN CURTIS
3Ø REM COPYRIGHT (C) 1986
4Ø ON ERR GOTO93Ø
5Ø ON BRK GOTO97Ø
6Ø DIMS(15),R(15),G(15),B(15),Q(
63)
7\emptyset S(\emptyset) = 18:S(1) = 54:S(2) = 9:S(3) = 3
6:S(4)=63:S(5)=31:S(6)=45:S(7)=3
8:S(8) = \emptyset:S(9) = 18:S(1\emptyset) = \emptyset:S(11) = 6
3:S(12)=\emptyset:S(13)=18:S(14)=\emptyset:S(15)
=38
8\emptyset R(\emptyset) = 6:G(\emptyset) = 18:B(\emptyset) = 6:R(1) = 18
:G(1)=18:B(1)=6:R(2)=6:G(2)=6:B(
2)=18:R(3)=18:G(3)=6:B(3)=6:R(4)
=18:G(4)=18:B(4)=18:R(5)=1\emptyset:G(5)
=18:B(5)=18:R(6)=18:G(6)=6:B(6)=
18:R(7)=18:G(7)=1\emptyset:B(7)=6
9\emptyset R(8) = 6:G(8) = 6:B(8) = 6:R(9) = 6:G
(9)=18:B(9)=6:R(1\emptyset)=6:G(1\emptyset)=6:B(
1\emptyset)=6:R(11)=18:G(11)=18:B(11)=18
:R(12)=6:G(12)=6:B(12)=6:R(13)=6
:G(13)=18:B(13)=6:R(14)=6:G(14)=
6:B(14)=6:R(15)=18:G(15)=1\emptyset:B(15)
```

```
) = 6
100 PALETTERGB: HSCREEN2: HCLS15
11Ø HCOLOR14: HPRINT(17,1), "SLOTS
":FORI=ØTO9:HPRINT(4+2*I,3),CHR$
(I+48):NEXT:FORI=1ØTO15:HPRINT(4
+2*I,3),CHR$(I+55):NEXT
12Ø DATA Ø,1,8,9,2,3,1Ø,11,16,17
,24,25,18,19,26,27,4,5,12,13,6,7
,14,15,2Ø,21,28,29,22,23,3Ø,31,3
2,33,40,41,34,35,42,43,48,49,56,
57,5Ø,51,58,59,36,37,44,45,38,39
,46,47,52,53,6Ø,61,54,55,62,63
13Ø FORI=ØTO3:FORJ=ØTO3:FORK=ØTO
3:READC(I,J,K):NEXTK,J,I
14Ø DATA Ø,1,1Ø,11,1ØØ,1Ø1,11Ø,1
11,2,3,12,13,102,103,112,113,20,
21,30,31,120,121,130,131,22,23,3
2,33,122,123,132,133
15Ø DATA 2ØØ,2Ø1,21Ø,211,3ØØ,3Ø1
,310,311,202,203,212,213,302,303
,312,313,220,221,230,231,320,321
,330,331,222,223,232,233,322,323
,332,333
16Ø FORI=ØTO63:READQ(I):NEXT
17Ø FORI=ØTO15:HCOLORI
18Ø HLINE(16*I+28,4Ø)-(16*I+44,5
Ø), PSET, BF: NEXT
19Ø HCOLOR14: HPRINT(2,1Ø), "R": HP
RINT(2,12), "G": HPRINT(2,14), "B":
HPRINT(10,8), "MIXER": HPRINT(28,8
), "MENU
200 HCOLOR13
21Ø FORJ=ØTO2
22Ø FORI=ØTO3
```

23Ø HLINE(36+I*32,79+J*16)-(68+I *32,88+J*16),PSET,BF

24Ø NEXTI,J

25Ø HLINE(192,78)-(287,153),PSET,BF:HCOLOR14:HPRINT(25,11),"G: LOAD":HPRINT(25,13),"H: SAVE":HPRINT(25,15),"I: LPRINT":HPRINT(25,17),"J: PRINT"

26Ø GOSUB87Ø:GOSUB88Ø

27Ø K\$=INKEY\$:IFK\$=""THEN27Ø

28Ø D=ASC(K\$)-48:IFD>22 AND D<27 THEN GOSUB48Ø:GOTO26Ø

29Ø IFD<Ø OR D>22 THENGOSUB65Ø:G OTO27Ø

3ØØ IFD>9 THEND=D-7:IFD<1Ø THEN2 7Ø

31Ø RC=R(D):GC=G(D):BC=B(D):GOSU
B47Ø:RR=1Ø:HPRINT(RC,1Ø),"+":HPR
INT(GC,12),"+":HPRINT(BC,14),"+"
:HCOLOR14:HPRINT(3,1Ø),"+":HCOLO
R14

32Ø GOSUB87Ø:GOSUB89Ø

33Ø K\$=INKEY\$:IFK\$=""THENGOSUB47 Ø:GOTO33Ø

34Ø IFASC(K\$)=9 AND RR=1Ø AND RC <18 THENGOSUB76Ø:RC=RC+4:HPRINT(RC,RR),"+"

35Ø IFASC(K\$)=8 AND RR=1Ø AND RC >6 THENGOSUB76Ø:RC=RC-4:HPRINT(R

C, RR), "+"

36Ø IFASC(K\$)=9 AND GR=12 AND GC <18 THENGOSUB77Ø:GC=GC+4:HPRINT(GC,GR),"+"

37Ø IFASC(K\$)=8 AND GR=12 AND GC >6 THENGOSUB77Ø:GC=GC-4:HPRINT(GC,GR),"+"

38Ø IFASC(K\$)=9 AND BR=14 AND BC <18 THENGOSUB78Ø:BC=BC+4:HPRINT(BC,BR),"+"

39Ø IFASC(K\$)=8 AND BR=14 AND BC >6 THENGOSUB78Ø:BC=BC-4:HPRINT(BC,BR),"+"

400 IFASC(K\$)=10 AND GR=12 THEN GR=0:BR=14:HCOLOR15:HPRINT(3,12),"+":HCOLOR14:HPRINT(3,14),"+"
410 IFASC(K\$)=10 AND RR=10 THEN RR=0:GR=12:HCOLOR15:HPRINT(3,10),"+":HCOLOR14:HPRINT(3,12),"+"
420 IFASC(K\$)=94 AND GR=12 THEN GR=0:RR=10:HCOLOR15:HPRINT(3,12),"+":HCOLOR14:HPRINT(3,10),"+"
430 IFASC(K\$)=94 AND BR=14 THEN BR=0:GR=12:HCOLOR15:HPRINT(3,14),"+":HCOLOR14:HPRINT(3,12),"+"
430 IFASC(K\$)=94 AND BR=14 THEN BR=0:GR=12:HCOLOR15:HPRINT(3,14),"+":HCOLOR14:HPRINT(3,12),"+"
440 K=ASC(K\$):IFK<>9 AND K<>8 AND K<>10 AND K<>94 AND K<>13 THEN GOSUB650

45Ø IFASC(K\$)=13THENRR=1Ø:HCOLOR

SUNDOG SYSTEMS



In Quest of the Star * Lord

A new animated graphic adventure for the Color Computer 3 from the author of the Hall of the King trilogy! Enjoy the mixture of science and fantasy as you quest for the Phoenix Crossbow, the only thing that can save you in the post-holocaust world. A full 4 disk sides of adventure! Outstanding 320x200 graphics will make this your favorite CoCo adventure! Rea, 128K CoCo 3 and disk drive. Only \$34.95.

Kung-Fu Dude

An exciting new arcade game. This is the long-awaited response to the huge demand for a Kung-Fu program for the CoCo. The graphics, sound effects, and animation are spectacularl This is the BEST karate game ever available for the Color Computer. Req. 64K, disk drive, and joystick. Only \$24.95.

"The CoCo karate gap has been filled and Kung-Fu Dude does it excellentin highly recommend (it)!" -2/88 Rainbow review
"A definite 5 stars!" -12/87 Wizard's Castle review





64K Animated Graphic Adventure, See 12/86 Rainbow review. Only \$19.95.

CHAMPION

64K Superhero Action Adventure. See 5/87 Rainbow review. Only \$19.95.

All programs CoCo 1, 2, 3 compatible unless stated otherwise.




Sundog Systems 21 Edinburg Drive Pittsburgh, PA 15235 (412) 372-5674 Personal checks, money orders, and C.O.D. orders accepted

Include \$2.50 for \$/H. \$2.00 extra for C.O.D. orders. PA residents add 6% sales tax. Authorship and dealer inquiries welcome.

```
13: HPRINT(RC, 10), "+": HPRINT(GC, 1
2),"+":HPRINT(BC,14),"+":HCOLOR1
5: HPRINT(3, 10), "+": HPRINT(3, 12),
"+": HPRINT(3,14),"+": HCOLOR14,15
:GR=Ø:BR=Ø:PALETTED,CC:S(D)=CC E
46Ø HCOLOR13:HLINE(36,132)-(157,
163), PSET, BF: HCOLOR14: HPRINT(8,1
7), "SLOT "+STR$(D): HPRINT(8,19),
"COLOR"+STR$(CC):R(D)=RC:G(D)=GC
:B(D) = BC: GOTO 260
47Ø CC=C((RC-6) *.25, (GC-6) *.25, (
BC-6) *.25): PALETTE13, CC: RETURN
48Ø ON D-22 GOTO 49Ø,59Ø,66Ø,7ØØ
49Ø O=Ø:GOSUB79Ø
5ØØ IFPEEK(&HBC)=6THENJ=-1ELSEJ=
51Ø F$=A$
52Ø IFA$="" AND J=1 THENGOSUB87Ø
:GOSUB91Ø:GOTO49Ø
53Ø OPEN"I", #J, F$
54Ø I=Ø
55\emptyset IF EOF(J)=-1THEN57\emptyset
56Ø LINE INPUT#J, A$:GOTO55Ø
57Ø CLOSE#J:A$=RIGHT$(A$, LEN(A$)
-6) +", ": FORI=ØTO15: D=VAL(LEFT$(A
$, INSTR(A$, ", ")-1)):S(I)=D:PALET
TEI, D: A$=RIGHT$ (A$, LEN(A$) -INSTR
(A\$,",")): L=INT(Q(D)/100):R(I)=L
*4+6:E=Q(D)-1ØØ*L
58\emptyset L=INT(E/1\emptyset):G(I)=L*4+6:L=E-1
\emptyset*L:B(I)=L*4+6:NEXT:RETURN
59Ø IFPEEK(&HBC)=6THENJ=-1:0=1:M
OTORON ELSEJ=1:0=Ø
600 GOSUB790: IFA$="" AND F$="" T
HENF$="SLOTCOLS"ELSE IFA$<>""THE
NFS=AS
61Ø A$="6 DATA "
62Ø FORI=ØTO15:A$=A$+RIGHT$(STR$
(S(I)), LEN(STR\$(S(I)))-1)+", ":NE
XT:A\$=LEFT\$(A\$, LEN(A\$)-1)
63Ø OPEN"O", #J, F$
64Ø PRINT#J,"4 HSCREEN2":PRINT#J
,"5 DIMC(15):FORI=ØTO15:READC(I)
: PALETTEI, C(I): NEXT": PRINT#J, A$:
CLOSE#J: RETURN
65Ø SOUND 6Ø,3:RETURN
66Ø D=2:GOTO68Ø
67Ø WIDTH4Ø:D=Ø
68Ø PRINT#-D, TAB(12) "SLOT COLOR
RGB":FORI=ØTO15:PRINT#-D, TAB(13)
;:PRINT#-D,USING"##";I;:PRINT#-D
       ";:PRINT#-D,USING"##";S(I)
;:PRINT#-D," ";:PRINT#-D,USING"
#";(R(I)-6)/4;:PRINT#-D,USING"#"
; (G(I)-6)/4;:PRINT#-D,USING"#";(
B(I)-6)/4:NEXT
69Ø RETURN
7ØØ HCOLOR13:HLINE(36,132)-(157,
163), PSET, BF: HCOLOR14: HPRINT(5,1
7), "SLOT COLOR RGB": I=Ø:GOSUB87Ø
```

```
:HPRINT(22,22), "ENTER"
71Ø GOSUB75Ø
72Ø K$=INKEY$:IFK$=""THEN72ØELSE
IFASC(K$) <>13THENGOSUB65Ø:GOTO72
73Ø IFI=15THENRETURNELSEHCOLOR13
:GOSUB75Ø:HCOLOR14
74Ø I=I+1:GOTO71Ø
75Ø HPRINT(6,19),STR$(I):HPRINT(
11,19),STR$(S(I)):HPRINT(15,19),
STR$((R(I)-6)/4):HPRINT(16,19),S
TR$((G(I)-6)/4):HPRINT(17,19),ST
R$((B(I)-6)/4):RETURN
76Ø HCOLOR13: HPRINT (RC, 1Ø),"+":H
COLOR14: RETURN
77Ø HCOLOR13: HPRINT (GC, 12), "+":H
COLOR14: RETURN
78Ø HCOLOR13: HPRINT (BC, 14), "+":H
COLOR14: RETURN
79Ø GOTO8ØØ:A$="":HCOLOR13:HLINE
(2Ø,173)-(215,185), PSET, BF: HCOLO
R14:HPRINT(6,22), "FILENAME: ": I=Ø
8ØØ A$="":GOSUB87Ø:HPRINT(16,22)
 "FILENAME: ": I=Ø
81Ø K$=INKEY$:IFK$=""THEN81Ø
82Ø MOTOROFF
83Ø IFI<9 AND ASC(K$)>47 AND ASC
(K\$) < 91THENHPRINT(26+I,22), K\$:I=
I+1:A$=A$+K$
84Ø IFI>Ø AND ASC(K$)=8THENI=I-1
:HCOLOR13:HPRINT(26+I,22),RIGHT$
(A$,1):HCOLOR14:A$=LEFT$(A$,LEN(
A$)-1):GOTO81Ø
85Ø IFASC(K$)=13 AND (I>Ø OR J=1
 OR O=Ø) THENRETURN
86Ø IFASC(K$)=13 AND I=\emptyset AND O=1
 THENGOSUB87Ø:GOSUB91Ø:GOTO59ØEL
87Ø HCOLOR14: HPRINT (4,22), "MESSA
GES": HCOLOR13: HLINE(110,173)-(28
7,185), PSET, BF: HCOLOR14: RETURN
88Ø HPRINT(16,22), "Ø-9 or A-J":R
ETURN
89Ø HPRINT(16,22), "ARROWS or ENT
ER": RETURN
900 HPRINT(16,22), "I-O ERROR":GO
SUB65Ø: FORK=ØTO999: NEXT: RETURN
91Ø HPRINT(16,22), "NEED FILENAME
":GOSUB65Ø:FORK=ØT0999:NEXT:RETU
92Ø HPRINT(16,22),"ILLEGAL FILEN
AME":GOSUB65Ø:FORK=ØTO999:NEXT:R
93Ø IFERNO=26THENGOSUB87Ø:GOSUB9
2Ø:GOSUB49Ø:GOTO26Ø
94Ø IFERNO=38THENEND
95Ø IFERNO=2ØTHENGOSUB87Ø:GOSUB9
ØØ:GOTO26Ø
96Ø END
97Ø HSCREENØ:GOSUB67Ø:END
```



Software

CoCo 3

CoCo Max III — Taking CoCo 3 Graphics to the Max

The Color Computer is an incredible machine. It is used by thousands of people every day to perform a variety of tasks. Telecommunications, business applications, games and music are just a few of the CoCo's uses. However, for many, graphics and the creation of eyepleasing pictures remains the foremost function of the CoCo.

A lot of graphics packages have come and gone for the Color Computer, but no piece of software has caused such a revolution as *CoCo Max* did in 1985. *CoCo Max* was the first real point-and-click system for the CoCo and was truly user-friendly.

In July 1986, the CoCo 3 was introduced, and with it came an abundance of new features, such as new commands, more colors, higher resolution, more memory, faster speed and new text modes. The big question was, "Is there going to be a CoCo Max III?" No one really knew what would happen. In the meantime, patches and modifications were made available to convert CoCo Max II to the CoCo 3. However, there was no big advantage to this since the resolution and colors remained the same. There was no patch available to take advantage of the Hi-Res screen or all the new brilliant colors. Colorware mailed out letters to all CoCo Max II users stating there were no plans at that time to produce a CoCo Max III.

As time went on, many graphics packages for the CoCo 3 emerged. Among these were CIII Graphics, Da-Vinci3, My Artist and Color Max 3. These programs had varying levels of success, but at least a serious void was being filled for CoCo 3 graphics software.

Months later, I was reading through the September 1987 RAINBOW and I came upon a new advertisement. At first glance, it appeared to be a new CoCo Max II ad. A closer look revealed it was for CoCo Max III! I immediately called and preordered a copy; about five weeks later, it arrived. I couldn't wait to boot it up!

Before I started using CoCo Max III, I made a backup. CoCo Max III is not copy-protected, so you can make as many backups of the software as you

need. However, in order to use CoCo Max III, you must use the Hi-Res module, which is included. Colorware has taken the standard Radio Shack module and modified it to work only with CoCo Max III.

The DIN plug of the Hi-Res module plugs into the right joystick port of your CoCo, and your joystick or mouse connector plugs into the DIN port on the Hi-Res module. This is a simple hookup, and it does not take up any space in your Multi-Pak or require a Y-cable.



There are two ways to run CoCo Max III. The method you choose depends on how much memory you have in your CoCo 3. If you have ADOS-3, you must use the DISABLE command to use CoCo Max III. If you are using a 128K Color Computer 3, you are required to make a work disk. This is done by running a file called WDMAKER. You must have a blank, formatted disk in order to create a work disk. On a 128K CoCo 3, the work disk is used to store the fonts, the clipboard pictures and scrapbook buffers. However, you cannot store pictures on the work disk. Colorware has used the entire disk for all the disk I/O and has left no free space on the disk. Single-drive systems require that you take out the work disk and insert a formatted blank disk. Systems with two or more drives let you use any drive 1 through 3 for picture storage and leave the work disk in Drive 0. Once the work disk has been made, you must remove it and reinstall the CoCo Max III program disk. Type RUN "CM3" and, after CoCo Max III loads up, install the work disk. It is that easy.

Users with 512K have it even better. Unlike a machine with 128K, a 512K CoCo3 can load any font from memory. All clipboard and scrapbook functions are also accessed through RAM. This allows lightning fast control over all of the functions.

Even though CoCo Max III runs as is, it is best to customize it to your setup by running the configure program. You

will be asked a series of questions on your monitor and printer type, amount of RAM, number of drives and printer baud rate. If you do not configure your CoCo Max III program disk, you cannot print. Once the config program is finished, you can start CoCo Max III by typing RUN"CM3". One nice thing about the config software is that it is not erased after you run it. As your system grows and changes, just run the config program again to make the proper revisions.

Upon running CoCo Max III, the title screen appears. A click of the mouse button causes the opening credits to disappear, leaving a blank window. At this point you are ready to take control of the cursor and create. Even though Colorware modified the Hi-Res module, cursor control is very smooth and clean. This is the key to quality drawing software for the CoCo.

There are various tools and patterns on the main screen, which is separated into seven segments.

First of all, there is the window. This is where you actually draw your picture. Just about every function you will use relates to the window. Pictures are saved from, and loaded into, the window.

The palette at the bottom of the window shows the 16 colors available, along with 16 of the 32 patterns. Colorware should be applauded for coming up with such a wonderful selection of patterns. The alternate set of patterns is changed by clicking on the selected pattern box.

The selected pattern box is directly to the left of the palette. It is made up of an inner and outer box. The inner box is the fill/brush pattern, while the outer box is the line/border pattern. A single click on any color or pattern puts that pattern into the inner box. A double click puts it into the outer box.



To the left of the selected pattern box is the line width box, which is used with the drawing tools. Selected lines are of set width but can be edited after they are drawn into the window.

Above the line width box are three toggle bars. From top to bottom they are Fill, Zoom and Undo. Selecting the Fill bar will fill a shape with the selected color. Zoom is a great feature. It allows you to enlarge a section of the window to four times its normal size, which is perfect for clean-up work.



The Undo feature is the most powerful of the three. The last action performed in the window can be voided by placing the cursor on the Undo bar. You can even undo while zooming. This feature is also reversible, so if you change your mind, you can toggle the Undo bar again to return to the original picture. The Undo feature is easy to use, too. All it takes is one push of the mouse button and you can undo anything. All in all, the three toggle bars are an important addition to *Color Max III* and help add flexibility to drawing.

Immediately up from the toggle bars is the tool box, which contains 21 icons. Many of these icons were available in CoCo Max II, including the lasso and move window tool; drawing tools, such as the pencil and rubber band line; and tools for creating boxes, circles, polygons, etc. CoCo Max II users will also recognize such features as the paint tool, paint brush, spray can, text icon and eraser. There are, however, a number of tools that are brand new, and which add to the power and flexibility of CoCo Max III. One new feature is the replace color tool, which is used to fill an area in the window with a chosen color or pattern. If there is an open space on the border, the color will leak, so make sure your border is solid. Leaving gaps is easy to do when zooming. Don't worry — if a mistake is made, the Undo bar is always available.

Another new tool, Arc, takes a little getting used to. Arc functions are just like the rubber band line, except they create a 90-degree arc. This is much like using a French curve tool when drawing designs on paper. You can use any color, and line width can also be changed. Also new is the cube icon. You can click

and hold the mouse button to draw the front of the cube just like a square box. After drawing the front, a release of the button allows you to move around to set the angle of the other two sides. Clicking the button again locks the remaining sides in place. As usual, line width and color selection can be used. This is a super tool, although its uses may be limited to technical and architectural drawings.

Additional new drawing features include the free hand shape tool, which is a cross between the rubber band line and the polygon, and the ray tool, which can be used to draw wonderful effects.

Winding up the CoCo Max III icons are the flowbrush and the centered circle. The flowbrush is used under the animate mode and features the same brush shapes as the paintbrush. The great thing about flowbrush is that when used in the window, the brush shape alternates among the four animated colors. These are colors 11, 12, 13 and 14 on the palette. The slower you draw, the closer the four colors are to each other. Conversely, the faster you move across the window, the larger the color separation. The CoCo Max III demo gives a beautiful example of how this can be used. This is a fun tool to use and its possibilities are endless.

The centered circle is used to create circles from a center point going outward. It works basically the same as the regular circle tool. Drawing bull's-eyes and targets is simple, and all line widths and colors can be used.

The final section on the screen is the menu bar. This is located above the window and is used to pull down the seven menus. By clicking on any of the seven titles, the menus appear.


Clicking on the file menu gives you the first menu, which includes various loading and saving options, as well as features to double page size and assign drives. The file menu also allows access to the scrapbook mode and several printer options. The scrapbook mode unlinks the window from the rest of the picture, allowing you to doodle and try new drawing techniques. Toggling out of this mode returns the screen back to its original form. Objects can also be cut or copied out of the scrapbook and pasted onto another picture without harming the current drawing. Two commands are available under the scrapbook mode: Save Scrapbook and Load Scrapbook. These commands can be used to save and load entire windows onto disk for later use. They are saved with the extension .SBK. The scrapbook is another wondrous power of CoCo Max III.

Printer functions include double size, which prints out a double screen on a full-size sheet of paper or a half sheet on a half screen. This allows for excellent text print for desktop publishing.

The print option allows printer output of a drawing. CoCo Max III currently supports several printers. They are Epson and compatibles, Gemini, DMP-105/106, DMP-130 Serial and DMP-130/106 IBM mode. All print drivers print out pictures in black and white along with five shades of gray. Each slot prints out a specific shade, regardless of what color is assigned to it. To print in black and white, Slot 0 (white) and Slot 15 (black) must be used. Use of any other color will result in gray shades being printed. The CoCo Max III user's manual details shade assignments.

DMP-105 printouts look reasonably good. However, due to the quality of the printer itself, hard copies may be smudged or slightly blurred. Printouts from an Epson printer look perfect. The double-strike mode works with this unit and enhances the printout even more.

A CGP-220 printer driver is available for \$19.95. Colorware has developed a way to print 125 colors on the CGP. There are separated color sets for RGB and composite modes. Print quality is very good and crisp for the most part, and the printout colors match the screen colors closely. This really makes CoCo Max III shimmer and sparkle.



Several utilities are also on the CGP-220 driver disk to allow custom palettes to be created. Other utilities allow printing of all available colors, and the *Printit* program allows color hard copies of drawings to be printed out without using *CoCo Max III*. The CGP-220 driver disk is worth every penny and more.

The second menu can be accessed by clicking the edit bar. The functions under this menu are used in conjunction with the lasso and editing box and all

are grayed out except for the paste command when not using any editing tools. The functions include cut, copy, paste, clear and fill.



You can also trace the outer border of an object you're editing with the trace edges feature, and turn the colors within the editing box to their opposites (for example, white turns black and black turns white).

Various other functions are available from the edit menu that allow you to flip an item you're editing (either horizontally or vertically), turn it sideways, shrink it or stretch it, or rotate it in small, precise angles.

Use of the edit menu can be very helpful to all CoCo artists. If you plan to do serious drawing, you will use this menu constantly.

Clicking on the options menu will give you a variety of artistic features that complement *CoCo Max III* very well. First is the grid tool. This is convenient for positioning text or doing technical drawings.

There are also features for pattern modification and brush selection, as well as brush mirror options, which draw proportional brush strokes either horizontally or vertically within the window.

New features include clear RAM disk, which clears pictures, scrapbooks and clipboards saved in RAM, and load font set, which loads optional fonts such as *Max Fonts*. If you create newsletters or do desktop publishing, load font set is indispensable.

The color menu really lets CoCo do what it is made for — color computing. A variety of tools allow for color changing and animation. These tools can turn an ordinary picture into a remarkable and magical picture.

The set colors tool allows you to change any of the 16 palette colors. Upon clicking set colors, a window showing all 64 available colors and the 16 palette slots appears. To change colors, simply click the palette you want to change, then click one of the 64 colors

available. Presto, it is changed. To exit, click the OK prompt. This is a great feature - no fuss, no guess, just click to pick your color. This is a great help when drawing shades. You can actually compare colors on the screen. The Standard CMP and Standard RGB option reverts the palettes back to their original color sets.

You can use the cycle colors tool to cycle through eight pre-chosen colors. To change the cycle colors, click on this menu bar and a window will appear, again showing all 64 colors and eight color palettes. Click on these palettes to change, then click the desired color. Palette number 11 is the color cycle palette. This is one of the two powerful animation features.

The cycle speed tool allows the colors

to be cycled at almost any speed from .5 steps per second to 60 steps per second.

You can control animation with the animate speed tool, which sets the rotation of the four animation colors at the same rate as cycle speed. The animate feature revolves through four of the palettes on the palette bar to create a motion type effect. This effect is similar to rotating lights on a marquee and gives the picture a magical effect almost like cartooning.

Color mixing options include: no color mix, to paint over a color by any other color; additive mix, which acts as a color mixer; and subtractive mix. which takes color away from a paint.

By clicking the font menu, there are 13 font styles available, with over 90

more that can be added. These can be loaded through the load font set option. If you own Max Fonts, Colorware will upgrade your original disks to work with all versions of CoCo Max. Send the disks along with an SASE to Colorware for the conversion. These fonts maximize the full potential of CoCo Max III's desktop drawing abilities.

The size menu is used in conjunction with the fonts. Text can be stretched by using the tall or wide command. The size can be increased or decreased by using the X3/4, X2, or X4 options. All of these options can be used alone or in any combination. Unlimited sizes can be created using this menu.

Last on the menu bar is the style menu, which works with the font and size menus. Any font can use one or more of five styles. Bold, italics, outline, shadow and 3-D styles are available. To revert back to the regular style, click the Plain command at the top of the menu. Text can also be justified by using the left, centered and right functions in the style menu.

CoCo Max III comes with a multitude of support programs to round it out. CoCoShow comes on the demo disk and is used in the creation of slide shows and demonstrations with CoCo Max III pictures. This program is easy to use and you can use as many pictures as you can store on one disk.

The Coltrans software converts RGB colored files to CMP colors or CMP colors to RGB colors. This is especially useful if you upgrade from a composite monitor to an RGB display. Another use might be to transfer pictures to a friend who has a different kind of monitor.

Translat has the ability to read and write compressed files. This program loads picture files into memory so they can be accessed from BASIC. CoCo Max II pictures can also be transferred to CoCo Max III, then edited and colored using this fine utility. CoCo Max II users will find it hard not to use this program.

CoCo Max III is extremely userfriendly. While doing this review, my 15year-old brother, Larry, sat down with the mouse and drew an impressive picture of an F-4 jet (see photo). He has never used CoCo Max III and only played with CoCo Max II once. You cannot get any friendlier than that.

CoCo Max III is also error-free. The program does not bomb out under any conditions. A Quit function on one of the menus would have been a big help, though, especially if you want to exit to



The NX-1000 gives you plenty of print options for attractive printing. Four typestyles. Four pitch sizes, in standard and italics for a total of 32 NLQ modes. The NX-1000 Rainbow gives you all these features plus online access to 7 color printing and graphics. Black, blue, red. yellow, green, violet, and orange. Both models have a 1 year warranty, nationwide service and a 30 day online trial.

NX-1000 SPECS: 144 cps Draft, 36 cps NLQ (18 x 23 dot matrix). 4 NLO Fonts, Italics, Sub & Superscripts, Emphasized, Dou blestrike, Proportional, Condensed, International, Downloadable Quad Tall, Double Tall, Underline, 9+ Pitchs, Forward and Reverse n/216" Line Feeds, Absolute or Relative Vert. & Horz. Tabs, Left, Center or Right Justification, 8 Graphics Modes to 1920 dpl, Macro Instruction, Bidirection, 200+ Printable Characters, Semi Auto Sheet Feed, Front Panel Soft Touch Control, Epson and IBM Emulate, 4k Data Buffer, Hex Dump Rainbow: Same plus color



- Star NX-1000 Printer
- · Blue Streak Ultima

 Software Support Trio +\$10 Shipping and Insurance COMPLETE

+\$10 Shipping and Insurance

NX-1000 RAINBOW SYSTEM INCLUDES:

- Star NX-1000 Colour Printer
- Blue Streak Ultima
- Software Trio
- COMPLETE
- · Color Imaging Software

Software Support Trio

TYPE SELECTION/ TUTORIAL

Online instructional program

that will select 24 special features

of your printer or display methods

to incorporate them into your

programs.

SUPER **GEMPRINT**

or grey level shading for color.

HI-RES SUPER **GEMPRINT** Will transfer a Pmode 0, 1, 2, 3, or 4 picture screen to printer 8*x11* hardcopy. Black/white, white/black

Disk software that will transfer a Hscreen 1,2,3 or 4 picture screen to printer. Grey level shading for color.

Software Trio

Price, availability and specifications subject to change without notice.

DAYTON ASSOCIATES "HALL, INC.

7201 CLAIRCREST, BLDG. D DAYTON, OHIO 45424 OHIO RESIDENTS ADD 6% SALES TAX • C.O.D. ADD \$2.00 PERSONAL SERVICE (513) 236-1454 Visa & MasterCard within the continental U.S.

set a printer code, then jump back into the program.

CoCo Max III is much more than a drawing program. School projects, Christmas cards, certificates, slide shows, newsletters, labels, buttons, manuals, brochures, business cards and cartoons are just a few of the items that can be created. There are no limits to what you can do with this fabulous program.

All in all, CoCo Max III is a programming triumph. The CoCo Max III user's manual is one of the most comprehensive and easy-to-use guides I have ever seen for any CoCo program. Colorware and Dave Stampe are to be commended for their amazing creation. Speed, ease, animation, power and color, all in one package. CoCo Max III is the ultimate program for the CoCo 3.

(Colorware, 242-W West Avenue, Darien, CT 06820, 800-221-0916; \$79.95)

- Logan Ward

Software

CoCo 1 & 2

Banker II — Expand and Manage CoCo 2 Memory

Banker II is a hardware and software package that is manufactured and distributed by J & R Electronics of Maryland. The product consists of a memory expansion board of either 256 or 512K RAM, an associated memory management board (called Banker II because it manages the memory banks in the CoCo or CoCo 2), and some associated software. The product is available in kit form or fully assembled. This review is for the fully assembled Banker II with 512K of RAM memory.

Unfortunately, the product arrived damaged. The Banker board had not survived the U.S. Postal Service, and was too badly damaged to be fixed. I contacted Jesse Jackson at J & R Electronics, and he promptly shipped me a missing installation manual and an entirely new unit for review. The unit was carefully packaged and arrived in only a few days, as promised. It was entirely functional after I reinstalled the

P1 jumper cable, which had been installed backward.

The installation is solderless and can be done by anybody in less than a half hour. It requires only that you be capable of removing some IC memory chips and the SAM chip and installing in its place the Banker II board and a memory expansion board that fits under the keyboard. In some instances, a plastic skating pin that the keyboard rests on must be removed for the memory board to fit correctly. Otherwise, it is a relatively painless operation. I must. however, caution that if you have never opened a CoCo or other computer and have no experience or familiarity, your best bet would be to find someone to assist you (a local CoCo Club or users group might be an excellent resource).

This is a very sophisticated product that can either be very simply implemented or supercharged to a peak of performance, so this memory package is useful for both the power user and the average user. OS-9 users get the advantage of OS-9 Level II, and a superfast disk drive to really turbocharge operations. The RS-DOS users get the benefits of the memory, one or two instant access RAM disks, a sophisticated print spooler that will handle multiple copy, reset, kill, dump and speed upgrade commands by a simple CHR\$ statement, and more.

In addition, there is the PCOPYMOR program, the *Banker* Backup program, and the pager program, which can be used to take advantage of copying ROM to RAM memory, backing up a



7 Switchable Baud Rates

300 · 600 · 1200 · 2400 · 4800 · 9600 · 19200

Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your current printer. Try it on your system for 30 days RISK FREE. One year warranty. Dealer inquiries on quantity 3+.

BLUE STREAK ULTIMA \$3995 +\$2 Shipping

Print in Color on Your on Your Star IV-10 or DMP-130

Super Gemprint Color Imaging System

Use your favorite program to create a pmode or hi-res graphic image, but don't stop there! Run our color graphics software and print a color image using a

stop there! Run our color graphics software and print a color image using a pallette of 81+ colors on your NX-10 or DMP-130 from a CoCo 1, 2, or 3. This system superimposes 4 graphic screen dumps (black, blue, yellow & red) while prompting you to change ribbon cartriges after each page. The colors mix and add to give you your own color masterpiece.

Includes: Software disk, 1 blue, 1 red & 1 yellow ribbon cartridge.

System Requirements: 32k ECB Disk, Blue Streak 1, 2, 3 or Ultima Price, specifications subject to change without notice.

*39⁹⁵ +\$3 Shipping

DAYTON ASSOCIATES OF W.R., INC.

7201 CLAIRCREST, BLDG. D DAYTON, OHIO 45424 OHIO RESIDENTS ADD 6% SALES TAX • C.O.D. ADD \$2.00 PERSONAL SERVICE (513) 236-1454 Visa & MasterCard within the continental U.S. RAM disk or an upper bank of memory and, more importantly, stepping through the memory banks. This is very similar to having six 64K CoCos in one!

Also included is a bank test program that will selectively or automatically test and verify all of the memory banks. In a 512K CoCo you would now have 125 graphics pages of memory at your command! A PCOPYDEMO program shows you how the memory could be managed to create animated graphics screens. A program designed to work with Telewriter-64 called S.XXX is also provided. Use this program with great care! It is designed to speed up and augment disk I/O by allowing the use of a RAM disk. You must load the RAM disk with the Banker before booting Telewriter-64 or any text in the buffer will be overwritten and lost!

Both Jesse Jackson and Raymond Rowe have done a thorough and complete job in designing, engineering and assembling Banker II and its software. The user can customize the software, the source code itself and the Banker II memory maps any way he or she chooses, and really make it fly. The documentation on all counts is thorough and to the point. The installation manuals are thorough, too, with diagrams and careful explanations of how to handle the assembly and installation of both the assembled Banker II and the one that comes in kit form. Troubleshooting guides are included in both manuals and in the user manual for the software. A note of caution here, also. These are technically oriented manuals and are beyond the immediate scope of the novice.

After installing Banker II successfully, I had little trouble operating the associated software. I tested the equipment in several different CoCo 2s, and found that it tended to overheat about 30 to 45 minutes after power-up in some cases where the room temperature was about 68 degrees Fahrenheit. This was not always replicable, however, and could be due to a faulty power supply. I also found that occasionally, in attempting to change banks or pages, the machine would inexplicably crash. Yet I could not get the system to replicate the problems. I chalk this up to a faulty connection somewhere, and suggest to the Banker II user that he or she check all connections very carefully! Also, the Korean CoCo users will find the 64K chips soldered to the motherboard. Good luck removing them and installing sockets! The CLEARFIX patch and OS-9 Bootfix patch, which cure slight incompatibilities with Banker II, worked without problems. A note again: In switching the controllers and computers with Banker II, I discovered that DOS 1.0 would cause the disks to behave very erratically, while DOS 1.1 always worked fine.

In summary, I have tested this product thoroughly and rigorously under different circumstances and situations. It is a very well-designed and wellengineered product that has excellent documentation and support. The flaws and glitches I found could not be replicated in every instance and user fault cannot be ruled out entirely in these cases. What crashes I experienced could be recovered from immediately, though any data in memory was lost at system crash (warm reset was not possible due to keyboard lockout). The documentation and support are thorough and high quality. I would recommend that 512K versions of the programs be present on the software supplied with the product so that the user does not have to customize the software if he or she has 512K installed in the computer. As the software currently exists, the user must customize the programs to take advantage of the 512K RAM. This is an excellent product for people wanting or needing more memory, but not wanting to move on to the CoCo 3.

(J & R Electronics, P.O. Box 2572, Columbia, MD 21045, 301-987-9067 or 301-788-0861; \$39.95, kit form; \$169.95, fully assembled)

- Jeffrey S. Parker

Hardware

CoCo 1, 2 & 3

Avatex 1200e — Economical 1200 Baud Modem

The world of personal computing continues to move onward and upward every day. In the modem industry, the 300 baud modem was made obsolete by the 1200 baud modem — which was then superseded by the 2400 baud modem. Many high-end business users are now running 9600 baud modems, and in a few years the new ISDN standard will allow communication at speeds up to 64,000 baud.

That's all well and good for those of us with deep, well-lined pockets — but CoCo users are typically economyminded people who can't, or won't, spend such atrocious sums on equipment. That's why so many CoCo users still have 300 baud modems. But 300 baud can be a false economy when you're using a service like Delphi or CompuServe, or when you're dialing out-of-town bulletin boards and paying long distance charges. Also, some heavily used BBSs are now allowing access only at 1200 or 2400 baud, locking out the folks with older modems. What has been needed for quite some time is a 1200 baud modem for the price of a 300 say, around \$100, which is what a typical 300 baud modem often sells for. The Avatex 1200e, at \$99, has finally broken the barrier.

Unlike certain other modem bargains that have popped up in the past, the 1200e isn't a stripped model, or originate-only, or a "dumb" modem, or a reconditioned used unit. It handles both answer and originate, dials with both tones and pulses, and is a Hayescompatible "smart modem." It has the usual status lights and speaker. As best I can tell, they haven't left anything out. The secret of the 1200e's small size (61/4by-51/4-by-11/2 inches) and low cost is that it uses a new pair of integrated circuits - the SC11008 and SC11014 to provide most of the logic and signal processing circuitry. The whole board has about as many parts as a transistorized AM radio.

The 1200e's AT command set is very close to that of a Hayes modem, though there are some minor differences that shouldn't have an adverse effect on compatibility. All 14 of the 'S' registers are available for adapting the modem to the way you prefer to use it, and all five 'X' levels are available to allow dial tone and busy signal detection. As an example, you might send this string to the modem to initialize it:

ATX4E0L1S11=50

This would set the modem for full "call progress" detection (X4), no echo of commands (E0) and low speaker volume (L1), and would change the length of dialing tones and spaces to 50 milliseconds (S11=50) for slightly faster tone dialing.

As for hardware compatibility, the 1200e can connect with modems using

CoCo 3

either the North American "Bell" 300 or 1200 baud standards, or the CCITT V.21 and V.22 standards used overseas. The 1200e is approved by the FCC and by the Canadian Department of Communications, and there should be no problem using it with a normal telephone line.

The 1200e may have problems working with some business phone systems that use A lead supervision, because it's designed for a standard RJ11 jack; also, if you have a two-line phone, or one that has a dial light powered by a separate transformer, you'll need to plug it directly into a wall jack because the 1200e's line cord and phone jack have only two wires and won't pass the

The 1200e performed well in our tests, with very few (if any) data errors, both on local and long distance lines. I honestly can't find anything really negative to say about the product, so I can recommend the Avatex 1200e highly to anyone who needs a 1200 baud modem.

second line or dial light power.

(Cinsoft, 2235 Losantville, Cincinnati, OH 45237, 513-396-7638; \$99; with CoCo cable, \$109; with cable and *Autoterm* software, \$139)

- Ed Ellers

Software

CoCo 1, 2 & 3

FlightSim 1 — Up, Up and Away

FlightSim 1 is a flight Simulation program for the Color Computer. As a user, you fly a large commercial jet from one locale to another. To use FlightSim 1, you need at least 32K of memory plus two joysticks (the deluxe models are strongly recommended).


Upon loading FLTSIM into memory, you are presented with a screen that simulates an aircraft instrument panel (lower half of screen) and the front window view from the cockpit (upper half). The screens are in black and white, no color output being supported by the program.

Looking at the instrument panel, you will find the Airspeed and Power Indicator which gives the airspeed in knots per hour. The Power Indicator keeps you informed as to the throttle positioning. The throttle is controlled with the left joystick.

The Attitude Deviation Indicator is

located in the central-top portion of the panel. This gauge shows you the aircraft's "deviation" from level flight. By watching this, you can tell if the aircraft nose is up, down, left or right.

In addition to these instruments, you are provided with a glidescope, altimeter, ROC, HDG and multifunction readout. The glidescope, located along



the edges of the ADI, keeps you flying "true" on the radio beam during landing approach. An altimeter gives you altitude above sea level in thousands of feet. ROC stands for Rate of Climb; this instrument provides readouts of the rate of ascent or descent in thousands of feet per minute. The HDG, or heading gauge, acts as a compass. Other information available to the pilot includes fuel status, heading in degrees, cloud ceiling, etc.

Successfully operating the jet is fairly complicated, as might be expected with a large aircraft. You will need to spend a substantial amount of time mastering this one. Flight characteristics are realistic but unforgiving, just as the real thing.

The main weakness of this program is in the graphics display of the outside world, as seen from the cockpit window. Whether considered alone or against the other flight simulations available, these graphics are mediocre at best. It should be noted, however, that detailed graphics are not necessary for a realistic flight simulation. After all, the real counterparts take off and land in zero visibility conditions, using instruments alone.

Instructions for FlightSim 1 are contained in a well-written manual, complete with "ground school" orientation. Putting all the realistic behavior of an aircraft into 32K of memory is quite an accomplishment and the authors of FlightSim 1 have done this quite well.

(Tandy Corporation, 1700 One Tandy Center, Ft. Worth, TX 76102; \$24.95. Available in Radio Shack stores nationwide.)

- Leonard Hyre

Software

Phantomgraph — Professional Graphs on the CoCo 3

One night at a Color Computer Users Group meeting, a new CoCo user came up to me and inquired if I knew of a good graph-making program for the CoCo. He wanted one that could take his spreadsheet data and turn it into a graph for business use. My reply to him then was that I knew of no such animal. If he'd ask me today, however, I'd have just the program he needs. It is a new one called *Phantomgraph*.

Phantomgraph is one of the latest releases from Tandy for the Color Computer 3. It requires 128K memory and either a mouse or joystick. Like all the new Tandy releases for the CoCo 3, it comes on an OS-9 Level II disk. However, because it has all of the necessary OS-9 operating system on the disk, the regular OS-9 system disk is not needed.

The manual that comes with the program is quite good. It is designed in the form of a tutorial and takes you through the features of the program step by step. You begin by making very simple graphs and then move on to more advanced ones.

As I said, the manual is quite good, but it does leave out a few things. The most important thing concerns the Save File procedure. If you follow the procedure as outlined in the manual, you'll find yourself staring at the screen wondering if your disk drives have done another one of those "silent deaths" when the contacts on the disk-pak get corroded and need cleaning, and the drive does not come on. Well, the problem is not with the disk-pak this time, it is with the program documentation. Simply follow the steps in the manual for saving the file to disk and, after you have entered the filename, do not move the cursor arrow out of the dialog box, just move it off the name line and press the pointer button. (The same goes for loading in a file.)

Another problem area concerns the demo "Camp Cost" graph that you make in the tutorial portion of the manual. *Phantomgraph* runs in a graphics window. Various window types allow for only a certain number of colors. In the Type 7 window, the

program allows only four colors; in the Type 8 window, it allows eight. The manual does not tell you what type of window the program initially comes up in when running the program from the "out-of-the-box" disk. Therefore, when you do the Camp Cost graph, and it draws on the screen, you'll notice part of your graph is missing. This is because the program comes up in a Type 7 window, and one of the colors you were directed to use is not supported by this window mode. To get a Type 8 window and the full eight colors, you either have to go back and modify the start-up file, create another window, or boot up with a regular OS-9 Level II system disk and initialize the W8 window screen. (Or you could simply change the color of that particular section of the demo graph to one that is recognized by the Type 7 window.)

The color limitation is really not all that limiting, because the program makes use of numerous texture patterns, as well. Therefore, a number of color/pattern combinations can be used to delineate the various items of data in

your graphs.

Phantomgraph can make four primary types of graphs; line graphs, bar charts, pie charts and scatter charts. You can also display some of the graph types in more than one format. For example, you can display bar charts that are standard, grouped, columnar, and so on.

The program makes extensive use of "Dialog Boxes," i.e., pull-down menus. This is another example of the ease of programming power that comes with OS-9 Level II, as these are really nothing more than small overlay windows. In essence, the program uses the popular point-and-click method of operation. Just move the pointer to one of the main menu items listed across the top of the screen, click a button, and a submenu appears.

The graphs may be drawn on the screen or printed out. The screen drawing is fast — again another plus with using OS-9 Level II. Additionally, a series of graphs may be tied together into a slide-show for presentation. Phantomgraph contains a sequence editor to allow for the creation of a sequence file (called a Drawing file).

For hard copy printouts, the program contains a unique printer driver. Instead of merely supporting the Tandy mode of DMP printers, it also supports the IBM mode of its printers.

One of the most time-consuming aspects of using Phantomgraph is entering data on which to base a chart. But the programmer has even made this a little easier. The Utilities section of the main menu contains two utility files, under Convert. They are DYNA, which converts data from DynaCalc spreadsheet files into data usable by Phantomgraph, and SYLK, a procedure to convert Symbolic Link (SYLK) files to DynaCalc files, which can then be converted to Phantomgraph data.

Aside from the couple of bugs in the manual, this program is excellent, and the graphs it produces are first-rate. The most amazing thing about the graphs is that if you don't like the way the data looks in a pie chart, for instance, you can simply select another graph type and have it quickly redrawn. The graphs are suitable for business use, for use at the PTA, for home use, school use, or just about anywhere you want to make a good presentation. In short, Phantomgraph is an excellent program.

(Tandy Corporation, 1700 One Tandy Center, Ft. Worth, TX 76102; \$39.95. Available in Radio Shack stores nation-

#26-3276

- Kerry Armstrong

Software

CoCo 1, 2 & 3


Chemistry Tutor — An Excellent **Learning Tool**

Chemistry Tutor is a two-disk set for the CoCo 1, 2 or 3. The disks are not copy-protected and can be backed up for your own protection. The program can be booted with the DOS command or by typing RUN "BOOT". The user is first presented with four options on a menu screen: Start Text, Start Test, Element Data and End Program.

The first option, Start Text, provides the user with six lessons covering the various technical aspects of the elements. The information provided is based on text found in various books such as The New Encyclopedia Britannica and General Chemistry Principles and Structure. The information provided consists of various definitions such as, "Matter is defined as anything that takes up space and has mass. Mass is the amount of matter that the substance possesses and has a unit of weight.'

Obviously, the intent of this program

is to assist a person in the study of chemistry. The information provided can be found in text books, but many people learn faster and more thoroughly when prompted by a computer. At various places throughout the lessons, a high resolution display of the element or definition is presented. The periodic table is also presented in the Hi-Res mode.



Start Test provides the user with a multiple-choice test on each of the six available lessons. The user is prompted with the correct answer if an incorrect one is input. A continuing score is provided so that the student can keep track of his or her progress.

The third option, Element Data, provides the user with a submenu of four additional options: Study Periodic Table, Find Element Data, Quiz on Periodic Table and End This Program. If you choose to study the periodic table, you can do it either sequentially or randomly from the 106 available elements that are loaded into the computer's memory. If you choose to find element data, you can look it up by name, atomic number or atomic sym-

The last option is a quiz on the periodic table, and the student can be quizzed by element name, atomic number or atomic symbol. The student's score is also monitored during the test and presented on the screen.

I found Chemistry Tutor to be an excellent learning tool. The programs are well-structured, and the many graphics pages are very well-done and of textbook quality. The programs are easy-to-use, user-friendly and selfprompting. I believe chemistry students and teachers will benefit from this software, and I recommend it without reservation.

(A to Z Unlimited, Software Division, 901 Ferndale Blvd., High Point, NC 27260, 919-882-6255; \$42 plus \$3 S/H)

- Robert Gray

Software

CoCo 1, 2 & 3

GrafFind — Organize Your Picture Files

GrafFind is a handy graphics utility to help you organize your CoCo Max, Graphicom II and MacPaint picture files.

It allows you to view, rename, kill and transfer pictures from one disk to another easily and recognizes all standard 6K or 12K graphics picture files, regardless of extensions such as .MAX, .BIN, etc.

The program supplied on disk is not copy-protected, so making backup copies for your own use is not a problem. The program is written for all models of CoCo with at least 32K of RAM. It works fine on the CoCo 3, as well, but your pictures will appear in black and white if you are using the CM-8 Tandy RGB monitor.

The program works with RS-DOS 1.0 or 1.1 and the author claims that it works with ADOS, too, but I did not verify that. I did try it with RS-DOS 1.1 and ADOS 3 on my CoCo 3, and in both cases the program booted with the DOS command. The documentation is good and easy to follow. Although the program is not difficult to use, a built-in help file is available by typing? at the user prompt.



The program is loaded in and, after a colorful title screen, the user is asked questions relating to the number of drives in use and to which drive possible file transfers will be sent. After the disk files are read into memory, they are displayed on the Hi-Res screen in two-column format with their appropriate file extension. The user can either view, transfer, kill or rename any file on the disk. You can also enter an N for a new disk without having to break out of the

program and restart it. I tried each command and did not have any trouble manipulating the files contained on several of my picture disks.

The only possible problem I encountered was that the author (Steve Ricketts) used the high speed and super high speed pokes in the program. While these pokes are desirable from an operational viewpoint and improve overall program operation and flow, they do create a problem on some of the older models of the Color Computer, Fortunately, the pokes are pointed out in the documentation and can be removed from the BASIC listing using CoCo's built-in line editor. I doubt that CoCo 2s would have any problem with these pokes. The program ran fine on my CoCo 3, but I had to remove the pokes before it would run on my old CoCo 1. If you buy this program and your computer locks up. be sure to remove these offending pokes after loading, and edit the listing before

GrafFind is a good utility program and is well-written for the CoCo picture buff. If you have lots of pictures and want a way to move them around easily, I suggest you consider this program.

(RainyDay Software, 10625 SE 362nd Ave., SP.B-32, Boring, OR 97009, 503-663-2423; \$10)

- Jerry Semones

Hardware

CoCo 1, 2 & 3

CoCo XT — Well-Designed Hard Drive Interface

Many CoCo users reach a point where they consider the use of a hard drive system. Three conditions have made this consideration less practical than it might have been. First, the cost of hard drive systems for the CoCo have not been "user-friendly." Secondly, there is a lack of general knowledge on the part of most users about how to put such a system together. Finally, most hard drive systems available in the CoCo Community have only been usable under OS-9.

The CoCo XT and CoCo XT-RTC, from Burke & Burke, address all three of these concerns quite well. It is possible to set up a 20-Meg hard drive

system for around \$400 using the CoCo XT interface. To set up such a system requires little technical expertise. If you purchase the optional *Hyper-I/O* software from Burke & Burke, you can use the hard drive system without going to OS-9. As shipped, the interface includes a wide variety of drivers and software for building a descriptor specific to your hard drive for use under OS-9.

The CoCo XT is designed to accept the common and popular Western Digital WD1002-WX1 and WD1002-27X (RLL) hard drive controllers used in IBM PCs and compatibles. These controllers are often shipped with bare hard drives as a package. It is easy to find low-cost 20- and 30-Meg drives in many of the "clone" magazines and catalogs. It isn't uncommon to find an ad for a bare 20-Meg drive with controller for around \$260. Just make sure the controller is one of those listed above when you order the hard drive. In addition, you will need to purchase a case with power supply to house your new drive. These can be found through advertisers in THE RAINBOW.

Installation of the system is fairly straightforward and is well-covered in the user's manual accompanying the CoCo XT. You install the controller in the CoCo XT interface and connect the data and control cables between the controller and the drive. Mount the drive in the case and connect the power supply cable. Put the top on the hard drive case and enclose the interface/controller combination in its protective "sandwich." Plug the interface into Slot 3 of your Multi-Pak Interface and you are ready to begin software installation.

Simply boot OS-9 (all versions are supported) and follow the instructions in the CoCo XT user's manual. When creating the device descriptor for your particular hard drive, you will be asked for specific parameters concerning that drive. These can be found on the data sheet, which should accompany the drive when you purchase it. In addition, Burke & Burke has thoughtfully provided a table of specifications for the more common hard drives.

Since I had recently pulled a 20-Meg Seagate drive with a WD1002 controller out of my compatible and had a spare drive case with power supply on hand, I was ready to go when I received the CoCo XT interface. All told, installation was complete in about an hour. Of course, then came the somewhat tedious task of copying all of my commands and software to the hard drive. Proper use of the Dsave command lessened the

severity of this chore, however, and I was soon under way.

The interface used for this review was the CoCo XT-RTC. This unit is identical to the CoCo XT except that it includes a hardware real-time clock. In addition to the driver and descriptor software, Burke & Burke provides several utilities for setting and reading this clock. Now when I boot my system, it tells me what time it is. I found the clock to be a handy and very welcome addition — well worth the additional \$30.

From an OS-9 standpoint, the Burke & Burke interface presents a very viable option to the serious CoCo user. While installation may require some limited working knowledge of OS-9, the procedure is explained thoroughly. The interface is well-designed, and it is obvious that considerable thought went into the project during its conception. I commend Burke & Burke for providing such an alternative to the CoCo Community.

(Burke & Burke, P.O. Box 1283, Palatine, IL 60078, 312-397-2898; \$69.95; w/real-time clock, \$99.95)

- Cray Augsburg

Software

CoCo 3

Color Venture RAMDISK— Instant Access for the CoCo 3

ColorVenture has released their version of the popular RAM disk for the CoCo 3. The extra memory available in the 512K CoCo 3 makes the use of a RAM disk not only practical but fun. The Color Venture RAMDISK sets up two 35- or 40-track, memory-resident disk drives, providing instant access to programs or files stored in them. It's reset-protected and lets you use up to four physical drives in addition to two RAM disks. If you have Color Venture's Printer Lightning spooler program, you will have the advantage of the RAM disks and printer spooler without losing any BASIC memory. All of the present disk commands are supported, and you can save your default setup so that you won't have to reconfigure it every time you boot up the computer.

A two-page, easy-to-follow instruction sheet is provided, making installation quick and easy. The program is not copy-protected, so make backup copies for your own peace of mind.

After loading, you are required to answer whether or not you want to use the default settings. New users should answer this with an N if this is the first use of the program.

If you answer no to the default question, you are provided with prompts asking what physical drives you have and by what number to designate them. In my case, since I have two drives, I set up drives 0 and 1 as my physical drives, and drives 2 and 3 as my RAM disks. If you goof, you can restart the whole process by simply pressing the BREAK key. When you are finished you will have four drives available.

To see the RAM disks in action, I put a disk chock full of games and utilities in Drive 0, typed BACKUP 0 TO 2, and pressed ENTER. As usual, the Drive 0 light came on, the drive churned a bit and then stopped. Typing DIR 2 revealed that the entire contents of the disk in Drive 0 had been copied onto the RAM disk designated as Drive 2. I was then able to LOAD or LOADM any of the programs and RUN or EXEC them with instant speed.

The RAM disk is really fast in this regard, but unlike a physical disk that remembers its contents when the power is turned off, the RAM disk is volatile. That is, if you turn off the power with important data stored in it, it will be lost! So you must remember to frequently save new programs or data in the RAM disk to a real honest-to-goodness floppy.

Because RAMDISK is memory-resident, some programs will not work. One case in point is Telewriter-80 — the enhanced, 80-column, CoCo 3 version of the popular Telewriter-64 word processing program. OS-9 Level II does not work, either. There may be problems with other programs due to conflicts in memory allocation, but most of the software I tried worked fine.

One other feature I was impressed with was a provision to recover your data or program stored in a RAM disk in case of a computer crash — provided you don't turn off the computer in frustration.

I liked *ColorVenture RAMDISK*. I found it easy-to-use and a perfect companion to my CoCo 3. While no RAM disk is ever as safe as a real floppy due

to its RAM dependency, it does provide an excellent method for instant access to frequently used programs and data that have been saved to a floppy.

(Dr. Preble's Programs, 6540 Outer Loop, Louisville, KY 40228, 502-241-6474; \$19.95 plus \$2.50 S/H)

- David Gerald

Software

CoCo 3

The Director — Create Exciting Graphics Presentations

The Director is the sequel to the My Artist program produced by SEESOF in 1987. (See RAINBOW Reviews, October 1987.) The Director is a graphics sequencer, but it goes beyond the ordinary. It allows the user to produce graphics displays with sound or music, color changes and time delays.

The Director requires a Tandy Color Computer 3 and may be run on a cassette or disk-based system. The program is written in BASIC, but it is fast. It makes use of numerous menus to allow the user to produce a short program file that will run a graphics/sound sequence. The program's manual is well-written and thorough.

What makes *The Director* special is its ease of use. With all the available sub-menus, the user can walk right through the program and create an exciting graphics presentation.

The first step in creating a sequence is to gather together the picture files you will be working on. The Director is not a drawing program, so these picture files have to be created with other programs or taken from other sources. Because The Director is essentially a sequel to My Artist, the picture format the authors decided on was the same format used by that program. However, the programmers have included a CONVERT utility program on the program disk that will capture almost any CoCo 3 HSCREEN picture and convert it to the My Artist format.

Bear in mind that the CoCo 3 Hi-Res mode graphics do take up a lot of disk space, so you will not be able to get too many different picture files on a disk. This is the greatest limitation to the sequencer program. Fortunately, the

actual "sequence" program that The Director creates is not very long and takes little disk space.

I suggest the next step you take is to make some rough pencil sketches of your pictures and note the color codes for each major area of the picture. (You may recall that one of the exercises in the CoCo 3 manual was to make a list of each of the 64 color codes and name each color. It will be extremely helpful to you to find that old list, because you are going to need it.)

The reason for the sketches is quite simple. One of the major features of The Director is that it allows you to make changes in the various colors in your pictures. You may change individual palette slots or all of them on the fly. This makes for some degree of animation in the sequence. This feature, coupled with the Time Delay feature and the Repeat feature, can add a little life to your graphics presentations.

The Time Delay feature allows the user to set the amount of time a picture will remain on the screen before the next event happens. The event could be a color change, a picture change, or a bit of sound or music. Repeat allows the user to set up cycles of events that can

be done over and over again to make a larger presentation.

Similar to Repeat is the Jump function. Jump is used to jump or skip over several events to another starting place in the sequence. Essentially, a sequence is nothing more than a list of events.

The Music/Sound features can be handled in one of two ways — either by utilizing a prerecorded cassette tape, which the sequence list will turn off and on at the designated time, or by utilizing BASIC's sound functions. Sound effects are created by the tone and duration functions of the CoCo 3 and, coupled with the REPEAT command, fairly decent sound effects can be created. Music may be created using BASIC's PLAY commands. Again, the Repeat function may be used to make longer musical pieces.

Once the user has gone through all the various steps to create a graphics sequence, he or she can run the sequence list while still in The Director. This allows the user to fine-tune or edit the sequence and then save the finished product to disk or cassette. Likewise, the user can always reload the sequence file into the program and add to or edit it further.

When the sequence has been saved to the disk with the picture files, the editor program is no longer needed. The authors have provided a short program on the program disk called DISPLAY, which they have included as shareware. This means the user can feel free to provide copies of his or her graphics presentations to others. DISPLAY does only one thing. It allows the user to load in a sequence file and then displays the graphics/sound sequence for viewing and listening.

You don't have to be limited to your CoCo 3 and monitor to show off your artistic talents. The CoCo 3 does have true video and audio output jacks that can be hooked to a VCR, and with the graphics and sound capabilities, some pretty neat videos could be made. Think about it. Like I said before, The Director is not just an ordinary graphics sequencer.

(SEESOF, P.O. Box 574, Beaufort, SC 29901, 803-524-0116; The Director, \$39.95; My Artist and The Director, \$49.95)

- Kerry Armstrong

Still keeping the books the way Grandpa did?

Tired of scrounging through come by month. old shoeboxes full of receipts, canceled checks and bills? Looking for an easy way to organize your finances when the tax man calls? Then you need CoCo-Accountant, the bestselling home and small business accounting program for the Color Computer. All you have to

do is set up a chart of accounts and begin entering transactions. Checks, credit card expenses, income. In any order. Just toss it in and CoCo-Accountant sorts it out. No fuss, no muss, no mess.

When you're through, Coco-Accountant will dazzle you with an array of reports that will answer the three basic questions we all ask about our finances: Where did it come from? Where

did it go? And what can I deduct from my taxes? Here's what it can do for you:

List and total expenses and in-

List and total expenses and income by account, for any month or the whole year. List and total expenses or

income by payee or income source for any month or the whole year.

Track, list and summarize taxdeductible expenses.

Track, list and summarize expenses subject to sales tax. Even calculates total sales tax you

Produce a printed spreadsheet showing activity by month and account for the whole year! Balance your checkbook, of

course!

Sort entries by date and store files on tape or disk.

Up to 900 entries in a single file. Requires 64K CoCo or Coco 3.

Coco-Accountant is \$34.95 on tape or disk. Be sure to specify which you want when you order. We accept VISA and MasterCard. COD orders, add \$3.00. Send check or money order to the address below or call our toll-free order line. For information, call 301-521-4886.



Federal Hill Software 8134 Scotts Level Rd. Baltimore, Md. 21208. Toll-free orders 800-628-2828 Ext. 850





The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

Avatex 1200e, a 1200/300 bps standalone modem designed for the home, school or portable computer. For the CoCo 1, 2 and 3. Cinsoft, 2235 Losantiville Avenue, Cincinnati, OH 45237, (513) 396-7638; \$99; \$109 w/CoCocable; \$139 w/cable and Autoterm.

Big Pix 3, a 64K graphics editor that produces a picture that is 456 pixels wide and 565 pixels high. For the CoCo 1, 2 and 3. Tothian Software, Inc., Box 663, Rimersburg, PA 16248; \$24.95.

EZWriter, a 32K ECB word processor. Features allow you to save, retrieve and revise letters on tape or disk; save mailing lists; and print labels. For the CoCo 1, 2 and 3. E.Z. Friendly Software, Hutton & Orchard Streets, Rhinecliff, NY 12574, (914) 876-3935; \$19.95.

Graphic Echo II, a 32K graphics screen dump available on disk or tape. For the CoCo 1, 2 and 3. Tothian Software, Inc., Box 663, Rimersburg, PA 16248; \$14.95.

Home Publisher, a 128K desktop publishing program. Detailed graphics images and different sizes of text allow you to produce newsletters, memos, certificates, or any other small document using your computer and an ordinary printer. For the CoCo 3. Tandy Corporation, 1700 One Tandy Center, Fort Worth, TX 76102; \$39.95. Available in Radio Shack stores nationwide.

Iron Forest, a 128K light phaser game. Your mission is to protect the sacred White Dove. Use your phaser to zap the evil creatures that inhabit the forest and threaten the dove. For the CoCo 3. Diecom Products, Inc., 6715 Fifth Line, Milton, Ontario, Canada L9T 2X8, (416) 878-8358; \$28.95 U.S.; \$38.95 Cdn.; light phaser w/interface, \$34.95 U.S.; \$49.95 Cdn.; game and phaser together, \$59.95 U.S.; \$83.95 Cdn.

Mr. Corey, a 64K graphics Adventure. As a member of a secret government organization, your mission is to spy on the notorious Mr. Corey. Unfortunately, you are captured and find yourself in a room with a nuclear time bomb. The fate of the world lies within your hands. For the CoCo 1, 2 and 3. Valkyrie Software, P.O. Box 2120, Monroe, NY 10950, (914) 783-0191; \$19.95 plus \$2 S/H.

The Power Stones of Ard, a 128K Adventure game. The object of the game is to find the Spirit Stone of Ard. Create your own character and begin your journey into a land of magic and monsters. For the CoCo 3. Three C's Projects, P.O. Box 1323, Hamlet, NC 28345, (919) 582-5121; \$18.

Sub Battle, a World War II Simulation. For the CoCo 3. Epyx, 600 Galveston Drive, Redwood City, CA 94063; \$29.95. Available in Radio Shack stores nationwide.

Systems, a 128K graphics generator that features 320-by-192 16-color graphics, pull-down and page-down point-and-click menus, full screen workspace, nine different fonts, and more. For the CoCo 3. Elec-Soft, 803d W. 47th Street, Norfolk, VA 23508, (804) 451-1255; \$12.



First product received from this company

The Seal of Certification program is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a Seal, the magazine certifies the product does exist — that we have examined it and have a sample copy — but this does not constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

Judi Hutchinson

71 TOM MIX COMPANIES

FLIGHT 16*† - This is the very finest flight simulation program on the market today. Flight 16 will work with all color computers. Flies very much like a Cessna 150. Is a full instrument aircraft with sound effects and out-the-window graphics. As a REAL bonus feature, you may design your own airports and flight areas.

\$34.95

WORLDS OF FLIGHT*† - A real-time flight simulation of a sophisticated ultra-light aircraft which generates panoramic 3-D views of ground features as you fly in any of nine different "worlds." The manual included explains the instrument panel, the basis of flight control, etc. For the serious simulation buff!

\$30.95 32K

P51 MUSTANG ATTACK/FLIGHT SIMULATION*† - The ultimate video experience! For the first time ever, two CoCo's can be linked together via cable modem. (If playing via modem, both computers require a copy of the program.) Or play alone and sharpen your skills against a non-combatant computer drone.

\$30.95 32K

APPROACH CONTROL SIMULATION* - "Caught in a blinding snowstorm, two jet airliners are on a collision course. Hundreds of lives are at stake! A high-speed disaster is inevitable unless you act fast..." This and many other scenarios await you as the Air Traffic Controller. Experience firsthand challenges, frustrations and pressures felt by all Air Traffic Controllers!

\$25.95 32K

THE KING*† - This is a color computer classic! Looks and plays like the popular arcade game. Contains the same four screens as the original: barrels, pins, jacks, and conveyors. Super graphics!

\$25.95 32K

TRAPFALL*† - The "pitfalls" in this game are many. Fight your way through the jungle collecting hidden treasures as you go.

\$20.95

KATERPILLAR II*† - The CoCo has needed a perfect centipede-type game since day one. You will throw all imitations aside when you see this.

520.95 16K

BUZZARD BAIT*† - We've done it again. Outstanding high resolution graphics and sound make this "joust" type game a must for your software collection. One or two players.

\$20.95 32K

MS. MAZE*† - Ms. Maze combines brilliant color, high resolution, detailed graphics and music to make it look and play like the arcade version. It is the closest thing to the arcade Pac games that we've seen for the CoCo! Arcade Aces — this one's for you!

0.95 32K

CUBER*† - The hazards faced by Cuber are many! Help him change the colors of the pyramid while avoiding the many dangers always present.

\$20.95

VEGAS GAME PAK*† - Now you can bring Las Vegas home with you! This package contains six different games: Video Keno, Video Poker, and Video Blackjack, plus three slot machine lookalikes, Bar 5, 3 Line, and Right/Left.

\$24.95

GOLD FINDER*† - Here's the quality you have come to expect from TOM MIX! While avoiding enemies, pick up all the pieces of gold along the way; then ride, the elevator to the top to solve each level. Sixty-nine levels. PLUS now you can create your own levels.

\$20.95 32K Disk only

THE SAILOR MAN*† - Avoid the punches of the Bigfatbadguy and the flying bottles thrown by the Olduglyseawoman to rescue Elsie and win her heart! One or two players. More great sound and graphics from the author of "The King!"

\$25.95

SPECIAL OFFER:

Order two, take \$5.00 off total
Three or more, take \$8.00 off total

MONEYOPOLY*† - Now you can play the popular board game on your color computer! Probably the most realistic computer board game simulation ever. Contains all the features of the original game. Two to four players.

20.95 32K

DRACONIAN*† - Your mission is to destroy all of the enemy bases within each sector, rescue as many astronauts as possible and dock with the friendly base at the top of the sector. Your spaceship can move in eight different directions. An exciting program with outstanding graphics and sound!

\$20.95 32K

elec*TRON*† - Patterned after the popular arcade game, there are four men on your team and four subgames to complete.

\$20.95 16K

THE WILD WEST - CoCo III Only - The notorious desperado Black Bart has escaped from jail and is on his way to Dry Gulch to recover his hidden fortune. Can you capture him? Four voice music and sound effects and a vocabulary of over 100 words!

0.95

can make you see things that don't exist!

WIZARD'S DEN* - Another of our outstanding graphic adventures! You must recover the Gem of Damocles, stolen by the Evil Wizard. His magic is strong and he

Disk only

\$20.95 64K Disk only

LUNCHTIME*† - Your chef, Peter Pepper, is surrounded! Dodge pickles, hot dogs and eggs while building hamburgers. Fast paced action for either one or two players. \$19.95

BREWMASTER*† - Move along the end of the bars serving beers to your thirsty customers, but watch out for

falling glasses and rowdy customers!

MAUI VICE*† - Step into the shoes of Crock and Bubbs in this graphic adventure and gather evidence. A new story generated each time you play!

\$20.95 64K extended basic, Disk only

CHAMBERS*† - Loosely based on Cosmic Chasm, in each level you must destroy all of the evil creatures. In all there are 20 series of chambers with 20–35 interconnected rooms.

\$15.95

DRAGON SLAYER* - Save the villagers of Pendor from Icarus, the bloodthirsty dragon! He lives in a cave way up in the mountains, which is a treasure chest full of gems and cashbags. Be on the lookout for enemies and barriers at all times! Ten levels with sixteen rooms per level; over 160 exciting screens.

\$20.95 32K Disk only

VEGAS SLOTS - CoCo III Only - Seven of the most popular slot machine games found in Vegas are yours for the price of one: MultiBars, Fruit MultiBars, Right-Left/Left-Right, Lucky Dollar, Melons and Bars, Fruit and Bar 5. Designed to be as real as being there. One of the most outstanding programs we have ever offered.

\$29.95 Disk only

VIDEO CARDS & KENO - CoCo III Only - Play Video Poker, Jokers Wild, Blackjack, and Keno. These games are so real you expect to see Wayne Newton walk by! Outstanding graphics and movement. Wanna Bet?

\$29.95 Disk only

TEACHERS DATABASE II* - Allows teachers to keep computerized files of students. • Up to 100 students, 24 items per student • Statistical analysis of scores • Grades can be weighed, averaged, percentaged • Test result graphs/grade distribution charts

\$59.95 \$42.95 64K TDBII Disk Only 32K TDB

More educational software available.

TOM MIX SOFTWARE

P.O. Box 201 Ada, Michigan 49301 616/676-8172

- Specify tape or disk when ordering
- Add \$3.00 postage/handling
- · MI residents add 4% sales tax





* CoCo 1, 2, 3 compatible † Joystick required Write for free catalog

ARCADE GAME SALE

NOW! Here's your chance to have your own collection of Arcade favorites:

Package #1
Donkey Kong
Centipede
Pitfall
Donut Dilemma
Joust
\$49.95

Package #2

Ms. Pacman Tron Burger Time

Popeye

Burger Tim Q*Bert \$49.95 Package #3
Pacman

Quix Bartender

Frogger

Loderunner \$49.95

OR: 2 packages only \$94.95; 3 packages only \$139.95

Each package contained on more than one unprotected diskette (Sorry, disk only). This is high quality software that formerly sold for as high \$34.95 each.

Please add \$4.00 shipping on this special offer only.

Memory Souped Up, Running Hot

My 512K memory card from Disto tends to run very hot. Also, the heat sink in the CoCo 3 runs very hot. After some hours of use, the computer crashes, and memory check programs reveal errors and sometimes crash themselves. Any ideas?

> Franz C. Shattuck (GCSCOMP) Hillsboro, NH

First of all, I doubt that the make of the memory upgrade board is in any way the problem. It certainly is true that the power supply of the CoCo 3 runs its power transistor and associated heat sink quite hot in "normal" operation. A cure could involve replacing that transistor with a beefier TO3 cased unit, and whether or not you changed the transistor, you'd have to mount the regulator transistor on a more massive heat sink.

David Schoepf of Vicksburg, Mississippi, found this fix to be very effective in cutting down on the heat inside his CoCo 3, which had become intolerable when he added his 512K upgrade board. He observed that, before, the heat sink on the transistor was so hot you could not touch it without being burned. When he substituted a big, thick aluminum plate for the wimpy little heat sink Tandy supplied, the plate ran warm, but not too hot to touch. This is rather a technical hassle, and many folks consider using fans instead.

I am not a fan of fans, myself . . . I hate the noise they make, and feel the CoCo design should be able to run with convective cooling alone. But fans do offer the easiest solution to this sort of problem. It also seems to be the case that different brands and speeds of memory chips for the 512K board run

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGop of RAINBOW'S CoCo SIG and database manager of OS-9 Online. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.

Just What the Doctor Ordered

By Marty Goodman Rainbow Contributing Editor

at varying temperatures. Current wisdom would indicate that the best chips for a 512K upgrade board are NEC brand 150 or 120 NS chips. You might want to consider trying out a different set of memory chips in your board.

Finally, you might want to experiment with a different timing fix from the one recommended by Disto. Disto and most other 512K board makers recommend cutting C65 and C66 off the board to fix the timing for their 512K board. A different fix, one that some report is successful in making their DRAMs run a little cooler, is the one recommended by Hemphill Electronics for their board. They have you leave both C65 and C66 in place and instead have you put a 47-ohm resistor in parallel with R22 on the board. R22 is a 120-ohm (brown-red-brown-gold) resistor. You may want to try this, though you will, of course, have to reinstall the caps you removed or disconnected originally.

Testing the Environment

How can I detect whether my program is running on a CoCo 3 vs. a CoCo 1 or 2?

Jim Sparks (ESCOMAN) Aurora, CO

There are any number of ways to do that. Roger Bouchard (HARBIE) of

Montreal, Quebec (one of our more knowledgeable experts on the intracacies of CoCo 3 Disk BASIC), suggests checking location \$E7. If it's 0, 1 or 2, you've got a CoCo 3. Those numbers will also tell you which text screen mode the CoCo 3 is in at the time.

My own suggestion would be to see if you are able to both write to and read from the first six bits of the palette registers at \$FFB0 through \$FFBF. That is, choose a few of those registers, read what you find in them, save that, then try writing stuff into them and seeing if you can recover that same data from those registers when you read them. Be sure to mask out (AND 00111111) the high order two bits of those registers when you do both the reading and writing. And, when done with this test, be sure to restore to those registers what you found in them originally.

If you find you can write data into and then read it out of the registers in that range, then you have a CoCo 3. If not, you have a CoCo 1 or 2. Note that Roger's suggestion is dependent on the way the CoCo 3's "superBASIC" ROM software works, whereas my suggestion is independent of the BASIC ROM and relies on a hardware characteristic of the GIME chip.

Horizontal Overscan

I'm having trouble with a CM-3 color composite video monitor when using it with a CoCo 3. In the 32-, 40- and 80-column modes, two or three characters are cut off on both the right- and left-hand sides. Can you help?

Dave Barnes (GLENSIDE) Glenside, IL

This is not surprising. You see, when composite video color monitors and TVs leave the factory, they tend to be adjusted for folks who will be using them to show TV and VCR material. Now, TV and VCR viewers don't want to see even the slightest amount of black border around their pictures on the screen, so the sets have their horizontal width adjusted to be a bit wider than the actual width of the screen. In tech jargon, one would say that most commercial composite color monitors are

CBASIC-III

The ULTIMATE Color Computer III Basic Compiler!!!

If you want to write fast efficient Machine Language Programs and you don't want to spend the next few years trying to learn how to write them in Assembly language or with a cheap compiler, then CBASIC III is the answer!!!

CBASIC III is the only fully integrated Basic Compiler and Program Editing System available for the Color Computer 3. It will allow you to take full advantage of all the capabilities available in your CoCo-3 including 512K RAM, without having to spend years trying to learn assembly language programming. CBASIC III allows you to create, edit and convert programs from a language you are already familiar with Enhanced Disk Color Basic, into fast efficient machine language programs easily and quickly. CBASIC III supports all the enhanced hardware available in the CoCo-3, including Hi-Res Graphics, & Screen displays, Extended Memory and Interrupts (Keyboard, Timer, Serial & Clock). It is 99% syntax compatible with Enhanced Disk Color Basic, so most Basic programs can be loaded and compiled with little or no changes required.

The compiler is an optomizing two-pass integer compiler that converts programs written in Basic into 100% pure 6809 Machine Language programs which are written directly to disk in a LOADM compatible format. The programs generated by the compiler are run as complete stand alone programs. A built in linker/editor will automatically select one and only one copy of each run-time library subroutine that is required and insert them directly in the program. This eliminates the need for cumbersome, often wasteful "run-time" packages.

CBASIC III is for both Beginning & Advanced Users

CBASIC III is a Powerful tool for the Beginner or Novice programmer as well as the Advanced Basic or Machine Language programmer. You can write programs without having to worry about Stack Pointers, DP registers, memory allocation, and so on, because CBASIC III will handle it for you automatically. All you have to do is write programs using the standard Basic statements and syntax. For the Advanced Basic and Machine Language programmers, CBASIC III will let you take command and control every aspect of your program, even generating machine code directly in a program for specialized routines.

CBASIC III adds many features not found in Color Basic, like Interrupt and Reset handling, to give you a level of control only available to very advanced Machine Language programmers. Plus, we made it exceptionally easy to use, not like some other compilers. CBASIC III is the friendliest and easiest compiler available for the Color Computer III.

CBASIC III has Full Command Support & Speed

CBASIC III features well over 150 Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. It also supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Enhanced Color Basic, including Graphics H/GET, H/PUT, H/PLAY and H/DRAW, all with 99.9% syntax compatibility. CBASIC III also supports the built in Serial I/O port with separate programmable printer & serial I/O baud rates. You can send and receive data with easy to use PRINT, INPUT, INKEY, GETCHAR and PUTCHAR commands.

CBASIC III is FAST. Not only will CBASIC III compiled programs execute 10 to several 100 times faster than Basic, but the time it takes to develop a CBASIC III program verses writing a machine language program is much, much shorter. A machine language program that might take several months to write and debug could be created using CBASIC III in a matter of days or hours, even for a well experienced machine language programmer. We had a report from one CBASIC user that claimed "a Basic program that used to take 3 hours to run, now runs in 7 to 8 minutes". Another user reported a program that took 1 to 1 & 1/2 hours to run in Basic, Now runs in 5 to 6 minutes!!!

CBASIC III is more than just a Compiler

CBASIC III has its own completely integrated Basic Program Editor, that can be used to create and/or Edit programs for the compiler. It is a full featured editor with functions designed specifically for writing and editing Basic programs. It has built in block Move and Copy functions with automatic program renumbering. Complete, easy to use inserting, deleting, extending and overtyping of existing program lines. It is also used for Loading, Saving, Appending (merging), Killing disk files and displaying a disk Directory. It also has automatic line number generation for use when creating programs or inserting sequential lines between existing lines. You can set the printer baud rate and direct normal or compiled listings to the printer for hard copy. The built in editor makes program corrections and changes as easy as "falling off a log". If CBASIC III finds an error when compiling, it points to the place in the program line where the error occured. All you have to do is tell the editor what line you want to start editing and when it is displayed, move the cursor with the arrow keys to the place where the error is and correct it. Just like that, it's simple.

Selectable 32/40/64/80 Column Displays in 192 or 225 Res.

CBASIC III is the only Color Basic Compiler that includes it's own 32, 40, 64 or 80 by 24 line display in 192 or 225 Resolution. All of these display formats are part of the standard CBASIC III compiler package. Not only can they be used for normal program editing and compiling, but can also be included in your compiled programs, with a single command, "HIRES"!! The run-time display package is not just a simple "WIDTH 80" display, but a full featured package, far more advanced than the "WIDTH 40 or 80" displays. It will let you do things you expect like "PRINT @" as well as X,Y positioning. You can select characters per line, underline, character highlight, erase to end of line or screen, home cursor, home & clear screen, protect screen lines, and much more.

128K and 512K RAM Support

CBASIC III makes full use of the powerful and flexible GIMI chip in the Color Computer 3. It will fully utilize the 128K of RAM available and install 2 Ultra Fast Ramdisks if 512K is available, for program Creation Editing and Compilation. You can easily access all 512K of memory in a Compiled program thru several extended memory commands that can access it in 32K or 8K block and single or double bytes. CBASIC III also allows your program to use the upper 32K of RAM space automatically for variables or even program storage at run-time. It will automatically switch the RAMs in and out when needed. There are also two other commands that allow you to control the upper 32K of RAM manually, under program control. No other Color Basic compiler directly supports the use of Extended RAM like CBASIC III.

All Machine Language

CBASIC III is completely written in fast efficient Machine Language, not Basic, like some other Color Basic compilers. Because of this, CBASIC III can edit and compile very large programs, even using the 80 column displays it can handle almost 40K of program. Some of the other Basic compilers can only work with 16K or about 200 lines. Even working with large programs, CBASIC III compiles programs with lightning fast speed. It will compile a 24K program to disk in less than 2 minutes! That's without a listing being generated. We've heard stories about some other compilers that take almost 10 minutes to compile a simple 2-3K program. You might inquire about this when you look at some of the other compilers available.

Compare the Difference

CBASIC III is not just another Color Basic Compiler. It is the only complete Basic Compiler System for the Color Computer. Compare CBASIC III's features to what other compilers offer and you'll see the difference. When comparing CBASIC III to other compilers you might want to keep some of these questions in mind. Does it support I/O functions? You can't write much of a program without PRINT, INPUT and so on. What about complex string statements, or strings statements at all? Can you compile a complex string like: MID\$(RIGHT\$(DA\$(VAL(IN\$),LEN(LE\$)),3,3)? How large of a programcan you write? Can you use two character variable names for string & numeric variables, like Basic? Does it support all the Hi-Res graphics statements including H/PLAY, H/DRAW, H/GET and H/PUT, using the same syntax as Basic? Do you ever have to use a separate Basic program? How long would it take to compile a 24K program? Can you take complete Basic programs an compile them without extensive changes? Will they work? How do you edit a program when it has errors compiling?

The Finished Product

Since CBASIC III contains statements to support ALL of the I/O devices (Disk, Tape, Screen & Printer), Hi-Res Graphics, Sound, and Enhanced Screen displays, it is well suited for a wide range of programming applications. When CBASIC III compiles a program, it generates a complete, Ready to Run machine language program. The finished product or program does not have to be interfaced to a Basic program to perform some of its functions or commands. This may seem obvious to you, but some of the other Color Basic compilers don't necessarily work this way. Some of their compiler commands need a separate Basic program in order for them to work. In some cases, they require that a separate Basic program be interfaced to the compiled program to perform I/O functions, like INPUT, PRINT and so on. CBASIC III doesn't do this, ALL of it's commands are compiled into a single machine language program, that does not require any kind of Basic program to make it work.

Price Verses Performance

The price of CBASIC III is \$149.00, it is the most expensive Color Basic Compiler on the market, and well worth the investment. We spent over 3 years writing and refining CBASIC III, to make it the Best, most Compatible Color Basic compiler available. Most of our CBASIC III users already bought one or more of the other compilers on the market and have since discarded them. Before you buy a compiler, compare the performance of CBASIC III against any Color Basic compiler. Dollar for Dollar CBASIC III gives you more than any other Color Basic compiler available.

Requires 128K & Disk \$149.00

"Over the years, few products have impressed me as much as this one."The Rainbow, December 1987

To order CBASIC III by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below. To Order by VISA, MASTERCARD or COD call us at (702) 452-0632 (Monday thru Saturday, 8am to 5pm PST)

> CER-COMP LTD. 5566 Ricochet Avenue Las Vegas, Nevada 89110 (702) 452-0632

adjusted to have "horizontal overscan." This "overscan," as you noticed, is not desirable for text display.

The fix consists of readjusting the horizontal width to make it narrower and then, as need be, centering the image. On some monitors this is very straightforward, for both horizontal width and position controls are accessible from the front or back of the monitor. On other monitors, you may have to open up the set to find one or both of these controls.

The horizontal width control is typically a ferrite slug in a coil. On some sets there is so much horizontal overscan designed in that even after you maximally adjust the H width control for the narrowest width, there is still overscan. At that point you must consider replacing that coil with a different one, or altering the value of the capacitor used with that coil to generate the horizontal scan. TV repair technicians should be able to help you.

Printer Buffer Fix

Here's a quick fix to a printer problem I had. I have a Panasonic printer with a 1K buffer on board, driven by my CoCo's bit-banger serial port using a serial-to-parallel converter. When I added a Panasonic brand 4K addition to that buffer, the printer ceased to work. I returned the 4K buffer and ordered a 64K buffer from Polygon (made by Performance Peripherals). This, too, failed to work. Finally, I realized the problem: The placement of the buffer between the printer and my serial-to-parallel converter interrupted the power the converter needed to get from the printer. I made up a little power supply for that converter, ran it off that, and am now able to use whatever buffer I please.

John C. Burke Fremont, CA

CoCo 3 Battery Backup

Can the CoCo 3 be fitted with a battery backup such as that Harold Wolff described on Page 46 of the March 1987 issue of RAINBOW?

> Michael Lewis Seattle, WA

Yes! The delightfully simple and effective circuit Harold Wolff describes will work just fine on a CoCo 3. You merely need to hook that source of 9 volts DC through the diodes to the junction of D1 and D2 on the CoCo 3

motherboard. This junction is the side of the diode that is nearest Capacitor C62. Or just use an ohmmeter to determine which side of D1 is hooked to a side of D2. You must, of course, ground the battery to the motherboard, as per Harold's instructions. To make absolutely sure you've got the right spot on the right diode, just hook a volt meter to that spot and see if the voltage there (with respect to ground on the CoCo 3 board) reads about 10 volts when the CoCo is turned on. If it does, you've got the right spot.

OS-9 Games and Old Controllers

Why does Koronis Rift not work on my CoCo 3? I'm using a J&M controller with double-sided Toshiba drives and RS-DOS Version 1.0. The game loads and runs fine on a friend's system that also has a J&M controller. When I use his controller on my system, the game also works.

> Mark D. McDowell Kokomo, IN

The oldest model of J&M controllers often has problems running under OS-9 and other programs that run the CoCo 3 at "double speed." Note that not all of them have this problem, but many do. I recommend you call J&M about fixing the controller for you to make it compatible with the CoCo 3.

Calling the Dog

I am interested in using my CoCo 2, along with a tape recorder and a photocell-based detector, to detect when my German shepherd jumps over a fence and to activate a recording of my voice calling her back. Have you any suggestions?

> Robert Schumacher Tucson, AZ

I don't believe that a computer is appropriate technology for that project. It seems gross overkill for the task at hand. One or two 555 timer chips would do the job just as well - better, actually, for they would be both simpler and more reliable. As for detecting the dog jumping over the fence, it is hard to do that in broad daylight with a "photocell." Some sort of ultrasonic detector might make more sense, although you might be able to use a pulsed infrared detection system, such as that used by Radio Shack's photocell detector (Cat No. 49-551 or 49-307 might be exactly what you need, although the range is limited to 30 feet). Those and similar

units often have built-in provisions for turning on the alarm (the tape recorder with the continuous loop tape in your case) for several seconds, then turning it off. That would be exactly what you need. You could then merely hook the tape control switch on your tape recorder to the alarm, switch contacts on that photocell detector, and your project would be complete. I strongly feel that involving a full general-purpose microcomputer in the project would be a mistake.

It might interest you to know about a "dog trainer" friend of mine who used a pressure pad sensor to detect when the dog jumped on the bed. The pad activated a continuous tape loop for a few seconds that said (in the owner's voice), "I see you, Hannah! Bad Girl! Get down off that bed!" This unit used two 555 timer chips, and worked quite well.

An Inexpensive Transistor

A 2N3055 appears to work just fine as a replacement transistor for the pass power supply regulator transistor in a CoCo 2. This is of interest because the 2N3055 is widely available (Radio Shack carries it as Part No. 26-2020) and quite inexpensive.

> Roger Krupski (HARDWAREHACK) Buffalo, NY

Thanks very much for that useful tip. Your observation is even more interesting to me because the CoCo 2's service manual (American version) implies that not just any old transistor can be substituted for that pass transistor. Yet the 2N3055 is as generic an NPN power transistor as one could imagine.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAIN-BOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form which has complete instructions.

CBASIC III EDITOR/COMPILER

The ULTIMATE Color Computer III BASIC COMPILER!!!

The ULTIMATE Color Computer III BASIC COMPILER!!!

If you want to write fast efficient machine language programs and you don't want to spend the next few years trying to learn how to write them in Assembly language or with a cheap compiler, then CBASIC III is the answer!!!

CBASIC III is the only fully integrated Basic Compiler and Program Editing System available for the Color Computer 3. It will allow you to take full advantage of all the capabilities available in your CoCo-3 including 512K RAM, without having to spend years trying to learn assembly language programming. CBASIC III allows you to create, edit and convert programs from a language you are already familiar with Enhanced Disk Color Basic, into fast efficient machine language programs easily and quickly. CBASIC III supports all the enhanced hardware available in the CoCo-3, including Hi-Res Graphics, & Screen displays, Extended Memory and Interrupts (Keyboard, Timer, Serial & Clock). We even added advanced commands not available in Basic to give you a level of control only available to very advanced Machine Language Programmers. Plus we made it exceptionally easy to use, not like some other compilers. CBASIC III is the friendliest and easiest compiler available for the Color Computer III.

CBASIC III is a powerful tool for the Beginner as well as the Advanced Basic or Machine Language programmer. You can write programs without having to worry about the Stack. DP Register, memory allocations and so on, because CBASIC III will handle it for you automatically. For Advanced users, CBASIC III will handle it for you automatically.

will let you control every aspect of your program, even generating machine code directly in a program easily.

CBASIC III features well over 150 Compiled Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. It supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Enhanced Color Basic, including Graphics H/GET, H/Put, H/Play and H/DRAW, all with 99.9% syntax compatibility. CBASIC III also supports the built in Serial I/O port with separate programmable printer & serial I/O baud rates. You can send and receive data with easy to use PRINT, INPUT, INKEY, GETCHAR and PUTCHAR commands.

CBASIC Bales full use of the powerful and flexible GIMI chip in the Color.

CBASIC makes full use of the powerful and flexible GIMI chip in the Color Computer 3. It will fully utilize the 128K of RAM available and install 2 Ultra Fast Ramdisks if 512K is available, for program Creation, Editing and Compilation. You can easily access all 512K of memory in a Compiled program thru several extended memory commands that can access it in 32K or 8K blocks

characteristics and single or double bytes.

CBASIC has its own completely integrated Basic Program Editor which allows you to load, edit or create programs for the compiler. It is a full featured editor designed specifically for writing Basic programs. It has block move and copy, program renumbering, automatic line number generation, screen editing, printer

control and much more.

The documentation provided with CBASIC III is an 8 1/2 by 11 Spiral Bound book which contains approximatly 120 pages of real information. We went to great lengths to provide a manual that is not only easy to use and understand, but

great lengths to provide a manual that is not only easy to use and understand, but complete and comprehensive enough for even the most sophisticated user.

CBASIC III is the most expensive Color Basic Compiler on the market, and well worth the investment. You can buy a less expensive compiler for your CoCo-3, and then find out how difficult it is to use, or how limited its features are. Then you'll wish you had bought CBASIC III in the first place. Dollar for dollar, CBASIC III gives you more than any other compiler available. If you can find a better CoCo-3 Basic Compiler then buy it!!!

Requires 128K & Disk \$149.00

DATAPACK III PLUS V1.1

SUPER SMART TERMINAL PROGRAM AUTOPILOT & AUTO-LOG PROCESSORS X-MODEM DIRECT DISK FILE TRANSFER VT-100 & VT-52 TERMINAL EMULATION

- VT-100 & VT-52 TERMINAL EMULATION

 No lost data even at 2400 Baud on the COCO-3 Serial 1/O port.

 8 Display Formats, 32/40/64/80 columns at 192 or 225 Res.

 50K Text Buffer when using the Hi-Res Text Display & Disk.

 ASCII & BINARY disk file transfer support via XMODEM.

 Directly record receive data to a disk file (Data Logging).

 VT-100 terminal emulation for VAX, UNIX and other systems.

 VT-100/52 cursor keys, position, insert/delete, PF & Alt. keys.

 Programmable Word Length, Parity, Stop Bits and baud rates.

 Complete Full and Half Duplex operation, with no garbled data.

 9 Variable length, Programmable Macro Key buffers.

 Programmable Printer rates from 110 to 9600 baud.

 Send Files directly from the Buffer, Macro Keys or Disk.

 Display on Screen or Print the contents of the Buffer.

 Freeze Display & Review information On Line with no data loss.

 Built in Command Menu (Help) Display.

- Built in Command Menu (Help) Display.
 Built in 2 Drive Ramdisk for 512K RAM support and much more,

Supports: R.S. Modem-Pak & Deluxe RS-232 Pak, even with Disk.

Requires 128K & Disk, \$59.95

EDT/ASM III 128/512K DISK EDITOR ASSEMBLER

EDT/ASM III is a Disk based co-resident Text Editor & Assembler. It is designed to take advantage of the new features available in the CoCo-3 with either 128K or 512K of memory. It has 8 display formats from 32/40/64/80 columns by 24 designed to take advantage of the new leatures available in the CoCo-5 with either 128K or 512K of memory. It has 8 display formats from 32/40/64/80 columns by 24 lines in 192 or 225 Resolution, so you use the best display mode whether you are using an RGB or Composite monitor or even a TV for your display. Plus you can select any foreground or background colors or even monochrome display modes. It will even support 512K by adding an automatic 2 drive Ultra Fast Ramdisk for lightning fast assembly of program source code larger than memory. There is also a free standing ML Debug Monitor, to help you debug your assembled programs. EDT/ASM III has the most powerful, easy to use Text Editor available in any Editor/Assembler package for the Color Computer.

* Supports Local and Giobal string search and/or replace.

* Full Screen line editing with immediate line update.

* Easy to use Single keystroke editing commands.

* Load & Save standard ASCII formatted file formats.

* Block Move & Copy, Insert, Delete, Overtype.

* Create and Edit files larger than memory.

The Assembler portion of EDT/ASM III features include:

* Supports the full 6809 instruction set & cross assembles 6800 code.

* Supports the full 6809 instruction set & cross assembles 6800 code.

* Supports Standard Motorola assembler directives.

* Allows multiple values for FCB & FDB directives (unlike R.S. EDT/ASM)

* Allows multiple values for FCB & FDB directives (unlike R.S. EDT/ASM)

- * Allows assembly from the Editor Buffer, Disk or both.

Requires 128K & Disk \$59.95

TEXTPRO IV

"The ADVANCED COCO-3 Word Processing System"

- "The ADVANCED COCO-3 Word Processing System

 9 Hi-Res Displays from 58 to 212 columns by 24 lines in 225 Res.
 On Screen Display of Bold, Italic, Underline & Double Width print.
 Up to 8 Proportional Character Sets Supported with Justification.
 Up to 80 Programmable Function Keys & Loadable Function key sets.
 Fully Buffered keyboard accepts data even duiring disk access.
 Autoexecute Startup files for easy printer & system configuration.
 8 Pre-Defined Printer function commands & 10 Programmable ones.
 Supports Library files for unlimited printing & configurations.
 Disk file record access for Mail Merge & Boiler Plate printing.
 Completely Automatic Justification, Centering, Flush left & right.
 Change indents, margins, line length, etc. anytime in the text.
 Create and Edit files larger than memory, up to a full disk.
 Easily imbed any number of printer format and control codes.
 Built in Ultra Fast 2 drive RAMDISK for 512K support.
 TEXTPRO IV is the most advanced word processing system available.

Built in Ultra Fast 2 drive RAMDISK for 512K support.

TEXTPRO IV is the most advanced word processing system available for the COCO-3, designed for speed, flexability and extensive document processing. It is not like most of the other word processing programs available for the Color Computer. If you are looking for a simple word processor to write letters or other short documents, and never expect to use multiple fonts or proportional spacing, then most likely you'll be better off with one of the other simpler word processors. But, if you want a powerful word processor with extensive document formatting features to handle large documents, term papers, manuals, complex formatting problems and letter writing, then TEXTPRO IV is what your looking for. It works in a totally different way than most word processing programs. It uses simple 2 character abbreviations of words or phrases for commands and formatting information that you imbed directly in your text. There are over 70 different formatting commands you can use without ever leaving the text your working on. There are no time comsuming, and often frustrating menu chases, you are in total control at all times. You can see what the formatted document will look like before a single word is ever printed on your printer. Including margins, headers, footers, page numbers, page breaks, column formatting, justification, and Bold, Italic, Underline, Double Width, Superscript and Subscript characters right on the screen.

TEXTPRO IV can even support LASER PRINTERS with proportional fonts, take a good look at this AD? It was done with TEXTPRO IV on an OKIDATA LASERLINE-6 laser printer!!! All the character sets used on this AD are proportional spaced characters, all centering, justification, and text printing was performed automatically by TEXTPRO IV.

Requires 128K & Disk \$89.95

HI-RES III Screen Commander

The DISPLAY you wanted but didn't get on your CoCo-3

- 54 Different Character Sizes available from 14 to 212 cpl.
 Bold, Italic, Underline, Subscript, Superscript and Plain character styles.
 Double Width, Double Height and Quad width characters.
 Scroll Protect form 1 to 23 lines on the screen.
 Mixed Text & Graphics in HSCREEN 3 mode.
 PRINT @ is available in all character sizes & styles.

- Programmable Automatic Key repeat for fast editing. Full Control Code Keyboard supported. Selectable Character & Background color.

- Uses only 4K of Extended (2nd 64K) or Basic RAM.
 Written in Ultra Fast Machine Language.

HI-RES III will improve the standard display capabilities of the Color Computer 3, even the 40 and 80 column displays have several features missing. For example, you can't use PRINT @ or have different character sizes on the same screen, even when mixing text and graphics with the HPRINT command. Hi-RES III can give you the kind of display you always dreamed about having on your CoCo-3, with a wide variety of display options that you can easily use with your

Basic or ML programs.

HI-RES III is totally compatible with Enhanced Color Basic and its operation invisible to Basic. It simply replaces the normal screen display with an extremely versatile display package. With the full control code keyboard, you can control many of HI-RES III extended functions with just a couple of simple

Requires 128K Tape or Disk \$34.95

512K RAMDISK & MEMORY TESTER

RAMDISK is an ALL Machine Language program that will give you 2 ULTRA High Speed Ram Disks in you CoCo-3. It does not need or require the OS-9 operating system. It works with R.S. DOS V1.0 or V1.1 and it is completely compatible with Enhanced Color Disk Basie! Plus it allows your CoCo-3 to run at double speed all the time even for floppy disk access!!! It will not disappear when you press reset like some other ramdisk programs. The MEMORY tester is a fast ML program to test the 512K ram. It performs several bit tests as well as an address test so you know that your 512K of memory is working perfectly.

Requires 512K & Disk \$19.95

"The SOURCE III"

DISASSEMBLER & SOURCE CODE GENERATOR

The SOURCE III will allow you to easily Disassemble Color Computer machine language programs Directly from Disk and generate beautiful, Assembler compatible Source code.

- ompatible Source code.

 Automatic label generation and allows specifying FCB, FDB and FCC areas.

 Disassemble programs Directly from disk, unlike other disassemblers.

 Automatically locates Begin, End and Execution address.

 Output Disassembled listing with labels to the Printer, Screen or both.

 Generates Assembler source files directly to disk or printer.

 Built in Hex/Ascii dump/display to locate FCB, FCC & FDB areas.

 8 Selectable Display formats 32/40/64/80 columns in 192 or 225 Res.

 Selectable Foreground & Background colors & Printer Baud rates.

 Built in Disk Directory an Kill file commands.

 Menu display with single key commands for smooth. Easy operation.

- Menu display with single key commands for smooth, Easy operation. Written in Ultra Fast Machine Language.

Requires 128K & Disk \$49.95

To order products by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below.

To Order by VISA, MASTERCARD or COD call us at (702) 452-0632 (Monday thru Saturday, 8am to 5pm PST)

CER-COMP LTD.

5566 Ricochet Avenue Las Vegas, Nevada 89110 (702) 452-0632



If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.

very now and then I get a letter from someone who swears up and down that I have left a bug in one of my "Wishing Well" programs. Usually, I load the program to check it out and find that no bugs exist. Rest assured that all of my programs are tested extensively before they are published in these pages.

However, no one is perfect, and I must now admit that several recent programs do need correcting, but only for those of you who have a CoCo 3. Several months ago I finally broke down and bought a CoCo 3 system (disk drive and all). Granted, the change was long overdue. After working with the machine for a while, I started to notice what more than a few writers have pointed out to me: Some BASIC assumptions from the CoCo 1 and 2 do not automatically apply to the CoCo 3.

Therefore, this month's column is dedicated to offering short corrections or, more accurately, CoCo 3 modifications, to five recent "Wishing Well" programs, along with another nice little utility that I just threw together.

What Went Wrong?

With the exceptions of a few peeks and pokes, I have gone under the mistaken assumption that BASIC programs written for CoCos 1 and 2 were perfectly upwardly adaptable to the CoCo 3. This is true to a large degree — with the exception of one very important area that missed my attention.

The ever so popular red and blue artifact colors in PMODE4 graphics are a bit more predictable on the CoCo 3 than

Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.

Five programs get "colorized" on the CoCo 3

Revising the Reservoir

By Fred B. Scerbo Rainbow Contributing Editor

they are on the CoCo 1 or 2. On CoCos 1 and 2, a color value of 2 or 3 might give you either red or blue, depending on your power-up. That is why so many programs have been written with the old "Press Reset Until Screen Is Red" command, which allows you to match the color set to what the program author had in mind.

For some reason, however, the CoCo 3 does not change its color set when you press the reset button. Therefore, programs that use the value 3 in a color set for red will never turn red, but will always remain blue. (Those of you using an RGB monitor have a whole different series of problems with artifact colors, but I am not even going to address those here.) This can cause problems with some machine language games, such as Tom Mix Software's Donkey King and The King, which were written years before the CoCo 3 came out. No matter how many times you press reset, you still get a blue ape!

Some of my earlier programs allowed you to select the color set from the keyboard by pressing A or B (e.g., Rockfest I and II, Baseball Fever I and II, Football Fever, etc.). However, in recent programs I have sometimes resorted to the reset routine because it does save time in programming. Let's take each of these programs one at a time and check the few short lines that

must be added to make them work correctly in color on the CoCo 3.

Even if you do not yet have a CoCo 3, you may want to make these changes because they will still work perfectly on a CoCo 1 or 2. That way, when you upgrade to a CoCo 3, these programs will be set to work.

Revising BLOOD

One of my favorite sets of Simulations has to do with the human body and how it works. Knowing Your Body: How Your Blood Works (May 1987, Page 38) is a talking Simulation on the human blood system. The graphics and animation are nice, but not if the blood is blue. The four program lines shown in Listing 1 are needed to correct the color set for a CoCo 3.

These four lines can be typed in after you have loaded the original program back into memory. By retyping these lines, you will replace the old lines with the same line numbers. Also, the blood will be *red*, not *blue*.

Revising HEART

The same goes for the Simulation Knowing Your Body: How Your Heart Works (June 1987, Page 106) — the sides of the heart would be colored incorrectly. The lines shown in Listing 2 will fix that problem.

Load in the program HEART first, and then type the two lines over, or edit them to make the necessary changes.

Revising Road Skills II

Recently I published two driver education programs. ROADSKIL, the first one, did not need any changes because it was done entirely in the text mode. However, the second one, Road Skills II (December 1987, Page 52), had graphics and used the reset routine to set the red and blue colors correctly. After loading in ROAD II, edit or type the six lines shown in Listing 3.

Revising CoCo Keys

CoCo Keys (July 1987, Page 112) is a nice keyboard instructor that helps students learn the keyboard. Even though the CoCo 3 has all its arrow keys on the right, I have not redrawn the keyboard, as that would require a major rewrite of the program. I have changed only those lines that impact the color set. (See Listing 4.)

Revising CoCo Keys 2

CoCo Keys 2 (August 1987, Page 92) was the second program in the keyboard series. Use the lines shown in Listing 5 to correct the color set.

The change in Line 465 will also allow you to exit the program by pressing SHIFT with the up arrow key. This feature was somehow left out of the program, so now seemed as good a time as any to correct it.

Save Your Fingers

The program modifications will be included on RAINBOW ON TAPE and on RAINBOW ON DISK as the following: BLOOD.FIX, HEART.FIX, DRIVE2.FIX, COCOKEYS.FIX and SPELLKEY.FIX.

Notice that each filename has .FIX as an extension. (Tape versions will not have the extension. If you are copying from tape to disk with a transfer program, you will need to rename the programs, e.g., rename "BLOOD.BAS" to "BLOOD.FIX". Then you must resave them in ASCII format after loading them, e.g., SAVE "BLOOD.FIX", A.)

If you have the modifications on disk in ASCII, you will be able to simply merge them with the original programs. Use these commands:

LOAD"BLOOD.BAS" (the original)
MERGE"BLOOD.FIX"

The old lines will be replaced with the new lines without your having to type them in.

"Some BASIC assumptions from the CoCo 1 and 2 do not automatically apply to the CoCo 3."

A Nice Little Utility

I have been a fan of *Color Scripsit* for a long time, largely because it is so simple (though somewhat limited in power). One real pain I find when using it is having to go through the steps of making a backup copy. Therefore, I have thrown together the short program in Listing 6 that will speed up the process a little. You will still need to

swap disks several times, but you won't have to use the COPY command with all the different filenames and extensions. You need only switch the disk.

You might ask, "Why not just use BACKUP0?" Well, sometimes you may have additional files on the disk you do not want copied. This speeds up the process. You can use this copier with any other disk files you want to copy—just change the data in the last line to reflect the files you want copied.

When using your own filenames, make sure to have the last piece of information be END, as you see in Line 100. Maybe this little program will be of help to you. I know it saves me some needless typing when making a backup of a disk.

Conclusion

I hope you are able to use these fixes if you have a CoCo 3. Even if you don't, you may want to make these merges so that some software is all set for you to use when you finally do upgrade. Those of you who are a bit let down by the lack of a totally new program this month, fear not — very soon I will have a new game for you!

SPECIAL DEAL ON 500 PROGRAMS IS BACK!

BACK BY POPULAR DEMAND! GET OUR LATEST 50 DISKS OR TAPES FULL OF OVER 500 PROGRAMS. HERE IS WHAT YOU'LL RECEIVE:

- ★Over 250 Utility/Home Application Programs including a Word Processor, Database, Spreadsheet, Disk Utilities, Business Software, Electronics Series, Educational Programs for Kids, plus much more!
- ★Over 200 exciting games including King Pede, Kron, Star Trek, Flight Simulator, Wizard, Horse Races, Football, plus much more.
- *Over 30 adventures including Rambo, Haunted House, Power Sword, Skid Row, plus 32k graphic adventures.

Individual issues sell for \$900 each or \$45000 for all 50. We slashed the price to only \$15000!

REG. \$450



\$15000

THIS MONTH ONLY

Buy this package of 500 programs and receive a free 6 month subscription.



WARM UP TO OUR WINTER PRICES ON SUBSCRIPTION SOFTWARE

THERE IS NO BETTER WAY TO ENJOY THE WINTER THAN TREATING YOUR COLOR COMPUTER TO 10 READY-TO-RUN PROGRAMS EACH MONTH. GET 12 DISKS OR TAPES A YEAR CONTAINING OVER 120 QUALITY PROGRAMS. A SUBSCRIPTION TO T& D SOFTWARE CONSISTS OF 10 READY-TO-LOAD PROGRAMS DELIVERED BY FIRST CLASS MAIL EVERY MONTH.

NO, WE ARE NOT THE SAME AS THE RAINBOW ON TAPE. IN FACT, MANY SUBSCRIBERS HAVE WRITTEN IN AND SAID THAT WE ARE MUCH BETTER THAN RAINBOW ON TAPE!



* Available on COCO 1, 2, and 3

- ★ Includes Documentation
- ★ Over 4,500 Satisfied Customers
- ★ Back Issues Available From July 82 (Over 670 Programs)

PLEASE SPECIFY TAPE OR DISK

TURN TO PAGE 178 & 179 FOR A COMPLETE LISTING



T & D SUBSCRIPTION SOFTWARE, 2490 MILES STANDISH DR., HOLLAND, MI 49424 (616) 399-9648

Listing 1: BLOOD.FIX

275 PCLS2:A=Ø:B=56:CL=4:JK\$=" PR ESS RESET AND RUN IF SCREEN IS B LUE.":GOSUB145:B=B+2Ø:JK\$=" PRES S ENTER WHEN THE SCREEN IS RED." :GOSUB145

31Ø R=2:FORI=4TO25ØSTEP4:PSET(I, Ø,R):PSET(I+2,2,R):NEXTI:GET(Ø,Ø)-(256,2),Y,G:FORI=4TO96STEP4:PU

T(Ø,I)-(256,I+2),Y,PSET:NEXTI
35Ø BL=3:A=(RND(7Ø)*3)+13:B=RND(66)+1Ø:CIRCLE(A,B),26,BL,.6:PAIN
T(A,B),BL,BL:CIRCLE(A,B),26,R,.6
:PAINT(A,B),R,R:CIRCLE(A,B),12,1
,.6,.8,.4
41Ø PMODE2,6:PMODE1,6:X=3:GOSUB4
15:PAINT(6Ø+WM,18),X,X:X=1:GOSUB
415:PAINT(6Ø+WM,18),4,1:RETURN

Listing 2: HEART.FIX

32Ø DRAW"BM52,8ØC1E1ØBU8BR56R14"
:PAINT(4Ø,6Ø),3,1:PAINT(15Ø,52),
2,1:PAINT(15Ø,9Ø),2,1:PAINT(1ØØ,
52),2,1:PAINT(86,52),3,1:PAINT(86,9Ø),3,1:PAINT(62,26),2,1:PAINT

(56,2),3,1
33Ø PCLS2:A=Ø:B=56:CL=4:JK\$=" PR
ESS RESET AND RUN IF SCREEN IS B
LUE.":GOSUB15Ø:B=B+2Ø:JK\$=" PRES
S ENTER WHEN THE SCREEN IS RED."
:GOSUB15Ø

Listing 3: DRIVE2.FIX

265 PCLS2:A=Ø:B=56:CL=4:JK\$=" PR ESS RESET AND RUN IF SCREEN IS B LUE.":GOSUB135:B=B+2Ø:JK\$=" PRES S ENTER WHEN THE SCREEN IS RED." :GOSUB135

275 PCLSØ:SCREENØ,Ø:R=3:BL=2:FOR I=ØTO256STEP4:PSET(I,1,2):PSET(I+2,3,2):NEXT:DIMA(2Ø):GET(Ø,Ø)-(256,4),A,G:PCLSØ

33Ø PCLS4:DRAW"S16C2BM128,12ØR1Ø

E1ØU1ØH1ØL2ØG1ØD1ØF1ØR1Ø":PAINT(
128,2Ø),2,2:DRAW"C4BM128,116R9E9
U1ØH9L18G9D1ØF9R9"
375 DRAW"S25BM134,126C2M+14,-18H

L26GM+14,+18"
38Ø DRAW"BM134,86M+7,-9HL12GM+7,
+9":PAINT(128,18),2,2
39Ø JK\$="YIELD":B=42:A=1Ø8:CL=2:
GOSUB135:JK\$=" YIELD MEANS THAT
YOU DO NOT HAVE THE RIGHT OF WAY

.":GOSUB3ØØ

Listing 4: COCOKEYS.FIX

1Ø PMODE4,1:PCLS1:SCREEN1,1:PMOD
E3:PCLS3
295 DRAW"BM2,34":FORI=1TO14:GOSU
B465:PAINT((I*18)-6,28),2,2:NEXT
3ØØ DRAW"BM4,52":FORI=1TO11:GOSU
B465:PAINT((I*18)-2,42),2,2:NEXT
:DRAW"C4U14R32D14NL32BR4":PAINT((I*18)-2,42),4,4:GOSUB465:PAINT(

242,42),2,2:PAINT(242,42),4,1
3Ø5 DRAW"BM4,7ØU14R28D14NL28BR4"
:FORI=1TO1Ø:GOSUB465:PAINT((I*18)+6,6Ø),2,2:NEXT:DRAW"U14R28D14L
28":PAINT((I*18)+6,6Ø),2,2:PAINT(236,6Ø),2,2:PAINT(236,6Ø),4,1
35Ø PAINT(236,6),3,1
465 DRAW"C2U14R14D14NL14BR4":RETURN

Listing 5: SPELLKEY.FIX

10 PMODE4,1:PCLS1:SCREEN1,1:PMOD E3:PCLS3

28Ø DRAW"BM1Ø,16":FORI=1T013:GOS UB495:PAINT(4+(I*18),12),2,2:NEX T

285 DRAW"BM2,34":FORI=1T014:GOSU
B495:PAINT((I*18)-6,28),2,2:NEXT
29Ø DRAW"BM4,52":FORI=1T011:GOSU
B495:PAINT((I*18)-2,42),2,2:NEXT
:DRAW"C4U14R32D14NL32BR4":PAINT((I*18)-2,42),4,4:GOSUB495:PAINT(

242,42),2,2:PAINT(242,42),4,1
295 DRAW"BM4,7ØU14R28D14NL28BR4"
:FORI=1TO1Ø:GOSUB495:PAINT((I*18)+6,6Ø),2,2:NEXT:DRAW"U14R28D14L
28":PAINT((I*18)+6,6Ø),2,2:PAINT
(236,6Ø),2,2:PAINT(236,6Ø),4,1
34Ø PAINT(236,6),3,1
465 IFX\$=G\$(Z)THEN475ELSEIFX\$=""
THEN445
495 DRAW"C2U14R14D14NL14BR4":RET

Listing 6: COPIER

1Ø REM EASY COPY-BY F.B.SCERBO (C) 1988

2Ø READ A\$: IFA\$="END"THEN6Ø

3Ø GOSUB7Ø

4Ø COPY A\$

5ø GOTO2ø

6Ø CLS:PRINT"COPY COMPLETED":END

: NEW

7Ø CLS:PRINT"INSERT SOURCE DISKE TTE AND PRESS'ENTER'"
8Ø X\$=INKEY\$:IFX\$<>CHR\$(13)THEN8
Ø
9Ø RETURN
1ØØ DATA "DOS/BAS","DOS/BIN","SC
RIP/BIN","COPIER/BAS",END

0

Tandy - the Joystick Pick

The only joysticks that I can find on the market for the CoCo are the ones from Radio Shack. Are there any other brands that will work with the CoCo? And where can I get colored ribbons for my DMP-105?

Ron Mills, Bonnyville, Alberta

Atari joystick interfaces are available for the CoCo, but Atari-type joysticks have switches instead of the potentiometers that are in the CoCo's sticks. With the Atari-type sticks, the computer can sense only certain directions, making them incompatible with much CoCo software. The Tandy deluxe joystick is a bargain. It is made by Kraft, one of the leaders in the field.

The Great Lakes Ribbon Company, in Kettering, Ohio, (800) 621-9127, claims over 300 styles of ribbons in black, red, blue and green.

Relational Reference

Where can I get information on how to write a relational database system for the CoCo?

Bob Williams Baltimore, MD

RISS: A Relational Database Management System for Minicomputers by Meldman, et al, Van Nostrand Reinhold, 1978, contains BASIC source code for a relational database system.

Random Executions

Sometimes when I load in a machine language program, I type EXECC instead of EXEC. When I do this, the

Richard Esposito is a senior project engineer with Northrop Corp. He holds bachelor's, master's and doctorate degrees from Polytechnic Institute of Brooklyn. He has been writing about microcomputers since 1980.

Richard Libra is a simulator test operator for Singer Link Simulation Systems Division.



By Richard E. Esposito Rainbow Contributing Editor with Richard W. Libra

machine's memory messes up and I get garbage on the screen. Would you please explain what is happening?

Chris Romance Massapequa Park, NY

When you type EXECC, you are telling the computer to execute a machine language program that has an EXEC address at the address in memory that is stored in the BASIC variable C. If you have not stored a value in C, it defaults to zero. So, in effect, you have typed EXEC 0, and the computer starts executing at Address 0. Since there is no rational machine language program at Address 0, the computer executes those "random" instructions, giving you garbage on the screen. When this occurs, the safest thing to do is to power down and start over.

Multi-Pak Upgrade

I purchased a CoCo 3 and a 512K RAM upgrade along with a Tandy CM-8 monitor. Now with many of my machine language games I get beautiful black-and-white pictures. Is there special hardware or software I can use

to correct this situation? I have heard that the CoCo 3 is incompatible with the Multi-Pak #26-3124. When I power up the CoCo 3 and the Multi-Pak at the same time via a power strip, everything seems to work OK, but if I first power the Multi-Pak and then the computer, I get a screen full of garbage.

Jean Gravelle Gatineau, Quebec

Your Multi-Pak can be upgraded with a satellite board, which requires soldering. The board is available from Radio Shack National Parts (#AXX-7119). The instructions on how to perform this upgrade appeared in Marty Goodman's "A PAL for Your CoCo 3" (January 1987, Page 98). This upgrade can also be done by Radio Shack for an additional service charge. The older Multi-Paks (#3024) are upgraded more easily by replacing the PAL chip (plug-in replacement #AXX-7123 — no soldering necessary).

Computer Doe

I just acquired an Infoton Mod. Vistar GT 050001 computer. I repaired it, and now it does work, but I'd like to know if it's compatible with anything. I tried contacting the manufacturer, but my letter was returned as non-deliverable.

Dan Griffin Avondale, AZ

If it has a Z-80 or 8080 microprocessor, it might be CPM. If it has an Intel 8088 or 8086, it might be DOS. Otherwise, it's one of the many orphaned computers that did not have the staying power of the Color Computer. Our beloved CoCo even predates the IBM PC and is still a viable machine because the 8/16 bit 6809E processor it uses was right on the leading edge of technology at the time of its introduction. Tandy has rightly continued the line, upgrading it over the years while maintaining all-important backward compatibility with previous CoCos. The CoCo survived industry shakeouts that killed off many of its rivals such as Texas Instrument's 99/4A, the Osborne-1, Atari 800, Commodore VIC 20. etc.

Beefing up BASIC

Can you use other languages besides ML to program the extra keys on the CoCo 3 to execute commands such as PRINT#-2,? Tandy's Model 100 has a method for programming its 'F' keys, and it would be nice to be able to do this with the CoCo 3.

Steven Bosze Brooklyn, NY

ADOS-3, sold by SpectroSystems, adds a number of enhancements to Disk BASIC, including special keys for PRINT#-2,.

ML CoCo-PC Transfer

Is there any way to transfer machine language programs from a CoCo to an IBM PC compatible?

Elliot Markus Wyncote, PA

The code can be transferred with CoCo Util II, sold by Spectrum Projects. But since the IBM PC and compatibles can run only machine language programs written for the Intel 8086, the CoCo's Motorola 6809E code will be available only for examination on those machines (it will not run on an 8086).

The Dirt on Downloading

How can I download programs and run them? I'm using a CoCo I and Colorcom/E Version 2.3.

Bill Pennington Middlesex, NJ

R Generally speaking, most terminal programs have a buffer capture function to let you capture data received from the system you're connected to. On Delphi or other BBSs, you can use this feature to download ASCII text or program files. The procedure on Delphi (similar for other BBSs or services) for a simple ASCII buffer capture is as follows:

- 1) Clear your terminal's buffer.
- 2) At the ACTION> prompt, enter
- 3) After Delphi tells you to "Press Return When Ready," open your buffer and press ENTER. You will see the file on your screen.
- 4) When the download is complete, you'll see a message like "Download of 132 Lines Complete." With some termi-

nal programs you will hear a beep, as well. Close your buffer and save the contents to tape or disk. If there is more than one file to be received, clear your buffer and press ENTER to start receiving the next file. Note: If the file is a BASIC program, you will get a ?DS Error message when you load the program back into the CoCo; however, this has no ill effect on the program. After loading, re-save the program to eliminate this error.

The procedure for an Xmodem download (not available with all terminal programs, but needed to download non-ASCII files or machine language files) is as follows:

- 1) At the ACTION> prompt, enter XDOWN. Delphi will respond after a few seconds with OK, RECEIVE!.
- 2) Switch your terminal program into Xmodem receive mode. The file will be transmitted after a pause.
- 3) After the transfer is complete, save your buffer contents to tape or disk. You may need to specify how the file is to be saved (machine language or ASCII).

CoCo 3 Shows Off

I would like to really show off my CoCo 3. Is there a way to run programs such as Koronis Rift, Deskmate and Rogue in windows? Is there a way to use my Hi-Res Joystick Interface with Deskmate 3? How do I fix programs to run with a hard disk?

Tony Mantegna Brooklyn, NY

R It is possible to create an OS-9 boot that supports both graphics windows and VDG screens. First, use config to create a customized version of OS-9, selecting your favorite parameters and term_win. Then using OS-9Gen, create an improved boot using in your bootlist the newly created DS-9Boot with Vdgint. IO from the Modules directory. After building a system with this boot, you can create VDG windows using the normal window descriptors by typing xmode /wn type=1; shell i=/wn& where n = window number. You can then press CLEAR to select a window to run one of your VDG programs.

Note that many VDG programs require patching because they are hard-coded to run with .TERM. Kevin Darling, assistant SysOp on CIS, volunteered the following patch for *Deskmate 3*, which makes its windows

compatible and also fixes it so that it uses the Hi-Res Joystick Interface:

```
LOAD /D0/CMDS/DESK
MODPATCH -S
L DESK
C 00F0 03 02
C 00F1 10 12
C 00F2 3F 12
C 00F3 B4 12
C 00F4 10 12
C 00F5 25 12
C 00F6 19 12
C 00F7 CF 12
C 00FF 00 01
C 0CAB 26 12
C ØCAC ØB 12
C 0CBE 26 12
C 0CBF 0B 12
C 1DC7 7D F6
C 1DC8 82 3A
C 1DC9 86 45
```

To make this change permanent, use the Level I Save utility or the Save utility that comes with *Multi-Vue*.

Koronis Rift can be made VDG window-compatible with this patch:

```
LOAD /D0/CMDS/KORONIS
MODPATCH -S
LOAD KORONIS
C 28 03 02
C 2C 10 12
C 2D 3F 12
C 2E 84 12
V
```

Rogue will run in a normal window after running Makegw to set up the graphics. Note that after saving patched routines, you need to use attr to reset the permissions.

Instead of patching programs piecemeal for a hard disk, I set up my Burke & Burke hard disk with three descriptors—/D0,/H0 and/D0— all referring to my hard drive so that old floppy software (using /D0), old hard disk software (using /H0) and new software (using /DD) all work without drive access modifications. I set up new descriptors/F0,/F1, etc., for my floppies.

For a quicker response, your questions may also be submitted through RAINBOW'S CoCo SIG on Delphi. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK for "Ask the Experts" to arrive at the EXPERTS> prompt, where you can select the "Doctor ASCII" online form which has complete instructions.

Proven Technology New CoCo 3 Utilities

Great for 512K Systems! From Color Venture and OWL-WARE

PRINTER LIGHTNING

A great print spooler which gives you 44K print buffer from a 128K CoCo and up to 438K (200 pages!) from a 512K CoCo. With this spooler you can run a program while you are printing a file. The spooler does not slow down the computer to any noticeable extent while you are running a second program and no lost characters arise. Baud rates selectable. Printer Lightning can reside in memory along with RAMDISK!

RAMDISK

Using 512K CoCo 3 you have access to 2 additional disk drives in RAM. All disk commands are supported, and the data are Reset button protected. You can now have up to 5 disk drive capacities on line at once and can assign the ram disks to any drive number. By making the ramdisk Drive 0, all programs which require a lot of drive access will run much faster. You can have the RAMDISK in memory at the same time as the Printer Lightning!

BACKUP LIGHTNING

This program is the fastest way to make backup copies of your files using a 512K CoCo. You can backup 35, 40, or 80 track disks single or double sided. Both RS and OS-9 disks may be backed up. The original disk is saved to memory and a copy can be made on an unformatted disk every 45 seconds! The lightning read, write, format, and verify routines that were developed make this program much quicker that RSDOS or OS-9 for backups. This will become one of your most used programs!

·NEW·NEW· SPECIAL With our 512K Upgrade (Next page) only \$2. each or 3 for \$5!

Announcing:


The finest graphics/drawing program for the COCO 3!

Da Vinci 3

- 16 colors on screen at one time
- Modify each color from 64 available colors
- Use composite or RGB monitor
- Draw with custom paintbrushes
- Full resolution 320 X 192
- Picture converter for conversion of COCO 2 pictures to COCO 3
- Multiple text fonts
- Accepts input from joystick, X-pad, mouse, or touch-pad
- Boxes, circles, line, paint generation
- Screen dump for Tandy mono and color ink-jet printers, (NX-10 and others pending)
- Sensible price
- No additional hardware required because of course/fine joystick movement modes
- Zoom mode for individual pixel editing
- Great on screen menu which is removable at the touch of a key to allow full screen edit

128K or 512K COCO 3

\$37.95




Super I/O Board for OS-9


Each Board Provides 2 Serial Ports and Centronics Parallel Port First Board has Real Time Clock and Beeper... With Second Board up to 5 Users

The serial ports are usable up to 19,200 Baud, and the parallel port is a true Centronics standard. Plug into your multi-pak. On CoCo 3, multi-pak must be upgraded. You will have a multi-user system with additional computers or terminals plugged into the serial ports. An OWL hard drive and 512K upgrade are strongly recommended for multi-user systems.

Intro Price...

BOARD 2 ... \$145.





P.O. Box 116-A Mertztown, PA 19539 ORDER LINES (only) (800) 245-6228

(215) 682-6855 (PA)

Proven lechnology

On the Razor's Edge of the Color Computer Frontier

OS-9 Hard Drive Systems

Control up to 2 Drives per Controller each as Continuous Storage Proven Performance for Demanding Home or Business Use Drive Access is at Least 8 Times Faster than Floppy Drives

A number of drive systems were in the market place when the LR Tech Interface was introduced and 2 Every hard drive system is complete with software, hard drive, controller, heavy-duty power supply, and LR Tech Interface. When a complete drive system is burned in for 3 full days. This ensures dependability ordered, the drive is fully assembled, tested, and and optimum performance.

have been introduced since. Most of these are no

longer available. We provide the only system which provides a combination of standard interface (SASI), rugged unit construction (not hacked to a floppy drive controller), high speed, and reasonable price.

> available drive system. About 1/4 of all hard drive We have now been supplying CoCo hard drive LR Tech/OWL-WARE system. We have reached this position in the CoCo hard drive market by systems and parts for systems for more than 2 years. This is the longest history in the CoCo market of any systems currently in use in the CoCo market use the providing our customers with a quality product that they (and wc) can be proud to own and use.

System Prices:

\$469. \$619. \$739. \$1,069.

multi-user system because processor does not stop for hard drive access.

These systems are even several times faster than the standard XT hard drive system. Ideal for

Dealers For OS-9 Levels 1 and 2

20 Meg. 40 Meg. 80 Meg. (2x40 Meg.) Inquiries Invited!

Hard Drive Interface (Includes Software)

For those who want to put together their own system, we have an exclusive arrangement to distribute the LR Tech Interface. Please note that an interface is not a controller. A Xebec, WD, or Adaptec SASI controller are required for a drive system.

quires some reasonable knowledge of OS-9 and electronic construction and a hard drive that works. CoCo 3 users will have to upgrade their To assemble a hard drive system yourself re-Multi-pak.

Only \$119.

Xebec Controller \$135.

CoCo 3 512K Upgrade

tacts and 120 nanosecond 256K chips. Provides The LR Tech 512K upgrade uses all gold conlarge system memory from OS-9 Level 2.

Mem Chips \$49.

RAM CHIPS is With (CALL: Sorry, Chips the price of

Special! See software offer on previous page. going up)

Hard Drive Basic


In Answer for the Many Reqests to Run BASIC from a Hard Drive New For the CoCo 3!

With the development of the CoCo 3, OWL Ware has been able to not, however, been a method of running your programs from the standard BASIC. With this latest development of the CoCo software OS-9 sections. The OS-9 partition runs your OS-9 normally. The RSDOS section is further divided into a number of floppy sized units to run provide a truly professional Hard Drive System using OS-9. There has aces, it is now possible to partition your hard drive into RSDOS and RSDOS programs. The familiar RS disk commands work normally.

There is little more that must be learned.

Programs that use RS-BASIC should work as will all programs which do All of these RS drive sections are available at all times. It is not necessary to use assign commands and get access to only a few of these sections. not force their own disk drivers.

Call about prices. This should be availabile by the time you read this ad!



OWL-WARE PHONES PA (215) 682-6855 800) 245-6228 ORDERS

TECHNICAL HELP (215) 433-8695 Call for advice

Ask for the WHISPER DRIVE for the finest, quietest drive available!

(Half Hgt - DS) & 1 Drive 1 Systems (Full Hgt) \$95.

Drive 1 has drive, case & power supply, and instructions for use with your drive. New! New! (3.5" 720K Drive for OS-9) \$189

(Call for Special Prices on Drive 0, 1, 2, 3 Combos.)

RS HORIZONTAL CASES HALF HEIGHT DRIVE JPGRADE KIT FOR

Why only double the capacity of your system when you can triple in the same case? Kit includes: double sided drive to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Takes only 5 minutes.

Model \$119. Model \$129.

Our prices do not include shipping costs, but do include a discount for cash.

repaired or replaced at our option and at no cost to OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be the buyer except for shipping costs. Call our technical help line for return authorization numbers. Return of non-defective items or unauthorized returns are subject to a service charge.

All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED DRIVES at these low prices. Full height drives are unused surplus and not always available.

have 5 years experience in the CoCo disk drive We use Fuji, Teac and Other Fine brands. We market! We are able to provide support when you have a problem.

NOW FOR CoCo 1, 2, 3

Full Hgt 90 days Half Hgt 1 Year WARRANTIES

(215) 682-6855 (PA) - ORDER LINES (only) 800) 245-6228

TECH HELP LINE -Call for Latest Prices! (215) 433-8695

OWL-WARE

Mertztown, PA 19539 P.O. Box 116-A

Software Bundle OWL-WARE

Disk Tutorial - 3 Utilities - 2 Games

DISK TUTOR Ver. 1.1

essons and corrects your mistakes for a gram. This tutor takes you through your Learn how to use your disk drive from this multi-lesson, machine language proquick painless disk drive intoduction. This professionally written tutor is easily worth the bundle's total price.)

OWL DOS

An operating system that gives faster disk access and allows the use of double-sided drives. Corrects a floating point number error on early CoCo systems. COPY-IT

disks. A wild card option selects groups of Quickly copies selected programs between programs for copy.

VERIFY

Verifies reading of each sector. Bad sectors are listed on the screen.

2 GAMES

We will select 2 games from our stock. These have sold for more than \$20 each.

Disk Drive

Software

with

Bundled

Special Bonus

Purchase

If sold separately this is over \$125 worth of software!! Do not mistake this software with cheap, non-professional "Public Domain" software which is being offered by others. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped hundreds of new users learn their disk drive.

only \$27.95

only \$6.95 with (or even better)

any Disk Drive Purchase!!

ast month we talked about high-capacity EPROMs from 8K (the 2764) all the way to 64K (the newest member of the family, the 27512). We also talked about hooking up these chips to your CoCo.

The 2764 and the 27128 (16K) can be hooked up directly to the CoCo. The 2764 is easy to hook up, as it has only 8K of memory. In any ROM chip, only the first 8K of memory is valid — the rest of it is memory mirrored.

As we get into more memory per chip, we are faced with more options. For example, do we use the 27128 as one complete 16K package, or do we split it up into two packages of 8K and select between the two? Do we make it selectable in software or in hardware, or both? Look at the Radio Shack Multi-Pak, which does all of this.

All these possibilities can be overwhelming to a novice hardware hacker. For that matter, the ramifications of EPROMs aren't all that clear to the pros, either. What I am attempting to do is take a close look at large capacity EPROMs and describe how to hook them up to the CoCo and have a big enough EPROM package to make a ROM disk.

The CTS pin can access up to 16K on CoCos 1 and 2, and can access up to 32K on the CoCo 3. But because only the CoCo 3 can access 32K, I am limiting my possibilities to 16K — otherwise, we'd have to throw in another variable, which would only add to the confusion. Besides, the 32K mode of the CoCo 3 is rarely used, if at all.

Let's start with something we are already a little familiar with, DOS. Now, the DOS ROM that Tandy offers is called Disk Extended BASIC. While we are on the subject of DOS, let me clear up a little misconception. There are only two versions of this DOS—the older 1.0 and the newer 1.1. When you power up a CoCo 3 with a Tandy DOS in the controller, you see one of two messages: If you have Tandy DOS 1.0, you get the message "2.0"; if you have Tandy DOS 1.1, you get "2.1." You see, the '2' part of the version belongs to the

A DOS expansion project for experienced hackers

Build a Half-Megabyte ROM Disk

By Tony DiStefano Rainbow Contributing Editor

version of Hi-Res BASIC you have, not to DOS — the ".0" or ".1" part of the version belongs to DOS. I just thought I would clear this up because I hear too many times that someone has DOS Version 2.1.

Well, back to work. Whatever the version, Tandy DOS is contained in an 8K ROM. ROMs are masked at the factory and cannot be changed, but EPROMs are user-programmable. You can change them any time you want, as they are erasable. I think I have said enough about the structure of EPROMs. Read last month's article for more details.

There are a lot of people who are familiar with DOS and would like to expand it — add in their favorite utility, for example. To expand DOS, you need more memory space, so the only thing to do is change to a 16K EPROM. That gives you about 8K of extra space to work with. To have more than that requires more space.

This is where you have to start with bank switching. Bank switching means that you have more than one memory chip mapped in the same area, but only one of them is active at a time. Last month we looked at a technique that required a hardware switch to physically change the access to the EPROMs. That is a simple technique, but there are some limitations, the biggest one being that the software will most likely get lost

and cause the computer to crash when you switch it. It is OK when you want to completely change and power down anyway, but not too practical when you have a lot of software already loaded and need just a little utility.

Preventing a crash that may occur when you turn the switch is not too difficult if you know how. Have the CPU turn the switch for you — this is called a "softswitch," and requires a latch, some decoding and a circuit. With this latch we can switch between quite a few things. What I want to show you is a way to access eight EPROMs of varying sizes. Figure I shows the circuit required to wire up eight 27512 EPROMs. That gives you a total of half a megabyte of EPROMs, or, in other words, one big ROM disk.

Before you run out and buy all the parts and try building the ROM disk, keep in mind that this is one heck of a big project. A project that should not be tried by everyone. First of all, you must have a lot of patience — to solder eight 28-pin EPROM sockets takes many hours. Second, you must have lots of money to buy eight 27512 EPROMs. In addition to a disk drive, you must also have a Multi-Pak. And lastly, you must have a lot of knowledge about machine language drivers for disk drives. So, you see, this is a big one. If you have all the prerequisites, let's start.

The first thing to do is get acquainted with the circuit. U1 simply gates the SCS with the Read/Write line. All this does is prevent you from switching the data in the latch just by reading that memory area. So, this becomes a "Write Only" byte. Since it uses the SCS pin, this byte is mapped at \$FF40. In fact, it is mirrored from \$FF40 to \$FF47. U2 is a six-bit latch. The diagram says that the inputs are from D1 to D6, but they are in fact connected from D0 to D5, respectively. The latch is connected to the output of U1 and is cleared to all 0s when the reset button is pressed.

The output of U2 is six bits that are controlled by writing to it. Let's look at the last three bits first, Q4, 5 and 6. They go to the inputs of a 3-to-8 decoder. These three pins select one of eight outputs. The other inputs to U3 are the CTS pin and the E clock. The E clock is needed to make sure the data is in sync with the CPU.

Tony DiStefano is a well-known early specialist in computer hardware projects. He lives in Laval Ouest, Quebec.



Get Smart, Have Fun and Save \$50!

Order the new Educational Combo package by April 31, 1988 at the introductory price of \$48.50. The Combo includes these educational (and entertaining) games: Silly Syntax (with 2 stories), Galactic Hangman (700 word vocabulary), The Presidents of the USA (includes well over 35 presidents), The Great USA (even little-known states are covered) and Trig Attack (Zap those Trigs). For children ages 5-10 through adult. Disk only; \$48.50; S&H \$1.50.

CALLIGRAPHER

CoCo Calligrapher - (Hybrid BASIC/ML)
Turn your CoCo and dot-matrix printer
into a calligrapher's quill. Make beautiful
invitations, flyers, certificates, labels and
more. Includes 3 fonts: Gay Nineties, Old
English and Cartoon. The letters are ½
inch high and variably spaced. Works
with many printers including Epson,
Gemini, Radio Shack, Okidata 92A, Banana and Prowriter. Additional fonts are
available (see below). Tape/Disk; \$24.95.

OS9 Calligrapher - (c) Although a different program from the CoCo Calligrapher, the OS9 Calligrapher prints all the same fonts. It reads a standard text file which contains text and formatting directives. You may specify the font to use, change fonts at any time, centering, left, right or full justification, line fill, margin, line width, page size, page break and indentation. Similar to treff on UNIXTM systems. Includes Gay Nineties, Old English and Cartoon fonts. Additional fonts are available (see below). Disk only; OS9 Level I or II; \$24.95.

Calligrapher Fonts - Requires Calligrapher above. Each set on tape or disk; specify RSDOS or OS9 version; \$14.95 each. Set #1 - (9 fonts) Reduced, reversed and reduced-reversed versions of Gay Nineties, Old English and Cartoon; Set #2 - (8 fonts) Old Style and Broadway; Set #3 - (8 fonts) Antique and Business; Set #4 - (8 fonts) Wild West and Checkers; Set #5 - (10 fonts) Stars, Hebrew and Victorian; Set #6 - (8 fonts) Block and Computer;

Economy Font Packages on disk; specify RSDOS or OS9; 20.95: Font Package #1 - Above font sets 1, 2 and 3 (25 fonts) on one disk. Font Package #2 - Above font sets 4, 5 and 6 (26 fonts) on one disk. Both Packages #1 and #2 (51 fonts) on one disk; 49.95.

Calligrapher Combo Package - Everything!; specify RSDOS or OS9; Includes the Calligrapher and both Font Packages on two disks; \$69.95.

UTILITIES

Piratector - (100%ML) Utility to allow your own disk-based BASIC or ML programs to display a graphics title screen and then self-start after loading. Adds copy protection to your programs but still allows users to create non-executable backups! Includes Semigraf. Disk only; CoCo 1, 2, 3 (except Semigraf); \$30.05.

Super Screen Machine - (100% ML) Put your CoCo into high resolution mode for your own BASIC or ML programs. Smooth scroll, key click, lower case with colored characters. Tape/Disk; 32K CB; CoCo 1, 2, 3 (except 64K mode); \$19.95.

Color Disk Manager - (100%ML) Disk utility with these features: Disk repair, selective track initialization, verify sectors, backups, tape to disk transfer, ROM Pak execution from disk, much more! Tape/Disk; CoCo 1, 2, 3 (except for 64K mode); \$24.95.

Color Tape Manager - (100% ML) Tape utility with these features: display start, end and exec address of ML programs, convert ML programs into DATA statements, append ML to BASIC, much more! Tape/Disk; 16K ECB; CoCo 1, 2, 3 (except for 64K mode); \$19.95.

OS9 Patcher - (C) Display and modify the contents of a file or memory module. Hexidecimal, decimal and ASCII modes. Search feature. Calculates module CRCs; Generates patch command files. Disk only; OS9 Level I or II; \$19.95.

INFORMATION MGT.

TIMS (The Information Management System) - (Hybrid BASIC/ML) Tape or disk, fast and simple general data base program. Create files of records that can be quickly sorted, searched, deleted and updated. Powerful printer formatting. Up to 8 user fields, sort on up to 3 fields. Tape/Disk; \$10.95 (see combo pkg below).

TIMS Mail - (Hybrid BASIC/ML) Tape or Disk based mailing list management program. Files are compatible with TIMS. Fast and simple to use. Supports labels 1, 2 or 3 across, 2½ to 4 inches wide. Tape/Disk; \$19.95 (see combo pkg below).

TIMS Utility - (Hybrid BASIC/ML) Utility companion for TIMS and TIMS Mail to allow multi-term search (AND and OR logic), global change and delete, split large files and more! Tape/Disk; \$14.95 (see combo pkg below).

TIMS Combo Package - All three of the above programs: TIMS, TIMS Mail and TIMS Utility on one disk - \$34.95.

SPORTS STATISTICS

Statistics programs for the coach, team manager or avid fan who wants to keep accurate team and opponent records. Printer output supported. The following are available: Baseball, Basketball, Football and Soccer. Disk only; \$19.95 each.

EDUCATIONAL

Trig Attack - (100%ML) Ages 9 and up. In this educational arcade game, enemy trigs travel along math curves. Players learn important mathematical concepts as they play. Sound effects, colorful graphics. Excellent manual includes an introduction to trigonometry. Tape 16K CB/Disk 32K ECB; CoCo 1, 2, 3; \$19.95.

Silly Syntax - (Hybrid BASIC/ML) Ages 5 and up. Story creation game; output to screen or printer; includes 2 stories or create your own. Tape/Disk; \$10.05 or disk with 62 stories for \$20.05. Sets of 10 stories on tape/disk for \$4.05: Fairy Tales, Current Events, X-Rated, Sing-Along, Adventure, Potpourri.

Bible Stories Adventure - (Hybrid BASIC/ML) Ages 4 & up. A graphics adventure game for young children & their families. Old testament. Tape/Disk; \$19.95.

The Presidents of the USA - (100% ML) Ages 10 and up. Two trivia games, user modifiable, printer output supported. Tape/Disk; 16K ECB; \$10.95.

The Great USA - Ages 9 and up. Trivia game of the 50 states. Capitals, nicknames, abbreviations, flowers, trees and birds. Tape/Disk; 16K ECB; \$19.95.

Galactic Hangman - Ages 7 and up. Exciting new twist to the popular word game. Outstanding graphics; 700 word vocabulary. Tape/Disk; 16K ECB; \$19.95.

PreReader - (Hybrid BASIC/ML) Ages 3-5 (level I); Ages 5-7 (level 2); Great graphics and music. Level 1: match colors, shapes, letters and numbers; Level 2: match letters and consonant blends with their sounds. Tape/Disk; Joystick; \$19.95.

Statgraf - High school and college level; Linear regression analysis program combined with a plotting and line graphing system. Up to 250 x/y pairs; data transformation; residuals; regression line; print graph with screen print program (not supplied); Tape/Disk; \$19.95.

SPECIAL INTEREST

Rental Property Income and Expense Management Package - Maintain your rental property income and expense records. Print output supported. 28 expense categories. This program may be tax deductible. Disk only, \$20.05.

Radio Systems Design Calculations -Performs 14 different calculations commonly used in design or evaluation of land mobile radio systems, satellite TV, etc. Tape/Disk; \$19.95.

CoCo Knitter - Easy to use program to display or print instructions to knit a sweater: Cardigan or Pullover; Round or V-neck; Raglan or Set-in Sleeve; 3 weights or yarn; 8 sizes from baby to man. Tape/Disk; \$19.95.

Flying Tigers - (100% ML) Fast Defenders style arcade game. 5 levels of difficulty; Outstanding graphics and sound effects. Tape/Disk; Joystick; \$10.05.








*TRS-80 is a trademark of Tandy Corp.

SUGAR SOFTWARE P.O. Box 7446 Hollywood, Florida 33081 (305) 981-1241 All programs run on the CoCo 1, 2 and 3, 32K Extended Basic, unless otherwise noted. Add \$1.50 per tape or disk for shipping and handling. Florida residents add 6% sales tax. COD orders add \$5. Dealer inquiries invited. Orders generally shipped in 24-48 hours. No refunds or exchanges without prior authorization.



The CTS pin is the main select for the external ROM area. The output Y0 is connected to the Chip Enable and Output Enable of U4. Only one EPROM is shown. The other seven EPROMs are all wired in parallel except for these two pins. Y1 to Y7 of U3 connect to pins 20 and 22 of chips U5 to U11, respectively. Wow! What a mouthful! Depending on what the binary number is at the A, B and C inputs of U3, one of the eight EPROMs will be selected when the CTS pin goes low.

Now let's look at the next two bits, Q2 and Q3 of U2. They connect to A14 and A15 of all the EPROMs. If you put on your binary thinking hat, you'll realize A0 to A13 comprise 14 address lines. Two to the power of 14 gives us the amount of data 14 address lines can access — 16K. These two bits that are connected to the EPROMs select four banks of 16K. A 27512 has 64K of memory. These two bits connected to A14 and A15 will divide the 64K EPROM into four banks of 16K. OK, here comes the tricky part. A13 of the EPROMs can be connected to one of two sources via SW1. The way it is connected in Figure 1 is the way it is required to switch 16K banks. Each of the eight EPROMs has four 16K banks; that gives you 32 16K banks of memory.

There is another way to wire things up. When the switch is turned the other

way, it no longer gives you 16K banks. With one less address line to work with, the CPU will see two 8K banks mirrored with the same data. By putting this address line to another bit (Q1 of U2), we now have three bits of bank switching. In binary, three bits give you eight banks to choose from. You now have eight EPROMs with eight banks each, which gives you 64 banks of 8K of memory. That's a total of 512K of memory.

Well, that about does it for the theory part. The construction of the ROM disk, like I said before, is a big task. You will need eight 28-pin sockets for the EPROMs and three 16-pin sockets for the other support chips. The best way to go with this one is to get the protoboard from CRC Inc. That is the one I used, and it has plenty of room for all the chips. Also needed for this project are eleven .1 uf capacitors, one for each chip; connect them between +5V and ground as close to each chip as possible. Not shown on the diagram are the +5V and ground pins for these chips. It is simple. For the three TTL chips, the +5V pin is 16 and the ground pin is 8. For the EPROMs, the +5V pin is 28 and the ground pin is 14. That is all you need to know to construct this board.

Now that I've shown you the hardware part of this project, it's time for the software. You all know how much I hate that. But, without software, hardware would not be much good. Though I will not be writing any software, you will need to know something about the hardware to write it yourself. The control byte, as I call it, for which bank is active in this circuit is at \$FF40.

There are two different ways the control byte works, depending on which way the switch SW1 is set. The two options are this — 32 16K banks and 64 8K banks. For the option of 64 8K banks, D0, D1 and D2 of the control byte select eight banks per EPROM. D3, D4 and D5 select one of eight EPROMs. So, U4 has bank numbers 0 to 7, U5 has 8 to 15, U6 has 16 to 23, and so on. Each bank will appear from \$C000 to \$DFFF. The 16K banks are a little different. D0 is not used; D1 and D2 select four 16K banks; and D3, D4 and D5 again select one of eight EPROMs. This time U4 has bank numbers 0 to 3, U5 has 4 to 7, U6 has 8 to 11, and so on.

The choice to use 8K or 16K banks is yours, of course, but think of this: If you use 16K banks, you lose 256 bytes per bank in CoCos 1 and 2 and 512 bytes per bank in CoCo 3 because of the addressing of the CoCo. Those bytes are reserved for I/O.

I hope that I have given you enough information to think about and act on. It is a big project, but for the right people, it can be quite rewarding.

Briefly, last month, we covered use of the Mail and Forum areas in the CoCo SIG for the benefit of newcomers. We find that, with the continual influx of new users, we must periodically revisit topics of greater interest.

Most people join Delphi mainly for the purpose of downloading the many fine programs found in the CoCo SIG. It is only after they have used the system that they begin to realize its benefits extend far beyond the databases. They also learn that downloading for the first time can be very frustrating. Many also find that the communications software they have purchased won't allow them to download from online services such as Delphi.

The thrust of this month's column is to help those who have limited experience in downloading from information services. First, we will discuss the software aspects and system requirements. We will then discuss how the database area is organized on Delphi. Next month we will continue our discussion with the procedures involved in downloading files from the CoCo SIG.

What Software Should I Use?

Before you can begin telecomputing in the first place, you must have a computer, a modem and the software that allows your computer to act as a terminal. This "terminal software" comes in many shapes and sizes with various flavors to suit just about any taste.

While Color Compac and the builtin software in the Deluxe RS-232 Pak (both from Radio Shack) allow you to communicate with online services, neither program is designed to allow you to download programs from such services.

For the purposes of downloading, you will want to purchase a terminal program that supports the Xmodem or Kermit protocols. These protocols use error-checking techniques to ensure error-free downloads. This, of course, will save you time and money.

Cray Augsburg is RAINBOW's technical editor and has an associate's degree in electrical engineering. He and his wife, Ruth Ann, have two children and live in Louisville, Kentucky. His username on Delphi is CRAY.

Database Downloading

By Cray Augsburg Rainbow Technical Editor A host of commercial terminal programs that support Xmodem are available. Autoterm from PXE Computing, Color Connection from Computerware and the Datapack series from Cer-Comp come to mind. Another feature-packed terminal program, intended for the CoCo 3, is Color Talk 3 from Computize. All of these companies are RAINBOW advertisers. The programs each offer various features that can be very useful to the telecommunicator.

Many people choose to avoid the commercial route until they have gained experience in the telecommunications field. In this way, they can be sure of which features they need before investing a great deal of money in such software. For these people, the "share-

Database Report

By Don Hutchison Rainbow CoCo SIG Database Manager

Interest in graphics remains exceptionally high on the CoCo SIG. The graphics topics are already the largest in the database, and user interest never seems to wane. For the second month in a row, the CoCo 3 Graphics topic of the database was the fastest growing area by far.

OS-9 Online

In the Utilities topic area, Ronald Cliborne (COCORON) uploaded a multipledirectory file utility that can handle directories of more than 250 files and allows several of the most often used commands. Greg Law (GREGL) uploaded IPatch.ar. which contains two programs written by Bob Santy. IPatch can perform a complex patch to a module that includes additions, deletions and simple changes to byte sequences in a file. It is similar to Mod-Patch, but can be used to make a file larger or smaller. Its companion program, Mak-Patch, can be used to compare the original file with a new file and create an IPatch script.

Colin McKay (COLINMCKAY) uploaded ModemTime, a program to read in the time from a Capetronic QT1200 modem and convert it to 24-hour time. George Janssen (GBJANSSEN) posted ScrCpy, a program that can be used to copy a Type 2 (24-by-80) window to another window, file or the printer. Richard Esposito (DOCTORASCII) posted Save9.BAS, a disk BASIC program that will create the SAVE program Tandy/MicroWare did not include with Level II. (The SAVE command was origi-

nally written by Kevin Darling and was uploaded with his consent.)

Kevin Darling (KDARLING) uploaded an AR'ed file of a Shell+ module and documentation. Shell+will replace your current shell on L-II CoCo 3. It features bug fixes, a programmable prompt, shell scripts in your execution directory, allows command line inclusion of parameters for packed BASIC09 programs, and a few other neat things. Michael Washburn (COMPZAP) posted Scan, a utility for searching disk files for text, codes, etc. Input can be a mixture of Hex, decimal or text strings. Robert Scott (ROBERTSCOTT) uploaded clockon, an executable command for setting the system clock from the Disto RTime hardware clock adapter. George Janssen posted Version 2.02 of his popular Pak archiving utility.

In the Patches topic area, Dave Philipsen (DPHILIPSEN) uploaded a file called Clockpatch.ar, which contains a patch file to be used with the IPatch utility. It creates a new clock module that will keep system time under OS-9 Level II using the Speech Systems Real Time Clock cartridge. Kevin Darling uploaded a patch file from Kent Meyers to fix the two known major bugs in GShell from the Multi-Vue package.

In the Telecommunications topic area, Bill Brady (OS9UGED) posted the documentation file for BigT and for Version 5 of Wizacia.

In the Graphics & Music topic area, Christopher Burke (COCOXT) uploaded an ware" market is the way to go. While there are many entries in this arena, three currently stand out in my mind: Mikey Term by Mike Ward, Greg-E-Term by Greg Miller and Rickey term by Rick Adams. These three programs are available from the authors simply by sending \$10 and a blank disk to the appropriate address:

Mike Ward 1807 Cortez Coral Gables, FL 33134

Greg Miller 9575 Roston Road Grandledge, MI 48837

Rick Adams
Color Central Software
712 Brett Avenue
Rohnert Park, CA 94928

Also, Mikey Term supports tapebased systems — simply include a tape with your \$10 instead of a disk.

OS-9 users will be interested in

XCOM9, a public domain terminal program being distributed by the OS-9 Users Group. Also, The Wiz is gaining a lot of attention in the Level II market. This program, from Frank Hogg Laboratory, is very easy to use and takes advantage of the added power offered by Level II.

The CoCo SIG Databases

To enter the database area of the CoCo SIG, first get to the CoCo Sig> prompt. Then enter DAT. The next prompt to appear on your screen will be TOPIC>?. You see, the overall database is divided into several smaller databases. This organizational approach helps make finding a specific file that much easier. It can also help to reduce your online time. Just enter the first three characters of one of the following user-accessible topics:

General Information CoCo 3 Graphics Source for 6809 Assemblers Utilities & Applications
Hardware Hacking
Games
Classic Graphics
Music & Sound
Info on Rainbow
Archives
HELP
Product Reviews & Announcement
Rainbow On Tape
Data Communications

You may also get a list while online by entering a question mark (?) at the TOPIC> prompt.

When you have entered the topic of your choice, Delphi will whisk you into that particular database. You will see DBASES: xxx> on your screen (the xxx represents the first three characters of the particular topic area of the database you have chosen). At this point, you can enter DIR or simply press ENTER to get a directory of the chosen database. Each directory entry contains up to 32 characters. Keep in mind you are not necessarily looking at actual filenames. You

article that provides instructions for installing *Multi-Vue* on a hard disk and also included a brief review of *Multi-Vue*. George Janssen uploaded an icon editor for creating, modifying or viewing a 24-by-24 pixel, four-color bit map icon of the type used by GShell when running *Multi-Vue*.

CoCo SIG

In the General topic of the database, Kevin Nickols (NICKOLS) posted the Tandy Newsletter for January. Marty Goodman (MARTYGOODMAN) posted a very interesting article about the bar code system used by the U.S. Postal Service. With information from this article, readers can decipher the codes and even generate their own codes using 'a dot matrix printer. Rick Adams (RICKADAMS) posted a collection of humorous quips denoting what Rick terms "diminished mental capacity." For example, one such quip was, "His driveway doesn't run all the way to the street." All jokesters will have to have this file.

In the CoCo 3 Graphics topic area, Steve Ricketts (STEVEPDX) uploaded a CM3 viewer, some CoCo Max III pictures and several digitized images. Mike Andrews (MANDREWS) posted a printer dump for the DMP-105 that will print DS-69 digitized images. Richard Trasborg (TRAS) uploaded 13 complete sets of adult pictures by Mike Trammell. Mike's drawings are always popular. Richard also sent us several digitized shots from the Star Wars movies, as well as some of his own adult drawings. James MacKenzie (ZIMBO) posted a Color Max 3 font display utility. Orman Beckles (ORMAN) uploaded a video

display utility. John Nichols (JKNICHOLS) uploaded a double screen viewer utility for CoCo Max III pictures. Gene Clifto (CEC) provided us with his MacPaint dump for the CGP-220. Cray Augsburg (CRAY) posted a digitized picture of user Shannon Yoffe (SHANNONY), thereby fulfilling a deep-seated fantasy. Glenn Accardo (6883SAM) uploaded some fine 16-level digitized Star Wars pictures.

Gregory Clark (GNOME) uploaded his Dump16 utility program, which will print an HSCREEN2 image to a DMP-110 printer. Then Jason Forbes (COCO3KID) uploaded an Epson version of Clark's Dump16 program and a program to display Hilbert curves. Colin McKay provided us with a second modified version of Dump16. Roger Bouchard (HARBIE) uploaded a text file that describes the file format used by CoCo Max III pictures. David Mills (DAVIDMILLS) provided a drawing of Miss CoCo done with Color Max 3. Bob Wharton (BOBWHARTON) uploaded some CM3 calendar head pictures.

In the Utilities & Applications topic area, David Mills posted an outstanding BASIC program called *Diplomat* that gives information about other countries, their monetary systems, their capitals, etc. Ken Wuelzer (WUELZERKEN) posted Version 2.6 of his very popular shareware disk utility, KDSK. Hadley Hazen (HAZE) uploaded a disk label maker, and then updated it a few days later with Version 2. Brian Wright (POLTERGEIST) uploaded an "AutoCopy" utility.

In the Hardware Hacking topic area, Roger Bouchard uploaded text files describing gray scale composite video and another providing valuable information about dynamic RAMs.

In the Games topic area, Mike Ward (MIKEWARD) uploaded "immortality" pokes for the popular game *Thexder*, as well as a text file describing how to transfer your *Thexder* ROM pack to disk.

In the Classic Graphics topic area, George Hoffman (HOFFBERGER) uploaded a BASIC program that creates the album cover from Pink Floyd's *The Wall*. Jason Forbes uploaded his program to display Hilbert curves, and Brian Wright posted some digitized ladies.

In the Music & Sound topic area, George Hoffman uploaded his rendition of "Pop Goes the World."

In the Product Reviews & Announcements topic area, Jim Goettig (JGMG) uploaded his impressions of Word Power 3. Laurence Tepolt (TEPCO) provided product announcements of his assembly language programming books for the CoCo 1 and 2 and the CoCo 3.

In the Data Communications topic area, Marty Goodman uploaded the revised RTTY programs as written by N6LQV. These programs enable the CoCo to send and receive Baudot codes, and are always very popular with amateur radio operators. Dave Stinson (UG) uploaded a set of message generator programs for use with the RTTY package. Joe Carney (JOECARNEY) uploaded a text file describing his testing of uploading and downloading times using both the Ymodem and the Xmodem protocols with Delphi. Mike Andrews uploaded the specifications for the Ymodem protocol.

See you online on Delphi!

are really looking at the descriptive name of a group of files. Each directory entry indicates one group that may contain one or more files.

When you have entered the topic of your choice, Delphi will whisk you into that particular database. You will see DBASES: xxx> on your screen (the xxxrepresents the first three characters of the particular topic area of the database you have chosen). At this point, you can enter DIR or simply press ENTER to get a directory of the chosen database. Each directory entry contains up to 32 characters. Keep in mind you are not necessarily looking at actual filenames. You are really looking at the descriptive name of a group of files. Each directory entry indicates one group that may contain one or more files.

After you have found an entry that interests you, find your way back to the DBASES: xxx> prompt. If your cursor is not there, usually a simple CONTROL-Z will take you there. If, instead, you wind up at the ACTION> prompt, press CONTROL-Z a second time.

Now that you are back at the prompt, you can get a description of the entry by entering READ yyyy, where yyyy is the name of the entry from the directory.

You will be presented with a brief (usually) description of the chosen group of files. At the bottom will be the ACTION> prompt indicating you can download at this point. Just above that will be the actual filenames. While we don't have enough room this month to get into the actual downloading procedures, I would like to leave you with some idea of what the extensions to those filenames mean.

When Marty Goodman (MARTY-GOODMAN) started working in the databases a year or so ago, he proposed a standardization of filename extensions. The result has been a set of meaningful extensions that have changed only to allow room for new developments, Color Max 3 and CoCo Max III files being notable examples. The standard list of allowable extensions and a brief explanation of each is as follows:

BAS — a BASIC program stored in ASCII format.

BIN — binary data or machine language files.

CM3 — a binary picture file for CoCo Max III.

DOC — indicates file is an ASCII documentation file for a program.

MGE — a binary Color Max 3 picture file.

MUS — a binary Musica file that can be played with the Player utility to be found in the Music database. Music files that can be (C)LDADMed and EXECED will have the .BIN extension.

DRC — an Orchestra-90/CC file in ASCII format.

PIX — indicates a picture file that has been converted to an ASCII BASIC program via the MAXCMP compressor program. It will create a PMODE4 picture when it is run.

SRC — assembly language source file in ASCII format.

TXT — general text file that doesn't fall under the BAS, DOC, PIX or SRC conventions above.

TOK — a BASIC file that has been stored in tokenized form, also referred to as compressed BASIC. In any event, the file is in binary format and can be downloaded only with an error-checking protocol such as Xmodem.

The importance of the extensions given above will become apparent when we continue with our discussion of the databases next month.

WIN THE LOTTO

WITH YOUR HOME COMPUTER!

Use your home computer and Soft-Byte's amazing new "Lotto Program" to get more winning tickets.

In just seconds this software analyzes past winners and produces a powerful probability study on easy-to-read charts. With a single press of a key, you'll see trends, patterns, odds/evens, sum totals, number frequencies, and much more. It also includes automatic number wheeling, instant updating, and a built-in tutorial.

Ask your software dealer.

APPLE, IBM, and Commodore	\$24.95
Atari, Radio Shack	\$21.95
MacIntosh (requires M/S basic)	. \$29.95
Back-up Copies	\$3.00

Add \$2.00 shipping and handling. Credit card orders approved by phone and shipped same day. Make checks payable to **SOFT-BYTE** and mail to:

P.O. Box 556 Forest Park Dayton, Ohio 45405



513. 278.1110

KLC SOFTWARE

1121 Finfrock • Pasadena, TX 77506 (713) 472-0078

AVATEX 1200e Auto Answer/Dial 100% Hayes compatible with FREE Compuserve Time - \$95.00

STAR NX-1000 Multi-Font Printer 144 cps Draft/36 cps NLQ - 20 TYPE STYLES! \$199.95

DS/DD DISKETTES

10 for \$5.95 • 100 for \$44.95
 Lifetime Guarantee!

QUME DS/DD half-height Disk Drive ONLY \$89.95

Send your check or money order or call (713) 472-0078

C.O.D. accepted • Sorry, no credit cards
Please add \$4.00 for shipping/handling charges

Texas residents: add 7% sales tax

KISSable OS-9



What's new in the OS-9 sector

New Tools, New Toys

By Dale L. Puckett Rainbow Contributing Editor

he telephone rang one evening just before Christmas. Tony Di-Stefano was calling from Canada to tell me his new Super Controller II was ready for release. My copy had been mailed and Tony hoped I would get it before Christmas.

We had talked about this direct memory access disk controller several times in the past year and I couldn't wait to get my hands on it. Tony has also designed many other hardware add-ons for the Color Computer during the past several years, and they all have performed flawlessly. And most importantly, they've been affordable.

The pricing of the Super Controller II is "very competitive," although Di-Stefano wasn't exactly sure what the final selling price would be. He said the suggested retail price will be \$149.95, but he expected the selling price to be much lower. My sources tell me it should come in at a price just below the Sardis controller — the only no-halt controller for the Color Computer presently on the market.

DiStefano's new controller mounts in

Slot 4 of your Multi-Pak Interface just like a Radio Shack controller. In fact, if you don't install Kevin Darling's special device driver, Tony's new controller acts just like a Radio Shack controller. It is completely compatible with the Tandy controller and will run all RS-DOS software right out of the box. It has one ROM socket that can hold either a regular 24-pin chip like that found in the Radio Shack controllers or a 28-pin jumper-selectable EPROM like the 2764 or 217128. You can also plug your Disto parallel printer/real-time clock, hard disk adapter, or RAM disk expansion boards into it.

Tony held the current drain of the controller well below the 300 milliamps recommended by Radio Shack. In fact, it still comes in below Tandy's recommendation even after you add one of the Disto add-on cards.

However, the beauty of this new CoCo hardware cartridge surfaces when you install Darling's CC3 Disk.irq device driver in your OS-9 Level II boot file and reboot. DiStefano worked closely with the author of *Inside OS-9 Level II* while he was developing the driver for this controller. It is completely interrupt-driven.

Here's how it works. When the controller issues a read or write command, the data is placed in a memory buffer on the controller card. Then, the controller fires the irq and the computer services it to get the data. While the transfer from the disk to the controller is taking place, the computer continues to process other data. Even when the

drive needs to step back and forth on the floppy, the computer works away. With this controller, you'll no longer need to stop and wait for a disk operation to be completed before you can go about your business.

The full type-ahead feature that veteran OS-9 users have loved since day one has finally arrived. No longer will you lose a keystroke or two when you type a command line while your disk drives are running. This is a fantastic feature. Once again, Tony DiStefano is to be congratulated.

What's next from Disto? No one knows — not even Tony. However, he does have a lot of things on his CoCo wish list. At the top of that list is a color digitizer that takes the output from a video cassette recorder, processes it and then feeds it into your CoCo. Sounds interesting . . . and useful.

Games, Too!

Several days after we talked with Tony, we received Sub Battle, a new CoCo 3 game from Epyx — the same submarine simulator that runs on the IBM PC, Apple II and Commodore 64/128 computers. Designed by Digital Illusions and sold by Tandy, it makes OS-9 shine.

Your goal is to command a World War II submarine, complete a mission and survive. As a beginner you can start with some target practice against an enemy convoy and then move on to a single mission game in a real combat setting. When you get brave, you can assume command of the sub and replay

Dale L. Puckett, who is author of The Official BASIC09 Tour Guide and coauthor, with Peter Dibble, of The Complete Rainbow Guide to OS-9, is a free-lance writer and programmer. He serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. Dale is a U.S. Coast Guard lieutenant and lives in Rockville, Maryland.

actual incidents that took place during World War II. Sixty different missions — 24 American and 36 German — are included in this Simulation.

Sub Battle is an excellent graphics game. You navigate your sub by keeping an eye on view, heading and speed gauges. You also have map displays to keep you on track. If the lunch whistle blows, you can save your mission to a file on a floppy disk and reload it later. This game is a lot of fun to play. I particularly like the response you get if you try to raise the periscope while you are submerged: "But you'll drown, Sir!" Try it! It's not just a game; it's an adventure!

Multi-Vue Fix

Last month we urged you to be careful when you name files on a disk that you plan to use with *Multi-Vue*. Quite often, GShell, the new graphics shell, will hang up if it encounters a file with a name that ends with a period followed by exactly three characters — unless the three characters used are in a *Multi-Vue* AIF filename.

Kevin Darling jumped on the problem immediately and wrote a program to clear the data memory area used by GShell before starting Multi-Vue. That improved things a bit, but didn't really solve that problem. Darling continued to pursue the problem with Kent Meyers, hacker extraordinaire, who offered the ModPatch script shown in Figure 1. If you're running Multi-Vue, it's absolutely essential that you run this script. Store it in a file named FixGS in your current data directory. Then type the following command line:

OS9: ModPatch <FixGS <ENTER>

Getting Organized

I'm betting that once you start run-

* Kent D. Meyers' Modpatch script that corrects

* two known GShell bugs.

* Old CRC= 9E2FB9, new CRC should be= 8E7E71.

* Fixes both the three-letter file extension hang bug,

* and lets GShell handle directories with more than 255 files.

1 gshell

c 117D 42 2C

c 1838 32 16

c 1839 64 1D

c 183A ØC CC

c 18EF 32 16

c 18FØ 62 1D

c 18F1 ØA 21

c 3607 EC DC

c 3608 62 30

c 3698 62 39

c 36Ø9 E3 C3

c 36ØA A9 ØØ

c 369B 95 91

c 36ØC 8D DD

c 36ØD 25 3Ø

c 36ØE 21 32

c 36ØF 1Ø 64

c 361Ø A3 16

c 3611 A9 E2

c 3612 Ø5 29

c 3613 8F DC

c 3614 24 3Ø

c 3615 1A 83

c 3616 34 ØØ

c 3617 Ø6 Ø1

c 3618 AE DD

c 3619 A9 3Ø

c 361A Ø5 32

c 361B 8D 62

c 361C 4F 16

c 361D AC E2

c 361E E4 D4

v

Figure 1: FixGS

ning Multi-Vue, you are going to want to get organized. In the low resolution mode, GShell displays only 12 documents or folders on your screen. The situation improves somewhat when you use the high resolution mode and can

see 24 icons displayed eight columns wide by three rows deep.

We've talked about OS-9's hierarchical directory system and discussed the advantages of keeping a small number of files in each directory. You can save

LOWEST PRICES EVER FOR COCO 3 PRODUCTS! RAM BOARD UTLITIES

All 3 for only \$19.95

☐ Sophisticated Memory Test Program

□ RAM Disk for RSDOS*

☐ Print Spooler*

TURBO RAM BOARD

512K BOARD

OK BOARD

\$89.95 \$29.95

Includes RAM Board Utilities



- ☐ Fast 120 nsec RAM Chips
 ☐ Easy-to-Follow
 Instructions
- ☐ No Soldering

Shipping & Handling: Within the U.S. & Canada: add \$3.00 Outside the U.S. & Canada: add \$5.00 COD Orders: add \$2.00 (Calif, Residents: add 6% sales tax) (VISA or MC orders accepted) RAINBOW CERTIFICATION

SEAL

PAL UPGRADE - ONLY \$7.95

for your gray or white MULTI-PACK (26-3024)

Send Check or Money Order to: Performance Peripherals 11432 Pena Way Mira Loma, CA 91752 Or Call (714) 681-3007

■ 30 DAY MONEY-BACK GUARANTEE PLUS FULL 1 YEAR WARRANTY!

Prices subject to change without notice.

COCO 3 UTILITES

\$14.95 each

☐ Disk Duplicator* ☐ 640x640 Joystick Driver*

☐ 640x640 Joystick Driver*
☐ Coco Max 2 to Coco 3 Patch Routines*
All 3 for only \$39.95!

PYRAMIX Arcade Game*—\$19.95

*Products developed by ColorVenture

New!

\$99.95

No-Halt DMC Floppy Disk Controller for your Coco1, 2, or 3 (not currently certified)

Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful/helpful/fun for other CoCo owners.

WHAT TO WRITE: We are interested in what you may wish to tell our readers. We accept for consideration anything that is wellwritten and has a practical application for the Tandy Color Computer. If it interests you, it will probably interest lots of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more the appeal. We have a continuing need for short articles with short listings. These are especially appealing to our many beginners.

FORMAT: Program submissions must be on tape or disk, and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs and debug our typing errors. All programs should be supported by some editorial commentary explaining how the program works. We also prefer that editorial copy be included on the tape or disk using any of the word processors currently available for the Color Computer. Also, please include a double-spaced printout of your editorial material and program listing. Do not send text in all capital letters; use upper- and lowercase.

COMPENSATION: We do pay for submissions, based on a number of criteria Those wishing renumeration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submission Guidelines, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you comprehensive guidelines.

Please do not submit material currently submitted to another

publication.

a lot of time if you do that. It takes just under five seconds to redraw the screen each time you scroll from one screenfull of document icons to another while browsing through a directory folder. You will find it easier to get to your documents and application programs if you store just one screen-full in each directory.

There's no question about it - running an application program or utility by double-clicking the mouse button while pointing to an icon is much more enjoyable than remembering a long pathlist to the file that holds your program. Before you can do this, however, you'll need to prepare application information files — AIFs — and icons for the utilities you use most often.

Here's the quick and dirty way to get started. For now, ignore the fact that you don't have an icon editor. You do have an icon you can use — it's stored in a file named Icon. demo in the ICONS directory of your original system disk from Tandy.

Since the icon attached to any particular application program or document is defined in the application information file, it really doesn't matter that you have only one icon. You can write an AIF file that points all of your programs and utilities to the same icon. You'll still be able to tell your programs apart, however, because the name of the program in each AIF file will appear below

Later you'll want to download a copy of a public domain icon editor for Multi-Vue. You'll find one in the database section of RAINBOW's OS-9 Online SIG on Delphi and on CompuServe's OS-9 SIG. The icon editor will let you make your own icons for your applications. By the way, you'll want to store all of your icons in the same place. A directory named ICONS in your current execution directory, CMDS, is the most appropriate place for this directory.

Many people have already started to work on a set of icons for their favorite OS-9 applications, and you'll find several files full on the commercial databases mentioned above. Once you have downloaded these files, you can modify them with the icon editor to suit your own taste or simply use them with your own applications and documents.

For example, after I downloaded an icon named icon. tsword from the OS-9 SIG last week, I noticed that it pictured an old-fashioned quill and a bottle of ink. I immediately thought it would make an excellent icon for DynaStar, so I quickly set up an application information file named Aif.dsa to put it to work. Here is a listing of that file:

icons/icon.tsword 2 80 24 3

The next time I double-clicked on the directory where I had stored Aif.dsa, an icon with a quill and ink bottle appeared with the letters ds below it. Multi-Vue had automatically read the file Aif.dsa and learned that the name of the application I wanted to run was named ds.

Later when I double-clicked that icon. Multi-Vue read the file Aif.dsa again and told OS-9 that I wanted to run a program named ds. It assumed that I had stored ds in my current execution directory. Further, it tells OS-9 that I do not want to pass any additional parameters when ds is started.

Multi-Vue found the icon it displayed in a file named icon. tsword. That file had its execute and public execute bits set and was stored in a directory named ICONS, which I had created in CMDS, my current execution directory.

When Multi-Vue read the fourth line of the file Aif.dsa, it learned that I wanted OS-9 to start DynaStar with 96 pages — 24K — of memory. In the next three lines it learned that I wanted OS-9 to start DynaStar in an 80-by-24, Type 2 window. The last two lines tell OS-9 to display black letters on a green background. A Type 2 window is configured to display text only and runs much faster than a graphics window.

To get to this point, GShell — your visual interface to OS-9 — followed a precise sequence of events.

When it first reads the name of a file, it checks to see if it is a directory. If so, it displays a folder on your screen. If the file is not a directory, it checks its attributes to see if it contains executable code. If it does, it displays an object icon that visually tells you the file contains an application program or utility you can run on your Color Computer. To run a program with an object icon, you must first select the icon by pointing to it with the mouse and clicking once. Then, you click on "open" under Multi-Vue's file Menu

If the file checked is not a directory and not executable, it can only contain data. However, that data can take any

form. For example, it may simply be a text file you created with *DynaStar*... or a program source file you created with BASIC09. However, it may also contain information that can help *Multi-Vue* automate your Color Computer.

If, for example, a file's name is alf. followed by any three characters that form a legal OS-9 filename, GShell knows that it contains an application information file. Likewise, if the name of a file ends with a period followed by three letters that have been previously used in an application information file, then GShell knows that it is a data file created by the application program named in that AIF file. Let's take a closer look at this last condition.

Earlier we mentioned that we had described an application information file named Aif.dsa. If we later save a DynaStar file with a filename that ends in .dsa, then GShell will know that it was created by DynaStar. If we double-click the mouse button while pointing to this file's icon, it will start DynaStar and automatically open our document for editing. Give it a try!

To keep from getting confused, there's an important thing you should note here. If you create a new file with *DynaStar* named MVTester.dsa, it will not appear on the screen that displays your current data directory until GShell reads that directory again. To check this out, I created a file named MVTester.dsa and saved it in my current data directory. Then I closed *DynaStar* to return to *Multi-Vue*. I did not see my new file.

Suspecting this would be the case, I clicked on another drive and displayed the documents in its root directory. When I moved back to my original data directory — presto, the new file was in place and was marked by the quill and ink bottle icon. Just to make sure everything was working, I double-clicked on it. A second later, *DynaStar* was running and the file MVTester.dsa was ready for editing. It passed the test.

If you have applications like *Dyna-Star* and BASIC09 that you run often, you'll probably want to load them into memory in your "start-up" file so they'll be there instantly when you double-click.

When GShell checks a data file and does not find an AIF-file or a data file created by an AIF-driven application, it displays that file as a simple document.

You can find out what's in that document by selecting it with your mouse and acting on it with any of the active verbs under the *Multi-Vue* file menu.

About the Clipboard

Those of us who use other computer systems at work that provide a clipboard for cutting and pasting within and between application programs have looked forward to *Multi-Vue*'s release for a long time. We were surprised to see that *Multi-Vue*'s GShell did not make use of the clipboard capability that had been designed into the heart of the system. It is, however, the job of the application programmer to provide the clipboard capability within his or her program.

Before we get to the point where we can cut data from one application and paste it in another, we must develop a set of standards that every application programmer should follow. To this end, Tandy has come up with a set of suggestions they hope all application vendors will follow. If the vendors don't follow this lead, we will all suffer. Incompatibility problems will then prevent our Color Computers from reaching the performance goals we seek.

OS-9 SOFTWARE from D. P. JOHNSON

L1 UTILITY PAK - Contains 40 useful utilities that run under both level I and II OS-9. Included are a complete set of "wild card" file handling utilities, a disassembler, a disk sector editor, and the MacGen command language compiler. MacGen will allow you to generate many useful command macros in minutes, much more useful than procedure files. Macro source is included for a macro to implement an archival backup type function. \$49.95

L2 UTILITY PAK - Contains a Level II "printerr" function that also shows the pathname being searched for when "not found" or permission type errors occur. Also contains level II software ram disk driver. Ten other utilities included, some useful for level I also . \$39.95

L1+L2 COMBINATION PAK both of above together for \$75.00

SDISK - Standard disk driver module replacement allows full use of 40 or 80 track double sided drives with OS-9 Level I. Full compatibility with CoCo 35 track format and access all other OS-9 non-CoCo formats. Easy installation. \$29.95

SDISK+BOOTFIX - As above plus boot directly from a double sided diskette. \$35.95

SDISK3 - Level II version of SDISK driver. Same features as level I (except bootfix not required to boot from double sided). \$29.95

PC-XFER UTILITIES - Programs to format and transfer files to/from MS-DOStm diskettes on CoCo under OS-9. (Requires either SDISK or SDISK3 to run depending on which level of OS-9 you are using) \$45.00

MSF - MS-DOS disk format file manager. More complete file transfer capabiltites for level II only. (Requires SDISK3 to operate). \$45.00

CCRD 512K byte RAM DISK CARTRIDGE - Operates faster than similar device sold by others. Requires RS Multipak interface, two units may be used together for 1MB. OS-9 Level I & II drivers and test software included. \$169.00

All diskettes are in CoCo OS-9 format; other OS-9 formats can be supplied for \$2.00 additional charge. All orders must be prepaid or COD, VISA/MC accepted, add \$1.50 S&H for software, \$5.00 for CCRD, additional charge for COD.

D. P. Johnson, 7655 S.W. Cedarcrest St., Portland, OR 97223

(503) 244-8152 (For best service call between 9-11 AM Pacific Time, Mon.-Fri.)
OS-9 is a trademark of Microware and Motorola Inc., MS-DOS is a trademark of Microsoft, Inc.

DISKMASTER HARD DISK SYSTEM

The DISKMASTER system has features no other system has:

- 20 MB SCSI hard disk
- High Density floppy drive with over 1 MB storage per disk (The ONLY HD floppy system available for the COCO, at least twice the speed of normal floppies.)
- Battery backed up Clock/Calender
- 3 Serial ports
- Bi-directional parallel (printer) port
- Expansion port for additional Floppy drives
- Single cable interface to COCO 3
- All interface software for OS-9 level II included

\$1295.00

Optional RAMDISK up to 1.5 MB (Call for price)

A dual HD floppy model is available with all the features listed above except the hard disk is replaced by a second floppy. \$795.00 You can get a cheaper system elsewhere but not with all the features and performance of the DISKMASTER.

PLUS-100 512K MEMORY EXPANSION \$109.00 (+\$2.50 S&H)

The most reliable 512K memory expansion board for the COCO 3. Our products are designed to be the most reliable, not the cheapest.

Send for a COLOR BROCHURE fully describing the DISKMASTER and PLUS-100 Memory Expansion.

Visa and Mastercard accepted, call for Diskmaster shipping charges.

HEMPHILL ELECTRONICS INC. 334 Paseo Tesoro Walnut, CA 91789

(714) 598-7799 (Phone hrs. 10 AM-2 PM Mon.-Thurs. Pacific TIme)
You may also contact D. P. Johnson (see left) to answer your technical questions about the DISKMASTER system.


About The One-Liner Contest ...

THE RAINBOW'S One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.


Here are the guidelines: The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette or disk) to:

> THE RAINBOW One-Liner Contest P.O. Box 385 Prospect, KY 40059



The first thing your application program must do is highlight the clipboard option under the hourglass on the menu bar. When you do this you are telling the user that he may select a portion or all - of his data using the mouse and then click on the clipboard option under the hourglass where he can act on his data with the active verb of his choice. When he clicks on the word clipboard he will see the dialogue box below.



The View option above lets the user see the data code and its extension so he can determine if he wants to replace an existing clip file with new data.

Copy and Cut will delete an existing clipboard file and write a new file. Merge adds more data to the clipboard file. It is up to the application programmer to ensure that it is the same type of data.

Paste inserts the data in the clipboard file into the application's data space at the position pointed to by the cursor. Ouit exits the clipboard function without changing anything. After you paste some data into an application, the clipboard function returns control to the application program. If no clip file exists, your program must be smart enough to know it and warn the user.

When the user selects Cut or Copy, your program should take the selected data and write it to a file named /DD/ Clip_#. The pound sign (#) represents the user ID of your application program's process. The file should contain a two-character Hex representation of the data type you are putting in the clipboard, a period and three-letter code that tells the origin of the data, plus one space and a carriage return without a line feed. The data you are saving to the clipboard follows this standard prefix. A typical clipboard file that uses this format is listed below:

(03)(VEF)(#0D) . . . DATA . . . [EOF]

Tandy has proposed the following code definitions, which I propose we all

start using now so we'll have a standard right from the start:

```
00=ASCII
01=Binary
02=Windows Draw file
03=VEF file
04=GIF file
05=RLE file
06 - \$FF = undefined
```

If your application program generates a unique data type, you can assign any code above 06 to it. If you do this, you will want to publish that code in your documentation and post it on the OS-9 forums on CompuServe, Delphi and GEnie so everyone else can avoid using the same number.

They Call It Shell+

There's really good news for dedicated Color Computer 3, OS-9 Level II hackers in the CompuServe and Delphi OS-9 SIGs these days. Kent Meyers, Kevin Darling and Ron Lammardo have joined forces to create Shell+ - a replacement for the original Tandy/ Microware OS-9 Shell.

This program includes fixes to bugs in the original Shell and many new features. It is super. These guys are to be congratulated.

Shell+ will now unlink the proper name. If the module name a program was trying to unlink did not match the command filename you typed when using the original Shell, it would stick in memory until you manually unlinked it. Shell+ fixes this by reading in the actual module name instead of the name on the command line.

The new Shell also prevents you from attempting to execute a write-only device as a procedure file and helps you start up Level II windows by writing a null to the standard output path when you run it. You can now also redirect the standard and error output paths to a write-only device. The old Shell tried to open the path in the UPDATE mode. The "quote" bug has been fixed also, so if you leave off the second quote mark in a command line, Shell+ will not crash.

The exciting news about Shell+ is substantiated when you look at the additions. For example, when you work in a windowing environment like OS-9 Level II, it is very easy to forget which window you are working in. To solve the problem, type this line: p=059[@]:.

After you type it, Shell+ will append the name of the window you are using, and your new OS-9 command prompt will look like this: OS9[W7]:. If you would rather know the process number, you can type p=OS9[#]:, and then you will see OS9[06]:.

Of course, the 06 will change as the number of your process changes. With Shell+, your prompt can be up to 21 characters long.

Global procedure files — Shell scripts — can be placed in your execution directory when you are using Shell+. To use this feature, take a procedure file you use all the time and copy it to CMDS. Then set the execute and public execute bit with the ATTR utility. This feature makes it easy for you to add some commands that you use often.

The shell search path for *Shell+* is memory, execution directory modules/scripts, data directory scripts. Here's a sample *Shell+* script that Kevin Darling uses to start *Flight Simulator*:

xmode /w6 type=1; display c >/
w6
chd /dd/games/fs
(fs <>>>/w6; xmode /w6
type =80)&

This procedure file opens a VDG-type screen on Window / W6 and starts Flight Simulator. When you exit Flight Simulator, it resets / W6 to a graphics window. All of this is done in the background.

A new feature that lets you append or overwrite a file moves our Color Computer OS-9 Level II closer to OSK and Unix. Now you can append the output of a program to a file by typing DS9: merge this that theother >+ Old-File.

If you type >- instead of >+, you cause Shell+ to overwrite the contents of the original file. The + and - operators also work with the standard error output path . . . or both. This means you can also use >>+ and >>>+.

All of these new features are great, but we've saved the best for last: Shell+ lets you execute RunB programs from the OS-9 command line without typing the parentheses and quotation marks. For example, here's the old and new command lines I use to start Wiz:

OS9: Wiz ("Delphi") OS9: Wiz Delphi

Take your pick. Download this program and use it! But don't forget to tell these guys how great it is so they will keep adding new features. They're

already talking about *Shell* variables, Go scripts, Command structures, inmemory *Shell* scripts and an environment. Fantastic!

More Good News

If you need a fourth-generation database application like *Sculptor* but are on a budget, we have good news. MPD USA was sued by MPD in London and Frank Hogg at FHL was able to pick up hundreds of copies of *Sculptor* at an outstanding price. Until he runs out, you can buy *Sculptor* for the Color Computer for \$149.95 — that's half the standard FHL price and far below the program's \$450 list. However, when this shipment is sold, this price is history. If you need this application, act now.

WordPak RS Drivers for CoCo 3

We can't thank Dennis Skala of Fairview, Pennsylvania, enough for his help during our OS-9 seminar at RAIN-BOWfest Princeton. He ran the computer and performed a live demonstration of OS-9 Level II windows while we told how to create them. It added a lot to the presentation.

We often get requests for device drivers and, once again, Dennis has answered the call. Last year we published his RAM disk drivers for the "Banker." If you have graduated to the Color Computer 3 but still have a WordPak RS lying around, you'll thank Skala for these drivers that will bring your 80-column monochrome display back to life. If you're trying to learn how to write a device driver for OS-9, study Skala's excellent code.

Skala wanted to use the existing co80 subroutine module, so he wrote a small driver that emulates the functions of the Level I CCIO driver. His WordPak RS works fine at the 2 MHz clock rate used by the Color Computer 3. However, he did need to add a software delay at one point in the co80 subroutine. He supplies a procedure file that you can use with Debug to make the changes. You will need to load co80 into memory by itself so there will be room for the extra 16 bytes added by his patch.

Skala thinks that you may also be able to get your old WordPak I or WordPak II to work with these drivers if you make a hardware modification to clear up an addressing conflict with the Color Computer 3. His drivers support all of the CoCo 3 display commands except "underline," "blinking," "insert a line" and "delete a line." All relevant "set status" and "get status" codes are supported. The driver assumes co80 is



TANDY COMPUTERS

1000-HX 256K 1-3 1/2" Drive. 1000-TX 640K 1-3 1/2" Drive	535.00 875.00
3000-HL 512K 1 5 1/4" Drive	1110.00
3000 640K 1 5 1/4" Drive	1500.00
4000 1 Meg 1 3 1/2" Drive	1930.00
1400LT Portable Computer	1215.00
102 Portable Computer 24K	375.00
Color Computer 3 128K	155.00

MONITORS & BOARDS

VM-4 Monochrome Green CM-5 Color RGB CM-11 Color RGB EGM-1 Color RGB (EGA) Tandy Dual Display Card Tandy EGA Card	95.00 220.00 335.00 510.00 145.00 160.00
Zucker Mono Graphics Card	75.00
Tandy EGA Card Zucker Mono Graphics Card	160.00

DRIVES

250.00
155.00
180.00
200.00
509.00
450.00
265.00
200.00

EXPANSION BOARDS

Zuc	cker Serial Board	45.00
	cker MFB 512K for 1000SX	135.00
	cker MFB 0K for 1000	103.00
Zu	cker 1200 Baud Modem Care	d 72.00

PRINTERS

DMP-106 Dot-Matrix DMP-130 Dot-Matrix	165.00 255.00
DWP-230 Daisy Wheel DWP-520 Daisy Wheel	335.00 730.00
DMP-440 Dot-Matrix	595.00
DMP-2120 Dot-Matrix	1325.00
LP-1000 Laser Printer	1635.00
Epson LX-800 Dot-Matrix	195.00
Epson FX-86E Dot-Matrix	320.00
Epson FX-286E Dot-Matrix	475.00
Epson EX-800 Dot-Matrix	425.00
Epson EX-1000 Dot-Matrix	585.00
Epson LQ-500 Dot-Matrix	375.00
Epson LQ-850 Dot-Matrix	520.00
Epson LQ-1050 Dot-Matrix	695.00
Epson LQ-2500 Dot-Matrix	905.00
Epson GQ-3500 Laser	1580.00

Price's Subject To Change. Please Call for Current Prices. Send For Price List.

All prices and offers may be changed or withdrawn without notice. Advertised prices are eash prices. C.O.D. accepted add 2% (minimum charge \$10.00). M.C. Visa add 2%-b. All non delective items require return merchandige authorization. Call for RMA Number before returning. Delivery is subject to product availability. Add 1½% for shipping and handling. 35.00 minimum charge.

TM - Registered Trademark of Tandy, Epson, and IBM Monday thru Friday 9am-6pm EST.



124 South Main Street, Perry, MI 48872 CALL 1-517-625-4161 or TOLL-FREE 1-800-248-3823 already in memory and will not autoload it like CCID.

The listing of wp.dd is the device descriptor. Wecho is a device descriptor that lets you use the *WordPak* as a window device. You use it with the following code sequence:

```
iniz wecho wp
wcreate /wecho -s=2 0 0 80 24 1
0 0
shell </wecho>>>/wp&
```

The only "gotcha" is the fact that the terminal pause and CTRL-W functions will not work with this configuration. Otherwise, you are home free. After you have assembled Dennis' driver, descriptors and subroutine module, you can experiment with them by typing the following:

```
chd/d1
merge wpdrv.dr wp.dd co80
wecho.dd>wptest
attr wptest e pe
load/d1/wptest
link wp
link co80
link wecho
iniz wp wecho
```

If everything performs the way you want it to, you can use OS9Gen or Config to move these modules into your OS9Boot file. If you have any questions, Skala invites you to send them to him along with an SASE at 5423 W. Sebago Drive, Fairview, PA 16415.

Packet Radio

Add another sin to the list. Several years ago, George Dorner, the treasurer of the OS-9 Users Group kept telling me about packet radio on the amateur radio bands. He's right — it's fascinating. It's like being on CompuServe or Delphi without paying an hourly fee. Besides that, it's fun. There's a wealth of information waiting for you on amateur radio bulletin boards. Get your license and go for it.

If you're looking for OS-9 software for packet radio, I understand that Dwayne Bruce, VE3FXI, at 29 Vanson Avenue, Nepean, Ontario, Canada K2E 6A9, will send you the C source code for his WORLI compatible bulletin board program if you send him a 51/4-inch disk. Check it out. His code could even help you set up a regular telephone-driven BBS system. Tell him to send any comments to me, KOHYD, @ K4QQ. If you're a ham and active on packet

```
Listing 1: COB0.patch
```

```
* This is a script file to use debug to patch the co8g subroutine for the
    Wordpak RS. This is written to patch edition #2, length = $9295,
    CRC = $C4F197. Load this version of co89 into memory before using.
    If using level II, make sure there is room in back of the module for
     the additional length. Use debug which has been patched for correct
     operation under level II; or patch using level I OS-9.
tmode .1 -pause
-p -x -t
debug
1 co8Ø
. .+Ø3
$* This lengthens the module by $10 bytes.
ex
= A5
1 co80
. .+Ø8
$* This corrects the header parity for the new length.
ex
= 5C
1 co89
  .+1D
$* This changes the cursor to a blinking underline. The second character
   is the starting line of the cursor - e.g. a value of $60 would
    result in a blinking block cursor; a value of $65 in a blinking half
    block cursor, etc. Using a zero for the first digit will result in
    a non-blinking cursor. N.B. - changing this in this file will make
    the given CRC value incorrect.
ex
= 69
1 co8@
 .+21F
$* This is the branch to the new code.
ex
- 99
= 74
1 co80
. .+278
$* This corrects an apparent typo in the original ( LDA -> LDB )
ex
= C6
1 co89
. .+281
$* This patches the existing code to restore the proper cursor
*
    on receipt of a $5,$21 sequence
ex
= ØA
= 81
= 2A
= 2E
= ØD
= E6
= 8D
- FD
= 93
= 29
= Ø2
= C6
= 20
= 86
= ØA
= ED
- D8
= 01
= 5F
= 39
$* The following is additional code to introduce a hardware-controlled
    delay after a clear-to-end-of-screen.
ex
= 17
= FE
= 6E
= C6
= 20
= E5
= D8
= Ø1
```

```
- 27
- FB
= 16
- FF
= 3F
$* This is the new CRC value
- 8E
= 10
- 1E
tmode .1 pause
```

radio, I'll be looking for your traffic there also.

Another good contact for you may be John Alan Lind, KD7XG, the Orange Section technical coordinator of the American Radio Relay League. He told me last February that he was porting the WA7MBL packet BBS system into OS-9 C for the CoCo. Give him a try, also. If you contact him, tell him to let me know the status of his BBS.

Till May, 73's & CUL!

```
Listing 2: wpdrv.dr
Device driver for Wordpak RS
*
       For use with Level II OS-9
*
      Copyright 1987 by Dennis Skala
           all rights reserved
NAM WpDrv
 TTL Level II device driver for Wordpak RS
 TFP1
 USE /DØ/DEFS/OS9DEFS
 USE /DØ/DEFS/SCFDEFS
 ENDC
* Note - USE /DØ/DEFS/OS9DEFS AND
    USE /DØ/DEFS/SCFDEFS STATEMENTS ARE
        INCLUDED BETWEEN IFP1 & ENDC
 MOD WPSIZ, WPNAM, TYPE, REVS, START, SIZE
TYPE SET DRIVR+OBJCT
REVS SET REENT+1
 FCB UPDAT. mode byte - read will be error
WPNAM FCS /WpDrv/
EDITION FCB 1
**** EQUATES ****
COSØFLG EQU $94 offset for jump address
CC3BELL EQU $1017 address of cc3io bell routine
*** THE FOLLOWING ARE OFFSETS INTO THE MEMORY AREA ***
    These are chosen to conform to the co80 subroutine
        EQU $25 character count for multi-character sequences
COUNT
MULTIADR EQU $26 jump address for multi-write
MULCHAR2 EQU $28 third character in multi-character sequence
MULCHAR1 EOU $29 second
        EQU $2D columns, rows
ROWCOL
CHAR
        EQU $52 single character or status code here
JMPADR EQU $72 entry to co80 subroutine
**** DIRECT PAGE VARIABLES ****
SYSPROC EQU $4A system process descriptor
CURPROC EQU $50 current process descriptor
**** DRIVER MEMORY AREA ***
         RMB $7C
SIZE
        EOU .
CONAME FCC "co8g" co-module name
 FCB SØD cr
```

START LBRA INIT

```
LBRA READ
  LBRA WRITE
  LBRA GETSTA
  LBRA SETSTA
  LBRA TERM
Activitate de la facilitate de la facili
* INIT ENTRY: U = ADR. OF DEVICE MEM. AREA
                                 Y= ADR. OF DEVICE DESCRIPTOR
                   EXIT: NO CONDITIONS
INIT CLRA
  LEAX $1D,U clear memory from $1D
  LDB #$5D to $7A
INIT.1 STA ,X+
  DECB
  BNE INIT.1
  LDA #CO8@FLG to test if already linked
  LDX #$5018 columns, rows
  PSHS A, X, Y, U
  BSR COSETUP
  PULS A, X, Y, U
  BCS INIT. 2 if error
  STX ROWCOL.U
INIT. 2 RTS exit
COSETUP BITA $70,U do setup, A = parity
  BEQ COSET.1 not already set up
  CLRB no error
COSET.1 LEAX CONAME, PC pointer to comodule name
  PSHS A, X, Y
  LDD <CURPROC save current process pointer
  PSHS D
  LDD <SYSPROC make system process current
  STD < CURPROC
   BSR LINKIT link the comodule
  PULS D
   STD <CURPROC restore current process
   BCC COSET.2 if linked successfully
   LEAS 5,S clean stack
  LBRA NF. ERR report error
 COSET.2 LEAX JMPADR, U
   LDA ,S should be 4 here
   STY A,X comodule entry point address
   PULS A, X, Y clean stack
   CLRB flag init jump
   BRA COJMP jump to comodule initialization
LINKIT PSHS U link the comodule
   LDA #SYSTM+OBJCT subroutine comodule
   OS9 F$LINK
   PULS U, PC
 READ IS ILLEGAL OPERATION
 READ COMB set carry
    LDB #$CB illegal mode
```

RTS

```
Y = ADR OF PATH DESCRIPTOR
* WRITE ENTRY: U = ADR. OF DEVICE MEM. AREA
                                                                                                                                                                    A = STATUS CODE
                                Y = ADR. OF PATH DESCRIPTOR
                                A = CHARACTER TO WRITE
                   EXIT: NO CONDITIONS
WRITE LDB COUNT, U
  BNE WR.MULTI if multi-character sequence
  STA CHAR, U single character
  CMPA #' is it control character?
  BHS WR. CHAR no
  CMPA #S1E S1E or S1F?
  BHS WR.ESC yes
  CMPA #$ØF $ØF - $1D?
                                                                                                                                   CLR R$X+1,X
                                                                                                                                   RTS
  BHS READ no graphics codes permitted
  CMPA #CSBELL
                                                                                                                                 SCRSIZ CLRA
  BNE WR. CHAR not bell
  JMP [CC3BELL] will RTS from there
                                                                                                                                   LDB ROWCOL, U
WR.CHAR LDD #$100*CO80FLG+3 write single character
                                                                                                                                   LDB ROWCOL+1.U
COJMP LEAX JMPADR, U
  LDX A,X get comodule execution address
                                                                                                                                   CLRB no error
  BEQ NF. ERR if not there
  LDA CHAR, U single character
  JMP B,X jump to comodule write
                                                                                                                                   BRA COJMP do it
WR.ESC BEQ TERM ignore $1E
  LEAX WR. CHAR, PC jump address
  LDB #1 prepare for escape code
  STX MULTIADR, U
  STB COUNT.U
* TERM ENTRY: U = ADR. OF DEVICE MEMORY AREA
                EXIT: NO CONDITIONS
TERM CLRB no error
  RTS
                                                                                                                                    BEQ TERM ignore it
 and characteristate in the control of the control o
WR.MULTI CMPB #2 need another?
  BEQ WR.Ml yes
  STA MULCHAR1, U stash character
  CLR COUNT, U no more needed
  JMP [MULTIADR, U] do multi character sequence
                                                                                                                                   RTS
 WR.Ml STA MULCHAR2, U stash character
  DEC COUNT, U one more needed
                                                                                                                                   EMOD
  CLRB
  RTS
                                                                                                                                    END
* GETSTA ENTRY: U = ADR. OF DEVICE MEMORY
```

```
EXIT: CONDITIONS DEPEND ON STATUS CODE
*** Only screen size call supported here
GETSTA STA CHAR, U stash status code
LDX PD.RGS, Y caller's stack
CMPA #SS.SCSIZ is it get screen size?
BEQ SCRSIZ yes, do it
CMPA #$92 monitor type call?
BNE GS. JMP no, jump to comodule
CLR R$X,X return monochrome code in X
STD R$X,X no. columns in X reg.
STD R$Y, X no. rows in Y reg.
GS.JMP LDD #$199*CO89FLG+6 flag comodule getstatus jump
* SETSTA ENTRY: U = ADR. OF DEVICE MEMORY
             Y = ADR OF PATH DESCRIPTOR
             A = STATUS CODE
        EXIT: CONDITIONS DEPEND ON STATUS CODE
SETSTA STA CHAR, U stash status code
 CMPA #SS.COMST set baud, etc.?
 BEQ TERM yes, ignore it
 CMPA #$29 undocumented status code - window stuff
 LDD #$199*CO89FLG+9 flag comodule setstatus jump
 BRA COJMP do it - will be $DØ error
NF.ERR COMB set carry
LDB #$DD module not found
WPSIZ EQU * module size
```

Listing 3: wp.dd

Device descriptor for Wordpak For use with Level II OS-9 Copyright 1987 by Dennis Skala all rights reserved TTL Level II device descriptor for Wordpak USE /DØ/DEFS/OS9DEFS USE /DØ/DEFS/SCFDEFS ENDC

* Note - USE /DØ/DEFS/OS9DEFS AND USE /DØ/DEFS/SCFDEFS STATEMENTS ARE INCLUDED BETWEEN IFP1 & ENDC

MOD WPSIZ, WPNAM, TYPE, REVS, FMAN, DEVDRV TYPE SET DEVIC+OBJCT REVS SET REENT+1 FCB UPDAT. mode byte - read will be error FCB \$97 hi address byte FDB SFF76 device address FCB WPNAM-*-1 initialization table size

* Initialization table

FCB \$99 device class = SCF FCB \$99 upper & lower case FCB \$91 erase on backspace FCB \$99 backspace over line FCB \$\$1 echo on FCB \$91 auto line feed on FCB \$99 end of line null count FCB \$91 pause enabled FCB \$18 lines per page FCB \$98 backspace character FCB \$18 delete line character FCB \$ØD end-of-record character

FCB \$91 duplicate last line character FCB \$17 pause character FCB \$93 interrupt character FCB \$95 quit character FCB \$98 backspace echo character FCB \$07 line overflow (bell) character FCB \$92 initialization value (parity, type) FCB \$00 baud rate (unused) FDB WPNAM attached device name offset FCB \$00 xon unused FCB \$99 xoff unused FCB \$50 no. columns for display FCB \$18 no. rows for display Listing 4: wecho.dd Device descriptor for Wecho a term device which echos to /wp For use with Level II OS-9 Copyright 1987 by Dennis Skala all rights reserved NAM Wecho TTL Level II device descriptor for window device which echos to /wp USE /DØ/DEFS/OS9DEFS USE /DØ/DEFS/SCFDEFS ENDC * Note - USE /DØ/DEFS/OS9DEFS AND USE /DØ/DEFS/SCFDEFS STATEMENTS ARE INCLUDED BETWEEN IFP1 & ENDC MOD TERMSIZ, TERMNAM, TYPE, REVS, FMAN, DEVDRV TYPE SET DEVIC+OBJCT REVS SET REENT+1 FCB UPDAT. mode byte - read + write access FCB \$97 hi address byte FDB \$FFAD device address matches window number FCB TERMNAM-*-1 initialization table size * Initialization table FCB \$99 device class = SCF FCB \$99 upper & lower case FCB \$91 erase on backspace FCB \$99 backspace over line FCB \$@1 echo on FCB \$01 auto line feed on FCB \$00 end of line null count FCB \$91 pause enabled FCB \$10 lines per page FCB SØ8 backspace character FCB S18 delete line character FCB \$ØD end-of-record character FCB \$1B end-of-file character FCB \$Ø4 reprint line character FCB \$01 duplicate last line character FCB \$17 pause character FCB \$03 interrupt character FCB SØ5 quit character FCB \$98 backspace echo character FCB \$97 line overflow (bell) character FCB \$80 initialization value (parity, type) FCB \$99 baud rate (unused) FDB WPNAM attached device name offset FCB \$00 xon unused FCB \$99 xoff unused FCB \$50 no. columns for display

FCB \$18 no. rows for display

FCB \$1B end-of-file character FCB \$94 reprint line character

> FCB \$9D window number = \$9D FCB \$91 rest is valid - use as defaults FCB \$92 window type 2 = 89 col text FCB \$00 X start FCB \$99 Y start FCB \$91 foreground palette FCB \$99 background palette FCB \$00 border palette TERMNAM FCS /Wecho/ this device's name EDITION FCB 1 FMAN FCS /SCF/ file manager DEVDRV FCS /cc3io/ device driver WPNAM FCS /Wp/ echo device is wordpak EMOD TERMSIZ EQU * module size

FCB \$99 window number unused

FCB \$90 rest is invalid

FDB \$99 6 empty bytes for

FDB \$99 window parameters

WPNAM FCS /Wp/ device name

FMAN FCS /SCF/ file manager

WPSIZ EQU * module size

DEVDRV FCS /WPDRV/ device driver

FDB \$ØØ

END

EDITION FCB 1



AANBOW ON DISK

Barden's Buffer

Hands-On Hershey

By William Barden, Jr. Rainbow Contributing Editor

esides this column in RAINBOW, I write a regular column for RAINBOW's sister publication, PCM, The Personal Computer Magazine for Tandy Computer Users. Believe it or not, Tandy MS-DOS system owners are not bad people. Thanks to their efforts, you're about to receive a gift — as a matter of fact, 1377 gifts. . . .

Let me explain. Back in the December 1987 and January 1988 PCM columns, I described a font utility and font driver program that worked in conjunction with a public domain

font set called the Hershey font.

A font is just a collection of character definitions, such as the ones displayed on the CoCo screen for the alphabet, digits and special characters. As you probably know, there's quite a variation in fonts, ranging from characters that are drawn with straight line segments to very ornate characters, drawn with serifs and gingerbread.


The Hershey Project


The Hershey font is a digitization of all kinds of characters in several different fonts — plain vanilla, fancy, Old English, German, Russian and Greek. Hershey also takes in special symbols such as music, mathematical and cartographic (map) symbols. Typical characters in the Hershey set are shown in figures 1 and 2, actual photographs of a CoCo 3 screen in high resolution (640-by-192) mode.

The Hershey characters were created by Dr. Allen V. Hershey, of the U.S. Naval Weapons Laboratory, in the late 1960s. Unlike typical computer characters, which are bitmapped, the Hershey characters were designed for vector devices such as COM (Computer Output on Microfilm) and plotters. Figure 3 shows the difference between a bit-mapped character used on the CoCo 3 and the corresponding Hershey character.

The beauty of the Hershey characters is that they can be drawn on the CoCo and PC-compatible systems by using the BASIC DRAW command (which draws a line segment between any two points on the screen) rather than by setting a matrix


Bill Barden has written 27 books and over 100 magazine articles on various computer topics. His 20 years' experience in the industry covers a wide background: programming, systems analysis and managing projects for computers ranging from mainframes to micros.






of bits on and off. Since DRAW involves a line between two points, scaling can easily be done — characters can be made larger or smaller without the "blockiness" that results from expanding a bit-mapped character (see Figure 4).

Although it's possible to buy a mainframe magnetic tape in ASCII or BCD format that provides the characters, I suggested to the readers of PCM that they might like to help





me create a database of characters from the printed character definitions I had. It was no easy task — there were approximately 100,000 bytes worth of data to be entered, all precisely so. The response was overwhelming. I had 58 volunteers the first month, offering from several hours to unlimited amounts of time.

Because of the number of volunteers, I was able to allocate a few hours' worth of work to several dozen readers. The result was a database of more than 100,000 bytes defining all 1,377 Hershey characters. The database can be used on MS-DOS systems, on the CoCo 1, 2 and 3, and on any system with a vector DRAW capability.

Thanks to the PCM readers, this database exists now in CoCo-friendly form. I had to modify the original programs for the CoCo, which took some additional work on my part. But this resulted in two programs that are better than the MS-DOS versions. I'm presenting them here, and I'll also tell you how to obtain your copy of the Hershey database.

With the Hershey database and programs, you can include alphabetic characters, digits and special characters in any size on your graphics screens. Proportional spacing, where narrower characters are allocated less width, is also provided. About the only negative aspect of the character set is that the characters do take some time to be drawn on the screen—typically seconds per character in low-speed mode. (For CoCo 3 users, this time can be halved in high-speed mode. Perhaps I can provide a fast assembly language or BASIC09 driver in the future, if there's enough interest.)

The Hershey Utility Program

Hershey Utility, shown in Listing 1, allows you to enter Hershey characters or to define your own vector characters. Once defined, the characters can be dumped to one or many files for use with the driver program, described further on. The utility program is designed for a CoCo 1, 2 or 3 disk system with Extended BASIC. As the program runs in 32-character mode, a full-width screen is not necessary.

The menu for *Hershey Utility* is as follows:

Hershey Font Utility

- 1. Read Characters from Disk
- 2. Display Character
- 3. Define New Character
- 4. Store Characters on Disk
- 5. List Characters in Memory
- 6. Initialize Hershey File!

Selection (1-6):?

Let's suppose that the Hershey font database didn't exist — you could use *Hershey Utility* to create it!

Defining Characters

For you aspiring font engineers, entering a 3 for "Define New Character" takes you into the character definition mode. The first prompt is:


INPUT #:?

Hershey characters are assigned numbers from 1 through 3,926. The program, however, accepts values from 1 through 32,639. Suppose we want to enter a Hershey straight-line 'A', Character Number 1 — we enter a 1 for the Hershey number and are greeted by the next prompt:

INPUT X,Y VALUES:?

Hershey values are based on a matrix of square points 128 units wide by 128 units high. Some characters use fewer points than others, however. A Hershey 'A', a small-format, straight-line character, is defined in the Hershey book of values as follows:

The first digit is the number of the character. The next two digits are the width of the character in the x position. The



-5 is five units to the left of the center line, and the 5 is five units to the right of the center line. The remaining pairs of numbers are the (x,y) coordinates of the points defining the character. Figure 5 shows the definition of the 'A' on the matrix of points.

The (-64, 0) pair is a special case. It says, "Move to the next (x,y) coordinate without drawing a line." This is necessary to draw character segments that are not connected to a previous segment. The (-64, -64) pair is a terminator, which marks the end of the data for the character. A terminator is needed because all the characters are of different lengths — simple characters may take only 10 points, but complex, elaborate characters take as many as 250 points!

The entire dialog for entering the 'A' is shown below:

Input X, Y Values:? -5,5

Input X, Y Values:? 0,-5

Input X, Y Values:? -4,4

Input X, Y Values:? -64,0

Input X, Y Values:? 0,-5

Input X, Y Values:? 4,4

Input X, Y Values:? -64,0

Input X, Y Values:? -2,1

Input X, Y Values:? 2,1

Input X, Y Values:? -64,-64

When the terminating value is entered, the program switches to a 256-by-192 graphics mode screen and draws the character. Pressing any key brings you back to the menu.

This same process is repeated for other characters in the Hershey (or your own) set. If an error is made and the character isn't drawn properly, you can re-enter the character. The program will always take the most recently entered character as the definition of the character. Characters do not have to be entered in any sequential order.

Listing Characters in Memory

You can list the currently entered characters in memory by selecting Menu Item 5. The program lists all characters in the order they were entered. Here is a typical listing:

551 552 553 554 555 556 557 558 559 560 561 562 1 2 3 3 561

Note that there are two repeats (3 and 561) and that the characters are not completely in order.

Displaying Any Character

You can display any character in memory by selecting Menu Item 2.

When prompted, input the Hershey number, and you'll see the character displayed on a graphics screen. Press any key to get back to the menu.

Creating a New File

Once you have characters defined, you can create a Hershey file containing the characters. Selecting Menu Item 6 initializes a file, and you'll be met with these prompts:

File Name: ? SCRIPT/ Y to Continue, N to Restart: Input Start, End#: ? 551, 576

The filename above is SCRIPT/ (the / character avoids the extension /DAT, which BASIC automatically tacks on if the / is not included — forget the / if you want to create a file

with a \times DAT extension). The character numbers (Start, End) in the file are 551 through 576 inclusive (551 and 576 are included). The numbers from 551 through 576 do not have to exist — this is only a range of character numbers that will be included in the file. Other character numbers will be ignored and not sent to the output file.


You can create one huge file called HERSHEY/ if you want, but it's probably better to create a variety of smaller files designated by the types of characters in the file. The SCRIPT/ file here includes uppercase script characters, for example. You can create one or many files from the same set of characters in memory.

As the file is created, all characters in memory are sorted by Hershey number and then output to the file. Duplicate characters are deleted, with the program sending the most recent character definition to the file. If you do a "list" after creating the file, you'll see an ordered listing of the numbers with duplicates deleted — for example:


1 2 3 551 552 553 554 555 556 557 558 559 560 561 562

Reading Additional Characters From Disk

Once one or more files have been created, you can reload the file at any time. After creating SCRIPT/, for example, you could reload the characters at another session by selecting Menu Item 1. The "read characters" function reads in all or a portion of characters from a named disk file. The read merges the data from the disk file with any characters already in memory. Suppose you had defined the characters 651, 652,



ACCESSORIES



Hardware

2 Drive System(2 DSDD Drives in one case)*
\$329.95 ----

Drive 1 Upgrade(1 DSDD for your 26-3129 or 3131) Specify Catalog# when ordering !!

Drive 0-SSDD Full Height _____ \$209.95
Drive 1-SSDD Full Height _____ \$135.95
COCO 3 512K Upgrade(New Low Price)-\$99.95
COCO 3 Keyboard _____ \$34.95



Software & Misc.

Art Deli(440 Pix on 10 disks) \$99.95
COCO Graphics Designer \$29.95
ADOS - \$29.95
Monitor Interface \$29.95
Serial to Parallel Converters \$54.95
FKEYS III - \$19.95
Telewriter 64 - \$59.95
COCO-Util - \$39.95
Gauntlet - \$28.95
Pyramix - \$24.95
Disto Super Controller \$99.95
COCO in Stitch (X-Stitch Patterns) - \$3.95

Specify R.S. or Disto Controller.

The Computer Center

IF YOU DON'T SEE

ALL DISK DRIVES CARRY A 90 DAY WARRANTY. 5512 Poplar Ave. Memphis, TN 38119 901-761-4565

Add \$4.90 for Shipping & Handling. VISA, Master Card, & Money Orders Accepted. Allow 3 Weeks for personal checks, NO CODS. Prices may change without notice.



653 and 654. Reading in SCRIPT/ might result in this dialogue:

File Name: ? SCRIPT/ Input Start, End#: ? 1,10000

The resulting list of characters after reading in SCRIPT/would then be as follows:

651 652 653 654 551 552 553 554 555 . . .

The range of 1 to 10,000, by the way, was just a convenient way of saying "give me all the characters in the file," assuming that no character number is greater than 10,000.

Merging Characters in Memory With Existing Data on Disk

Menu Option 4 lets you merge the current characters in memory with characters in an existing file. It operates much like Menu Item 6, Initialize File, except that the specified range of characters in memory is merged in sequence in the characters of an existing file. If the character already exists in the disk file and it also is present in memory, it replaces the character in the disk file. This menu option can be used to modify a character on disk or simply to merge in new characters.

If You Never Want to Define Characters

Maybe you don't want to define any characters. In that case, simply use the existing Hershey characters, which you can get from me. Hershey Utility, though, still comes in handy for breaking up the huge Hershey database into smaller files, which can then be loaded in by the program Hershey Font Driver, described below. Bear in mind, however, that with a little bit of plotting, you can define your own characters and conveniently save them in a file.

Bells and Whistles

Hershey Utility was designed primarily for entering Hershey character definitions. There are some embellishments that could make it a more usable program. Some Hershey volunteers complained that the program had no editing capability — if you enter an invalid 240th data pair, you're going to have to repeat the entire entry. That is a drawback, but perhaps it can be corrected.

Another problem is that the entire Hershey database cannot be loaded into memory. As a matter of fact, not very many characters can be loaded into the CoCo before it runs out of memory; this is more of a handicap imposed by Extended BASIC. An average Hershey character is 70 bytes long — 100 characters require 7,000 bytes of memory, a large chunk in a system with only about 23K of free memory to start with. However, working with smaller file sizes overcomes this handicap. With the merge capability (Store Characters), the disk file can be up to the limits of the disk—characters can be merged into a master file in small increments. Accessing the Hershey database is no problem, as you'll see in the next description.

The Hershey Font Driver

Hershey Font Driver is an Extended BASIC program that will work with a CoCo 1, 2 or 3. Once a database of characters is established, Hershey Font Driver can access them and display them on the screen. Assuming that you have created a dozen files or so with the Hershey Utility program, any of

the 1,377 characters can be accessed within seconds and loaded into memory, at which time the current character set is available for screen display.

Any groups of characters can be mixed together in memory. Hershey characters (or your own characters or symbols) can be equated to ASCII characters for easy reference. For example, printing "ABCDEF" can cause ABCDEF to appear as script, Old English or Greek characters, depending on how you've set up the correspondence between the Hershey and ASCII codes.

Characters can be programmed in different sizes, from pinpoint size to a character that fills the screen. Hershey characters, however, work best when they are larger than standard screen characters — small characters lose resolution.

Hershey Font Driver, shown in Listing 2, is set up as a subroutine with line numbering from 10000 on up. The comment lines at the beginning of the program can be deleted to save memory. Hershey Font Driver is called from your own BASIC program with string ZA\$ set equal to characters you want displayed and with Font Driver subcommands; Font Driver subcommands are preceded by %%—two percent signs—and ended by a semicolon. There are eight subcommands:

%%I;	Initializes driver
%%Fname;	Sets the Hershey font filename to "name"
%%Sn,m;	Sets scale factor for the characters
%%M×,y;	Moves an imaginary graphics cursor to the (x,y) position corresponding to the graphics mode in force
%%Wn;	Sets the character width or proportional spacing
%%Rn,m;	Reads Hershey characters from file "name"
%%Nh,a,m;	Equates the next m Hershey characters to the next m ASCII codes
%%C;	Toggles the control code flag

To illustrate a typical sequence of commands, look at the "call" to the *Hershey Font Driver* below:

```
100 CLEAR 4000
110 DIM E(200), C$(100), AX(255)
120 PMODE 4,1
130 SCREEN 1,0
140 PCLS
150 (your graphics routines here)
160 ZA$=
170 GOSUB 10000
180 . . .
```

Initialization

Before a call can be made to *Hershey Font Driver*, some action must be taken in the calling program. CLEAR allocates additional string space. The amount required depends on the size of your program, the amount of string processing your program does, and the amount of free memory. Some experimentation is called for here.

Three arrays are used by Font Driver. Array E holds two entries for each Hershey character. If you'll be using 100 characters, for example, use DIME(200). The C\$ array is the string array that holds each Hershey character definition. Use C\$(100) to hold up to 100 Hershey characters in memory. The AX array equates 256 ASCII codes to a Hershey character number and is fixed by DIMAX(255).

Of course, the screen must be set to the proper graphics

mode with a SCREEN and PMODE. (If you're using a CoCo 2 and want to do SCREEN displays, use that setup, but see the note farther on — all HDRAWs must be changed to DRAWs.

You can call Hershey Font Driver at any time — before, during or after your own graphics displays. Each call is made with ZA\$ set to a string of Hershey subcommands intermixed with characters.

Subcommands to Call the Driver

The first subcommand in the string should be a %%I to initialize the arrays and do general setup within Font Driver. %%I can be used at any time, however, to "wipe the slate clean" and provide additional room in memory. Here is an example of the subcommand used in a program line:

160 ZA\$ = "%%I; . . .

The next typical subcommand is a %%F NAME command. This simply sets the current filename to the name you've specified. No read is done at this point. The filename can be changed whenever you like, to read in characters from different font files. You might have Greek letters in a file called GREEK/, for example, and German in a file called GERMAN/. Don't forget to add the slash after the name if the file does not have the extension /DAT. This subcommand must be done before an actual read; otherwise, the default filename of "" (null string) will cause an error. It would be used in a program as follows:

160 ZA\$ = "%%I;%%FSCRIPT/; . . .

The next subcommand might be a read command. The %%R command reads in characters n through m from the current file. Any range of values can be read in from the current file. Generally, just read in whatever characters you will be using to save space. Characters read in are appended to any previous characters — the more reads that are done, the larger the list of characters will grow. Purge the list by issuing a %%I subcommand at any time.


One important caution: When using more than one read command with a single file (a typical situation), order the read subcommands by character number. If you do this, the reads will be sequential — the file is kept open and the characters will be read in one pass. If the reads are not in sequence by character number, the program will search from the beginning of the file for each read. In our ever-growing sample program line, the %%R subcommand would be used like this:

160 ZA\$ = "%%I;%%FSCRIPT/;%%R551,576;%%R651,676; . . .

The above subcommand reads in characters 551 through 576 (uppercase script), followed by characters 651 through 676 (lowercase script) from the Hershey database.

The next subcommand, %%Nh, a, m, ;, typically is an equate command. The N subcommand equates a set of Hershey numbers to ASCII codes. ASCII codes run from 0 to 31 (control characters), from 32 to 127 (digits, uppercase and lowercase letters, and special characters), and from 128 through 255 (non-standard characters not in the original





You're tired, you're hungry, not to mention you're badly injured. No one in town seems to want to talk to you. Your magic sword has stopped glowing, the room is dark, you're out of spells, you can't get your wand to work, you won't swear to it but you may be lost, you have no idea what that last puzzle meant, and you hear something large moving just beyond the only door. The old sage warned you there would be days like this!

"QUEST FOR THE SPIRIT STONE" is an Adventure that will keep you playing for hours. It features single keystroke commands, 16 color graphics, 100% Hi-Res graphics screens, full game save, extensive playing area, level advancement, and the disk is not copyprotected. You choose your character's name, race, sex, and ability scores. The use of arrow keys simplify movement. This one is easy to play but a challenge to complete!

ONLY \$18.00 AND WE PAY SHIPPING!

April 1988

North Carolina residents add 5% sales tax

COLOR COMPUTER 3 AND ONE DISK DRIVE REQUIRED

Send check or money order to:



ASCII set). Suppose you want to equate the Hershey uppercase script characters at 551 through 576 to ASCII characters A through Z. The ASCII characters A through Z are codes 65 through 96. This subcommand would do the trick:

```
160 ZA$ = "%%1;FSCRIPT/;%%R551,576;%%N551,65,26; . . .
```

The N subcommand can be used at any time to change the equivalences for ASCII codes. The advantage of equating other fonts to ASCII A through Z is that standard characters can be used in (and printed from) ZA\$. Otherwise, ZA\$ might have to be made up of CHR\$ functions — CHR\$(3) +CHR\$(17)+CHR\$(5) Note that the N subcommand works with a block of m characters. Sometimes a single character at a time must be equated, for example:

```
1000 ZA$ = ". . . %%N699,32,1; . . . "
```

The above line equates a Hershey blank 699 to an ASCII space, Code 32. Also note that no characters can be displayed with *Font Driver* unless they are defined by the N subcommand. The *Font Driver* does not display normal screen characters (use the HPRINT command for this in CoCo 3 Extended BASIC).

The %%C subcommand "toggles" the control code flag in Font Driver. If the flag is set, a carriage return and line feed (ASCII characters 13 and 10) will cause the proper action on the screen. If the flag is not set, ASCII carriage return and line feed codes will be used in finding an equated Hershey character, just like the other ASCII codes. Alternate %%C subcommands turn the flag on and off. Use this command for automatic line spacing, if desired.

The size of the characters displayed is determined by two things, the size of the character on digitization (Hershey worked with three basic sizes) and the scale factor. The %%5n,m; subcommand sets the horizontal (n) and vertical (m) scale factors. A scale factor of 1 produces characters from nine to 21 pixels high in 256-by-192 mode, depending on the font. Setting n=m will provide a character that looks like the original digitization in 256-by-192 mode. (In HSCREEN mode, n must be 2.4 times greater than m for a 1:1 character.) Increasing n produces a taller character. Increasing m produces a more squat character. Fractions can be used here. Use the \$\$S\$ subcommand as follows:

```
160 ZA$ = "%%I;%%FSCRIPT/;%%R551,576;%%N551,
65,26;%%S2.4,2; . . .
```

This string sets the x scale factor to 2.4 and the y scale factor to 2.

The %%Wn; subcommand has two width modes for Font Driver. If %%W999; is specified, Font Driver will use the width of the character from the width bytes. This produces proportional spacing, where each character is allocated a different width. Using another width value spaces over a fixed amount of width for every character — the value is the width in pixels. Here is an example of the subcommand that sets proportional spacing used within a program line:

```
160 ZA$ = "%%I;%%FSCRIPT/;%%R551,576;%%N551,
65,26;%%S2.4,2;%%W999; . . .
```

The %%Mx,y; subcommand positions an invisible cursor

to an x,y position. This subcommand is used to find the starting position prior to displaying a new group of characters. The cursor is referenced to the center point of each character, so enough space must be provided on both its left and right sides. A BASIC error may result if the DRAW command draws off the screen. The M subcommand can be used at any time, and may appear like this:

```
160 ZA$ = "%%I;%%FSCRIPT/;%%R551,576;%%N551,
65,26;%%S2.4,2;%%W999;%%M32,16; . . .
```

The above string moves the cursor to x=32, y=16.

"Normal" Characters

Screen printing is done by either CHR\$ codes or normal ASCII characters that have been equated to corresponding Hershey numbers. To print in uppercase script, for example, the string could be:

```
160 ZA$ = "%%I;%%FSCRIPT/;%%R551,576;%%R699,
699;%%N551,65,26;%%N699,32,1;%%S2.4,2;%%W9
99;%%M32,16;"THIS IS UC SCRIPT WITH BLANKS"
```

The sequence above will be printed starting at (32,32), the center point of T, with proportional spacing and in script.

Once all the definitions have been made, display of characters becomes much easier. Just use normal text and change the scaling, spacing or position when necessary. Don't hesitate to include your own strings as "macro" subcommands, either. If uppercase script will always be scaled at 2.4 and 2 with proportional spacing and contained in a file called SCRIPT/, you can do something like this:

```
100 UC$ = "%%FSCRIPT/;%%R551,576;%%N551,
65,26;%%S2.4,2;%%W999"
600 ZA$ = UC$: GOSUB 10000
```

As a further example of the use of subcommands, see the code in Listing 3 that prints the characters in Figure 1.

HSCREEN Hershey Font Driver Program

The Hershey Font Driver program for CoCo 2 users is identical to the program in Listing 2 except that all HDRAWs must be changed to DRAWs, and the SCREEN must be set by the calling program.


How to Get the Hershey Font

Because the Hershey font is in the public domain, and because the efforts of our MS-DOS comrades created the large database, the Hershey font database is available free to certifiable CoCo freaks. To get your copy, send a statement by your spouse or significant other indicating that you spend more time with the CoCo than with them. Also send me a formatted 35-track, single-sided disk and include a self-addressed envelope large enough to hold the disk. *Stamp* the envelope with at least \$1.07 worth of stamps (or more, if you include heavy disk protection such as cardboard or steel).

In keeping with the spirit of this project, you may not resell the programs, but may distribute them free as often as you wish, providing my copyright is maintained. I'll also try to get the database and programs on Delphi. Write to William Barden, Jr., Post Office Box 3568, Mission Viejo, CA 92692.

The Hershey Font Project has been an exciting one for me because of the enthusiastic response from readers. This started off as a CoCo project, and I'm glad to see that it finally

wound up as one. I'm certain that if it had been CoCo readers solicited for the volunteer work, the response would have been just as great. This project shows what can be accomplished by a group of unselfish computer users. Perhaps the next project of this type could be a CoCo project. Any volunteers?




Listing 1: FONTUTIL

```
100 '=============
______
11ø '
120 ' HERSHEY FONT UTILITY. ALLO
WS HERSHEY CHARACTERS TO BE READ
 FROM
13Ø ' DISK FILE, DISPLAYED, DEFI
NED, AND MERGED WITH DISK FILE D
ATA.
14Ø
15ø ' V1.ø 12-31-87 COCO 1, 2, 3
VERSION
16Ø '
17Ø
18Ø ' INITIALIZE C$ AND E TABLE
POINTERS AND ALLOCATE ARRAYS
19Ø CLS
200 CLEAR 5000
21\emptyset I = \emptyset: J = \emptyset
22Ø DIM HV ( 3ØØ ), C$ ( 3ØØ ), E(
23Ø PRINT MEM
24Ø SCREEN Ø,1
25Ø
26Ø
27Ø ' DISPLAY MENU
28Ø CLS
29Ø PRINT "HERSHEY FONT UTILITY"
300 PRINT "1. READ CHARACTERS FR
```

```
OM DISK"
31Ø PRINT "2. DISPLAY CHARACTER"
320 PRINT "3. DEFINE NEW CHARACT
ER"
330 PRINT "4. STORE CHARACTERS O
N DISK"
34Ø PRINT "5. LIST CHARACTERS IN
 MEMORY"
35Ø PRINT "6. INITIALIZE HERSHEY
 FILE!"
360
37Ø
380 ' MAIN LOOP. INPUT SELECTION
 AND BRANCH OUT.
39Ø PRINT "SELECTION (1-6):";
400 INPUT RE
410 IF RE = 5 THEN GOTO 2190
42Ø IF RE < 1 OR RE > 6 THEN GOT
0 390
43Ø ON RE GOSUB 46Ø, 71Ø, 119Ø,
166Ø, 219Ø, 168Ø
44Ø GOTO 28Ø
45Ø
   -----
460
_____
_____
470
480
   ' READ CHARACTERS FROM DISK
490 ' MERGES C$ AND E ARRAYS WIT
H HERSHEY CHARACTERS FROM DISK F
ILE.
5ØØ
520 ' INPUT FILENAME, START, AND
 END RANGE OF HERSHEY CHARACTERS
 AND OPEN
53Ø INPUT "FILE NAME:"; F$
54Ø INPUT "INPUT START#, END#:";
 SN, EN
```

DMC "No Halt" Disk Controller



Did you know?

...that all the older floppy disk controllers for the CoCo completely tie up (and even halt) the 6809 processor during disk reads- and writes? No wonder your keyboard is constantly "losing" characters! Or that your serial port often gives you garbage.

Unleash your CoCo's potential!

Our new Dual Mode Controller (DMC) implements a new "no halt" mode of operation so it can read from or write to disk all by itself. The 6809 is freed to process other tasks and respond to interrupts. This is how 0S-9 was meant to run! But the Radio Shack "halt" mode of operation is also retained to maintain full compatibility with existing non-0S-9 software.

Free! Disk caching software included can speed up OS-9 disk accesses.

Other DMC features:

55Ø OPEN "I", #1, F\$

works with original CoCo, CoCo 2, or CoCo 3 (Multi-Pak required)
 no adjustments — all-digital data separator and write

no adjustments — all-digital data separation and mino-precompensation gold plated card-edge connectors for reliability ROM socket takes 24 pin or 28 pin chip; dual DOS capability Radio Shack DOS 1.1 ROM installed 8K bytes cache memory on board (32K optional) D.P. Johnson's SDISK package (specially modified for DMC) is included at no charge (\$30 value)

aluminum case
 fully assembled and tested; 120 day limited warranty

To order: DMC controller with RSDOS 1.1 and SDISK (specify OS-9 Level I or II) \$149.50 plus \$5 S/H (\$12 overseas). Add \$16 for 32K RAM option. Terms (prices in \$US); check, money order, VISA. U.S.A. orders shipped via UPS from WA state.



(Also ask about our ST-2900 6809 based expandable single board computer)

(604) 255-4485 (Pacific Time)

T & D SUBSCRIPTION SOFTWARE CONTINUES ITS

ISSUE #1, JULY 1982

MUSIC ALBUM LIFE EXPECTANCY KILLER MANSION

ISSUE #2, AUGUST 1982

BLACK JACK COST OF LIVING FRENZY

ISSUE #3, SEPTEMBER 1982 UFO COVER PT. 2 BASKETBALL

ISSUE #4, OCTOBER 1982

ISSUE #5, NOVEMBER 1982

ISSUE #6, DECEMBER 1982 CHRISTMAS COVER RAINDROPS STOCK MARKET ADVANCED PONG DESTROY CREATIVITY TEST VOICE DATA ML TUTORIAL PT. 1 LOONY LANDER

ISSUE #7, JANUARY 1983

NEW YEARS COVER LIST ENHANCER SUPER PRECISION DIV. BOMB DIFFUSE SPACE STATION ML TUTORIAL PT 2

ISSUE #9, MARCH 1983

BUDGET ELECTRONIC DATEBOOK ML TUTORIAL PT 4 TAPE DIRECTORY BLOCK-STIR

ISSUE #10, APRIL 1983

TENTH COVER
PYRAMID OF DANGER
TYPING TUTOR
ML TUTORIAL PT B YAH HOO MISSILE ATTACK SCREEN PRINT

ISSUE #11, MAY 1983

ARCHERY
FROG JUMP
ML TUTORIAL PT 6
MLT DICTIONARY
BASIC SPEED UP TOT
METRIC CONVERTOR
GRAPHIC OUAD ANTENNA
GRAPHIC DESCRIPTION
GRAPHIC OUAD ANTENNA
GRAPHIC BENGRAM
GRAPHIC BENGRAM

ISSUE #12, JUNE 1983

ISSUE #13, JULY 1983

ISSUE #14, AUGUST 1983

MYSTERY COVER ROW BOAT COMPUTER TUTL PT 1 INDEX DATABASE

ISSUE #15. SEPTEMBER 1983

ISSUE #16, OCTOBER 1983

ISSUE #17, NOVEMBER 1983

COLLEGE ADVENTURE MEMORY GAME

ISSUE #18. DECEMBER 1983

ISSUE #19, JANUARY 1984

ISSUE #20. FEBRUARY 1984

INTRODUCTION: HINTS FOR YOUR COCO ESCAPE ADVENTURE SEEKERS

ISSUE #21, MARCH 1984

ISSUE #22, APRIL 1984

ISSUE #23, MAY 1984

ISSUE #24, JUNE 1984

GOCO TECHNICAL LOOK PT. 2 USA SLIDE PUZZLE 51 '24 SCREEN EDITOR 51 '24 SCREEN

ISSUE #25, JULY 1984

COCO TECHNICAL LOOK PT. 3 SKID ROW ADVENTURE

ISSUE #26, AUGUST 1984 O-TEL-O OLYMPIC EVENTS DOUBLE DICE COCO DATABASE BATTLE STAR COCO-PIN BALL MONTEZUMAS DUNGEONS

ISSUE #27, SEPTEMBER 198 GOCO TO COM 64 ACCOUNT MANAGER CASSETTE MERGE UTILITY STRING PACKING TUTORIAL

ISSUE #28, OCTOBER 1984

MORE PEEKS, POKES

ISSUE #29, NOVEMBER 1984

ADVENTURE GENERATOR
QUEST ADVENTURE

ISSUE #30, DECEMBER 1984

MATH HELP ZECTOR ADVENTURE MINE FIELD TNOTES TUTORIAL T&D PROGRAM INDEXER

ISSUE #31, JANUARY 1985

GRID RUN SPIRAL ATTACK FAST SORT

ISSUE #32, FEBRUARY 1985

DR. SIGMUND ICE WORLD ADVENTURE LOTTERY ANALYST MEANIE PATROL
TRI-GOLDE CARDS
SHAPE RECOGNITION
DISK BACKUP
SPACE PROTECTOR

ISSUE #33, MARCH 1985 LIGHT CYCLE PAINT SKEET SHOOTING GUITAR NOTES ML DISK ANALYZER PERSONAL DIRECTORY NAUGHA ADVENTURE EGGS GAME DISK DIRECTORY PRINT SPEED KEY

ISSUE #34, APRIL 1985

MUSIC GENERATOR FYR-DRACA DRIVE TEST

ISSUE #35, MAY 1985





SUPER SAVINGS

Single Issue \$8.00 2-5 Issues \$6.00 ea. 6-10 Issues \$5.00 ea. 11 or more Issues . \$4.50 ea. All 67 Issues \$185.00

Purchase 20 or more issues and receive a free 6 month subscription

- Every Issue Contains 10 or More Programs Many Machine Language
- **Programs** · Available for COCO I, II and III
- · All Programs Include Documentation
- · We send 1st Class No Charge
- Personal Checks Welcome!



BACK ISSUE SALE OF OVER 670 PROGRAMS!

ISSUE #36, JUNE 1985

AUTO COMMAND COMPUTER MATCHMAKER

ISSUE #37, JULY 1985 CHESS MASTER BIBLE 5-7

ISSUE #38, AUGUST 1985

ISSUE #39. SEPTEMBER 1985

TALKING ALPHABET SUPER VADERS AUTOMATIC EDITOR

ISSUE #40, OCTOBER 1985

ISSUE #41, NOVEMBER 1985

CHARACTER EDITOR GRAPHIC TEST GRAPHIC LOOPY

ISSUE #42. DECEMBER 1985

ISSUE #43, JANUARY 1986

ZIGMA EXPERIMENT

ISSUE #44, FEBRUARY 1986

HOME INVENTORY EXPLORER ADVENTURE SPANISH LESSONS CROSS FIRE

ISSUE #45, MARCH 1986 INCOME PROPERTY MGMT ELECTRONIC BILLBOARD 2

ISSUE #46, APRIL 1986 SPECIAL EVENTS REMINDER DISK LOCK NUMBER RELATIONSHIPS

ISSUE #47, MAY 1986

ISSUE #48, JUNE 1986

ROMAN NUMERALS

ISSUE #49, JULY 1986

DRAGONS 1 & 2 GRAPHIC SCROLL ROUTINE AUTO BORDER

ISSUE #50, AUGUST 1986

SMASH GAME

ISSUE #51, SEPTEMBER 1986
ASSET MANAGER
MONEY CHASE

ISSUE #52, OCTOBER 1986

ISSUE #53. NOVEMBER 1986

ISSUE #54, DECEMBER 1986

ISSUE #55, JANUARY 1987 GRADE BOOK

ISSUE #56, FEBRUARY 1987

ISSUE #57, MARCH 1987

ISSUE #58, APRIL 1987

ISSUE #59, MAY 1987

ISSUE #60, JUNE 1987

ISSUE #61, JULY 1987

ISSUE #62, AUGUST 1987

PENSION MANAGEMENT HERB GROWING CATALOGER UTILITY RAIDERS

ISSUE #63, SEPTEMBER 1987

SAVE THE MAIDEN CAVIATOR ELECTRONICS VI

ISSUE #64, OCTOBER 1987

GARDEN PLANTS FORT KNOX ELECTRONICS FORMULAS CYCLE JUMP GEOMETRY TUTOR

ISSUE #65, NOVEMBER 1987

COCO 3 DRAWER FOOTBALL ELECTRONICS 8

ISSUE #66, DECEMBER 1987

ISSUE #67, JANUARY 1988

BATTLE SHIP ELECTRONICS 10 TAPE CONVENIENCE PENQUIN

Barry R Sublin

MAIL TO:

T & D Subscription Software 2490 Miles Standish Drive Holland, Michigan 49424

(616) 399-9648

State ____ ZIP_ City _ Credit Card # _ Expires _ TOTAL AMOUNT \$ _

CIRCLE ISSUES DESIRED 9 17 25 33 41 49 57 10 18 26 34 42 50 58 19 27 35 43 51 20 28 36 44 52 60 13 21 29 37 45 53 61 22 30 38 46 54 31 39 47 24 32 40 48 56 PLEASE CIRCLE TAPE or DISK

```
56Ø '
                                  990 B = ASC( MID$( C$( K ), L +
57Ø '----
                                  1, 1)) - 128
580 ' READ AND STORE CHARACTER L
                                  1\emptyset\emptyset\emptyset L = L + 2
INES IF WITHIN INPUT RANGE
                                  l \emptyset l \emptyset A = A * CSX: B = B * SY: A
59Ø IF EOF( 1 ) GOTO 68Ø
                                  = INT(X + A): B = INT(Y + B)
600 INPUT#1, C$( I )
                                  1020 DRAW "BM" + STR$( A ) + ","
61\emptyset NO = ( ASC( LEFT$( C$( I ),
                                   + STR$( B )
1 ) ) - 128 ) * 128 +
                                  1Ø3Ø '
                                  1040 '-----
                   ASC( MID$( C
$(I), 2, 1)) - 128
                                   1050 ' GET REMAINING X/Y COORDIN
62Ø IF NOT( ( NO >= SN AND NO <=
                                  ATES AND DRAW LINE SEGMENTS
                                   1060 A = ASC(MID$(C$(K), L,
EN ) ) THEN 67Ø
63\emptyset E(J) = NO
                                  1 ) ) - 128
                                   1070 B = ASC(MID$(C$(K), L +
64\emptyset E(J+1) = I
650 J = J + 2
                                   1, 1 ) ) - 128
660 I = I + 1
                                   1080 L = L + 2
67Ø IF NO < EN THEN GOTO 59Ø
                                   1090 IF ( A = -64 ) AND ( B = -6
                                   4 ) THEN GOTO 117Ø
68Ø CLOSE
69Ø RETURN
                                   11\emptyset\emptyset IF NOT( ( A = -64 AND B = \emptyset
7ØØ '
                                   ) ) THEN GOTO 115Ø
111\emptyset A = ASC(MID\$(C\$(K), L,
                                   1 ) ) - 128
1120 B = ASC(MID$(C$(K), L +
72Ø 1
                                   1, 1)) - 128
73Ø ' DISPLAY CHARACTER FROM MEM
                                   1130 L = L + 2
                                   114\emptyset A = A * SX: B = B * SY: A =
                                   INT(X + A): B = INT(Y + B):
740 ' DISPLAYS A GIVEN HERSHEY C
                                   DRAW "BM" +
HARACTER # IN MEMORY. THE LAST C
                                                       STR$( A ) +
                                   "," + STR$( B ) : GOTO 116Ø
HARACTER
75Ø ' FOUND IS DISPLAYED IF THER
                                   115\emptyset A = A * SX: B = B * SY: A =
                                   INT(X + A): B = INT(Y + B):
E ARE DUPLICATES. CALLED BY DEFI
                                    DRAW "M" +
NE CHARACTER.
                                                      STR$( A ) +
                                   "," + STR$( B )
76Ø '
77Ø
   -----
                                   116Ø GOTO 1Ø6Ø
780 ' INPUT VALID #. IF NOT FOUN
                                   117Ø A$ = INKEY$: IF A$="" THEN
D, ANOTHER PROMPT GIVEN. ENTERIN
                                   GOTO 117Ø ELSE RETURN
                                   118Ø '
G Ø TERMINATES.
79Ø INPUT "INPUT HERSHEY #:"; NO
                                   119Ø '===========
8\emptyset\emptyset IF NO = \emptyset THEN GOTO 117\emptyset
                                   _____
81\emptyset FOR K = J - 2 TO \emptyset STEP -2
                                   _____
82\emptyset IF E(K) = NO THEN 88\emptyset
                                   1200 '
83Ø NEXT K
                                   121Ø ' DEFINE NEW CHARACTER.
84Ø GOTO 79Ø
                                   1220 ' MAKES C$ ENTRY IN MEMORY,
85Ø
                                   STORING HERSHEY CHARACTER AS A
86Ø '----
                                   STRING. FIRST
87Ø ' INITIALIZATION AND MOVE TO
                                  123Ø ' TWO CHARACTERS OF STRING
SCREEN CENTER.
                                  ARE NUMBER, MS/LS; NEXT TWO CHAR
88Ø SCREEN 1,Ø: PMODE 4,1: PCLS
                                  ACTERS
890 K = E(K + 1)
                                  124Ø ' ARE STANDARD HERSHEY WIDT
900 \text{ SX} = 1.5 : \text{SY} = 1.5
                                  H FROM HERSHEY DEFINITIONS; REMA
91Ø DRAW "BM128, 96"
92\emptyset X = 128: Y = 96
                                  1250 ' CHARACTERS ARE X/Y PAIRS
93Ø L = 5
                                  FROM HERSHEY DEFINITIONS. TERMIN
940 1
                                  ATOR IS
95Ø '----
                                  126Ø ' -64,-64. WIDTH AND X/Y PA
960 ' START AT FIRST X/Y COORDIN
                                  IRS ARE STORED IN EXCESS 128 COD
ATE, BYPASS WIDTH
97Ø IF LEN( C$( K ) ) <= 6 THEN
                                  127Ø '
GOTO 117Ø
                                  128Ø '----
980 A = ASC(MID$(C$(K), L, 1)
                                  1290 ' Input Hershey # and initi
) ) - 128
                                  alization
```

```
1300 INPUT "INPUT #:"; NO
131Ø A$ = ""
1320 K = 0
133Ø
134Ø
1350 ' Input width, X/Y pairs, a
nd -64/-64 terminator
136Ø INPUT "INPUT X,Y VALUES:";
HV(K), HV(K+1)
1370 X = HV(K): Y = HV(K + 1)
1380 K = K + 2
1390 IF NOT( X = -64 AND Y = -64
 ) THEN GOTO 1360
1400
1410
1420 ' CONSTRUCT STRING AND MAKE
 C$ ENTRY
143Ø C$( I )
             =
               CHR$ ( INT ( NO / 1
28 ) + 128 ) + CHR$ ( NO - ( INT (
NO / 128 ) ) *
                      128 + 128 )
144\emptyset FOR L = \emptyset TO K - 1
145\emptyset C$(I) = C$(I) + CHR$(H
V(L) + 128
1460 NEXT L
147Ø
148Ø
1490 ' MAKE E TABLE ENTRY, BUMP
POINTERS, AND GO TO DISPLAY CHAR
```

```
ACTER
15\emptyset\emptyset E(J) = NO
        J +
            1
               )
152Ø
         J
              2
153Ø
     I
154Ø K
         J
155Ø
     GOTO 880
156Ø
157Ø
158Ø
     1
       STORE CHARACTERS ON DISK
159Ø
1600 ' SORTS C$ ENTRIES BY HERSH
EY #, ELIMINATING DUPLICATE ENTR
IES IN
161Ø ' MEMORY BY KILLING ALL BUT
 THE LAST. MERGES MEMORY C$ ENTR
IES OVER
1620 ' GIVEN RANGE WITH NAMED FI
LE, CREATING NEW NAMED FILE. REP
LACES
163Ø ' EXISTING FILE ENTRIES WIT
H NEW DEFINITION FROM MEMORY.
164Ø
165Ø
1660 INPUT "FILE NAME:"; F$
167Ø NF = Ø: OPEN "I", #1, F$: G
OTO 173Ø
```

TEXTFORM

\$3.00. Computers OL a user to any tedious casual format ASCII tex add text formatter program New York is enhancement orders Color create a TEXTFORM and hours of are Special Thru May 31, Jamestown, quickly drive, C.O.D., Money Order. a111 Products to C.0.D. shipping 665-2124 word processor. Computer th without processing system whether program will a versitile W. sales tax. compatible R.A.D. for 716) professional documents column column Color 194 Hotchkiss 00. TEXTFORM is Jo \$3 professional user language Price....\$34.95 1% will allow your s not another add is defineable two minimum Check, add TEXTFORM into orders residents machine a Terms: files work. word

RAINBOW CERTIFICATION SEAL

EVEN IF YOU DON'T HAVE A

YOU CAN STILL SUPERCHARGE YOUR COCO 1,2, OR 3 WITH

RGB-DOS(HD)

HERE ARE JUST SOME OF THE FEATURES OF RGB-DOS(HD):

- * FULLY COMPATIBLE WITH RS-DOS
- * WILL RUN TWO HARD DISK DRIVES
- * WILL AUTO-EXECUTE ANY PROGRAM
- **FULL SCREEN DIRECTORY DISPLAY**
- **ELECTRONIC DISK LABELING**
- * IMPROVED "COPY" COMMAND
- "RUNM" COMMAND FOR M/L PROGRAMS
- ...AND MUCH MUCH MORE!

RGB-DOS(HD) COMBINES ALL THESE FEATURES WITH THE ABILITY TO RUN ANY SIZE HARD DISK DRIVE IN BASIC!

DO YOUR COCO A FAVOR...SUPERCHARGE IT WITH RGB-DOS!

28 PIN ROM WITH USERS MANUAL... \$74.95

ALSO ASK ABOUT OUR PC/XT-TO-COCO KEYBOARD ADAPTER AND OUR FULLY SCSI COMPATIBLE HARD DISK INTERFACE




COMPUTER

294 STILLWELL AVE KENMORE, NY 14217

(716) 876-7538

181

```
168Ø INPUT "FILE NAME:"; F$: NF
                                  ): K = K + 2: GOTO 197Ø
= 1
                                  2000 IF E(K) <> NO THEN GOTO 2
169Ø PRINT "THIS DESTROYS "; F$;
                                  Ø3Ø
 " FILE!"
                                  2010 IF E(K) < SN THEN PRINT#2
1700 PRINT "Y TO CONTINUE, N TO
                                   , A$: K = K + 2: GOTO 1950 ELSE
                                  IF E(K) > EN THEN PRINT#
RESTART:"
171Ø A$ = INKEY$: IF A$ = "" THE
                                  2, A$: GOTO 2Ø9Ø ELSE PRINT#2, C
N GOTO 171Ø
                                  (E(K+1)):K=K+2:
172\emptyset IF A$ = "Y" THEN GOTO 173\emptyset
                                       GOTO 195Ø
                                  2020 ' E( K ) > NO
ELSE GOTO 28Ø
                                  2030 IF E(K) < SN THEN PRINT#2
173Ø OPEN "O", #2, "HERSHEYN/"
174Ø INPUT "INPUT START, END#:";
                                  , A$: GOTO 195\emptyset ELSE IF E( K ) >
                                                       PRINT#2, A$
 SN, EN
                                   EN THEN
175Ø '
                                  : GOTO 2090 ELSE PRINT#2, A$: GO
1760 '----
                                  TO 1950
1770 ' BUBBLE SORT E TABLE AND D
                                  2040 '-----
ELETE FIRST DUPLICATE ENTRIES
                                  2050 IF ( K = J ) OR ( E( K ) >
178Ø PRINT "SORTING..."
                                  EN ) THEN GOTO 2140
                                  2Ø6Ø IF E(K) >= SN THEN PRINT#
179\emptyset IF J = 2 THEN GOTO 193\emptyset
18ØØ SWAPF = Ø
                                  2, C$( E( K + 1 ) ): K = K + 2:
181\emptyset FOR L = \emptyset TO J - 4 STEP 2
                                  GOTO 2050
1820 IF E(L + 2) < E(L) THEN
                                  2070 \text{ K} = \text{K} + 2: GOTO 2050
                                  2080 '-----
 T1 = E(L + 2): T2 = E(L + 3)
): E(L+2) = E(L): E(
                                  2Ø9Ø IF EOF( 1 ) THEN GOTO 214Ø
L + 3) = E(L + 1): E(L) = T
                                  2100 INPUT#1, A$: PRINT#2, A$: G
1: E(L+1) = T2: SWAPF = 1
                                  OTO 2090
183\emptyset IF ( E( L + 2 ) = E( L ) )
                                  211ø '
                                  2120 '-----
AND ( E( L ) <> 65535 ) THEN E(
L)=65535: T1 = E(L+2):
                                  213Ø ' FINAL LEANUP. DELETE OLD
T2 = E (L + 3): E(L + 2) =
                                  MASTER, RENAME NEW MASTER TO "HE
E(L): E(L+3) = E(L+1):
                                  RSHEY".
    E(L) = T1: E(L+1) = T
                                  214Ø CLOSE
2: SWAPF = 1
                                  215Ø IF NF <> 1 THEN KILL F$
1840 NEXT L
                                  216Ø RENAME "HERSHEYN/" TO F$
185Ø IF SWAPF = 1 THEN 18ØØ
                                  217Ø RETURN
186\emptyset FOR K = \emptyset TO J - 2 STEP 2
                                  218Ø '
1870 IF E(K) = 65535 THEN J =
                                  219ø '============
K: GOTO 189Ø
                                  _______
188Ø NEXT K
19ØØ '----
                                  2200 '
1910 ' MERGE C$ ENTRIES IN MEMOR
                                  221Ø ' LIST CHARACTERS IN MEMORY
Y WITH NAMED FILE, REPLACING FIL
                                  222Ø ' LIST CURRENT HERSHEY CHAR
                                  ACTERS IN MEMORY, INCLUDING DUPL
1920 ' ENTRIES IF SAME HERSHEY #
                                  ICATES.
IN MEMORY.
                                  2230 '-----
                                  2240 '
193\emptyset K = \emptyset
194Ø IF NF = 1 THEN GOTO 2050
                                  225Ø CLS
195Ø IF EOF( 1 ) THEN GOTO 2Ø5Ø
                                  226\emptyset FOR K = \emptyset TO J - 2 STEP 2
ELSE IF K = J THEN GOTO 2090 ELS
                                  227Ø IF POS(Ø) > 2Ø THEN PRINT
E
           C
                     INPUT#1, A
                                  E(K) ELSE PRINT E(K);
                                  228Ø NEXT K
196\emptyset NO = ( ASC( LEFT$( A$, 1 )
                                  229Ø PRINT: PRINT "PRESS ANY KEY
) - 128 ) * 128 + ASC( MID$( A$,
                                  TO CONTINUE"
       ) - 128
                                  23ØØ A$ = INKEY$: IF A$ = "" THE
1970 IF K = J THEN PRINT#2, A$:
                                  N GOTO 23ØØ
GOTO 2Ø9Ø
                                  231Ø CLS
198Ø IF E(K) >= NO THEN GOTO 2
                                  232Ø GOTO 27Ø
ØØØ
                                  233Ø '
1990 IF E(K) < SN THEN K = K +
                                  2340 '==============
2: GOTO 1980 ELSE IF E ( K ) > E
                                  N THEN PRINT#2,
               A$: GOTO 2Ø
                                  =========
9Ø ELSE PRINT#2, C$( E( K + 1 )
```



MATH	ON	DISK
LIVITI	OIA	DIOK

Add Fractions\$19.95
Subtract Fractions19.95
Multiply Fractions19.95
Trigonometry Tutor19.95
Linear Equations19.95
Quadratic Equations19.95
Number Sequences19.95
Signed Numbers19.95
Binary Dice Game19.95
Moneypack19.95
Distance Problems19.95
Comparison Shopping19.95
Sales & Bargains19.95
Bank Account19.95

LANGUAGE ARTS ON DISK
Beyond Words 1\$19.95
Beyond Words 219.95
Beyond Words 319.95
Vocabulary Builders 119.95
Vocabulary Builders 219.95
Vocabulary Builders 319.95
Cloze Exercises 3,4,5,6,or 7.19.95
Punctuation Practice19.95
Story Details 2-3 or 4-519.95
Drawing Conclusions 3-419.95
Drawing Conclusions 5-619.95
Context Clues Gr. 2-319.95
Context Clues Gr. 4,5,6,or 7.19.95

BCDEFGHIJKLMNOPQRSTUVW

OTHER SUBJECTS ON DISK

Explorers & Settlers\$19.95
Famous American Women19.95
Street Map Game
States & Capitals19.95
Know Your States19.95
History Game
Chemistry Tutor24.95
Science Game24.95
Color Computer Literacy19.95
French Baseball19.95
Spanish Baseball19.95

GALIES ON DISK
The Pond\$29.95
The Factory29.95
Teasers By Tobbs29.95
Wheel of Fortune19.95
Wheel (Coco3/RGB)19.95
Pegs (Coco3/RGB)19.95
Name Flag (Coco3/RGB)19.95
First Games24.95
Arrow Games
Mr. Cocohead19.95

Preschool 1,2, & 3.....24.95

CAMES ON DISK

TAKE ADVANTAGE OF MOST DISKS AT TAPE PRICES. LIMITED TIME ONLY. GOOD UNTIL APRIL 15,1988





(718) 948-2748 Evenings after 7:00 PM EST



Dept. R,227 Hampton Green, Staten Island, N.Y. 10312
Send for catalog with complete descriptions.



Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items.

Dealer Inquiries Invited.

TRS-80 Color Computer

All Payments in U.S. Funds.

V	1014029	1119090
	1014029 10260250	1144039
	10420 247	1160051
	1058031	11740 215
	10810119	12000 108
	10980 166	END 226

Listing 2: HFDRIVER

```
1ØØØØ '==============
løølø '
10020 ' HERSHEY FONT DISPLAY. LO
ADS HERSHEY CHARACTERS FROM A DI
SK FILE.
10030 ' DISPLAYS CHARACTERS AT G
IVEN LOCATION. SIZE OF CHARACTER
MAY BE
10040 ' MODIFIED AS REQUIRED.
10050 ' V1.0 1-1-88 COLOR COMPUT
ER 1, 2, 3 VERSION
1ØØ6Ø
10070 '----
10080 ' INPUT: ZA$ = CHARACTER S
TRING TO BE INTERPRETED.
løø9ø '
              SUBCOMMANDS: %%I;
 INITIALIZE DRIVER - ZERO CHARAC
TER TABLE
løløø '
                            %%FN
AME; SET DISK FILE NAME
                            %%SN
løllø '
,M; SET SCALE FACTORS TO N HOR,
M VERTICAL
1Ø12Ø '
                            %%MX
Y; POSITION TO GRAPHICS COORDIN
ATE X, Y
                            %%WN
10130 '
; SET WIDTH TO N PIXELS OR 999 F
OR PROPORTIONAL
10140 '
                            %%RN
,M; READ HERSHEY CHARACTERS FROM
DISK FILE IN
1Ø15Ø '
ANGE N TO M
1Ø16Ø '
                            %%NH
, A, M; EQUATE NEXT M HERSHEY CHAR
ACTERS TO
1Ø17Ø '
                          N
EXT M ASCII CHARACTERS
                            %%C;
1Ø18Ø '
 TOGGLE CONTROL CODE FLAG
1Ø19Ø '
                           (STR
ING) DISPLAY ALL OTHER CHARACTER
S IN HERSHEY
løzøø '
ORMAT
10210 ' OUTPUT: PARAMETERS CHANG
ED OR CHARACTERS DISPLAYED ON SC
REEN UNLESS
```

```
10220 '
                 ERROR, IN WHICH
 CASE ZE = CHARACTER POSITION OF
 LAST ERROR
 1Ø23Ø '
 10240 '-----
 10250 ' DATA DICTIONARY
 10260 ' AX() = ASCII ARRAY; -1 I
 F NO CHARACTER DEFINED ELSE POIN
 TS TO E()
 10270 ' C$() = ARRAY OF HERSHEY
 CHARACTERS; UP TO 255 CHARACTERS
  /ENTRY
 10280 ' E() = ARRAY OF HERSHEY #
  POINTERS; HERSHEY # AND INDEX T
 0 C$
 10290 ' Z1 = NUMERIC VALUE OF SU
 BCOMMAND ARG 1
 10300 ' Z1$ = STRING VALUE OF SU
 BCOMMAND ARG 1
 10310 ' Z2 = NUMERIC VALUE OF SU
 BCOMMAND ARG 2
 10320 ' Z3 = NUMERIC VALUE OF SU
 BCOMMAND ARG 3
 10330 ' ZA = INPUT TO DISPLAY CH
 ARACTER SUBROUTINE - ASC VALUE O
F CHARACTER
 10340 ' ZA$ = STRING TO BE DISPL
 AYED
 10350 ' ZB = BEGINNING OF DISK C
 HARACTERS (WORKING)
 10360 ' ZB$ = CURRENT CHARACTER
  (WORKING)
 10370 ' ZC = ENDING OF DISK CHAR
 ACTERS (WORKING)
 10380 ' ZC$ = WORKING
 10390 ' ZE = ERROR FLAG FOR RETU
 RN; Ø IF NO ERROR OR CP IF ERROR
 1\emptyset4\emptyset\emptyset ' ZF = WORKING
  1Ø41Ø ' ZF$ = DISK FILE NAME, DE
 FAULT = ""
 10420 ' ZG = WORKING
 10430 ' ZI = POINTS TO NEXT (UNU
 SED) ENTRY IN C$
  1Ø44Ø ' ZJ = POINTS TO NEXT (UNU
 SED) ENTRY IN E
 10450 ' ZK = WORKING
  1Ø46Ø ' ZL = WORKING
 10470 ' ZM = INDEX TO CURRENT CH
 ARACTER IN INPUT STRING
 10480 ' ZN = # OF ARGUMENTS FROM
  PARSE SUBROUTINE
 10490 ' ZO = HERSHEY # (WORKING)
 10500 ' ZQ = WORKING
 10510 ' ZS = FUNCTION # FROM PAR
 SE SUBROUTINE
  1Ø52Ø ' ZU = CURRENT HORIZONTAL
 SCALE FACTOR
  10530 ' ZV = CURRENT VERTICAL SC
 ALE FACTOR
  10540 ' ZW = CURRENT WIDTH IN PI
  XELS OR 999 FOR PROPORTIONAL
```



INTRODUCES THE FANTASTIC SUPER CONTROLLER

POWER BEYOND BELIEF



- Radio Shack/Tandy controller compatible.
- Works on all COCOs! 1, 2 or 3, with or without Multi-pak interface.
- One 24/28 pin socket, for 8K ROM, 2764, 27128 or 27256.
- Internal Mini-Expansion-Bus Connector for one DISTO Super Adapter board.
- Low Power draw; Within COCO's power requirements.
- Gold Plated edge connectors.
 - Under OS-9:
 - · Buffered Read/Write sector achieved without halting the CPU.
 - · Continual use of keyboard even while Reading or Writing to disk.
 - System's Clock no longer looses time during Read & Write.
 - NMI is blocked and transferred to IRQ in software for low CPU overhead.
 - Completely Interrupt driven for fast and smooth Multi-Tasking operations.
 - Drivers (written by Keven Darling) for Level 1 and 2.

Suggested Retail Price

\$150

Introductory Price \$130


SUPER CONTROLLER I



A superb controller. Along with the included C-DOS, plug-in three more software selectable 2764 or 27128 EPROMs burned to your liking.

The internal Mini Expansion Bus lets you add some incredible features to the controller. Disto Super Add-Ons were designed to fit neatly inside the Super Controller case.

Zero K \$ 29.95 SUPER RAM **Full 512K** 89.95



Now is the time to upgrade your COCO 3 to 512K of memory. Available with or without memory chips, the Super Ram 3 board is easily installed inside the COCO. It is fully compatible with OS-9 Level 2 and is delivered with a software package (for BASIC) that includes: a printer spooler, a ramdisk, a memory test and an install/configure program for your system.

SUPER ADD-ONS

REAL TIME CLOCK AND PARALLEL PRINTER INTERFACE

Have the Real Time, date and year displayed on your screen at a simple \$39.95 command

MINI EPROM PROGRAMMER

A low cost EPROM programmer that attaches directly to your Disto \$54.95 Super Controller to program those often used utilities.

HARD DISK INTERFACE
A hard disk interface fully compatible with S.A.S.I.controller. Fits inside the Super Controllers, Ramdisk or MEB adapter. OS-9 Drivers are included. \$49.95

SUPER RAMDISK 512K

Imagine having access to 512K of virtual disk memory in close to no time. Upgradable to One Megabyte

MEB ADAPTER

A Stand-Alone Mini-Expansion-Bus in which you can plug any other DISTO Adapter directly in a Multi-pak without the need for a Super Controller \$24.95 or Ramdisk

SEND FOR FREE 1988 WINTER CATALOG

CRC COMPUTERS inc.

10802 Lajeunesse, Montreal, Quebec, Canada, H3L 2E8

MASTER CARD AND VISA ACCEPTED

1-514-383-5293 We accept phone orders.

Call for Canadian prices. Include S&H of \$4 or \$8 if order exceeds \$75.

```
10550 ' ZX = CURRENT X POSITION
10560 ' ZY = CURRENT Y POSITION
10570 ' ZZ = TOGGLE FOR CONTROL
CHARACTER ACTION
10580 ' **WORKING** INDICATES A
VARIABLE USED FOR TEMPORARY STOR
1Ø59Ø '
10600 '----
10610 ' START OF CODE
1\emptyset62\emptyset ZM = 1: ZE = \emptyset
10630 IF ZM > LEN( ZA$ ) THEN RE
1\emptyset64\emptyset ZB$ = MID$( ZA$, ZM, 1 )
10650 IF ZB$ <> "%" THEN GOTO 11
400 ELSE IF MID$ ( ZA$, ZM + 1, 1
) <> "%"
                        THEN GOTO
 11400
10660 '
10670 ' "%%" SUBCOMMAND HERE
10680 '----
1Ø69Ø GOSUB 1153Ø
1Ø7ØØ ON ZS GOSUB 1Ø75Ø,1Ø82Ø,1Ø <= ZC ) ) THEN GOTO 1112Ø
86\emptyset, 1\emptyset91\emptyset, 1\emptyset96\emptyset, 11\emptyset1\emptyset, 1119\emptyset, 1134 11\emptyset8\emptyset E(ZJ) = ZO
1Ø71Ø GOTO 1Ø63Ø
10720 '
10730 '----- 11120 IF ZO < ZC THEN GOTO 11040
19749 ' "%%I;" SUBCOMMAND - INIT ELSE GOTO 11149
IALIZE
10750 IF ZN <> 0 THEN ZE = ZM: G 11140 RETURN
OTO 1 \emptyset 78 \emptyset ELSE ZI = \emptyset: ZJ = \emptyset: Z
F$ = "": ZO = \emptyset
10760 FOR ZL = 0 TO 255: AX( ZL 11170 ' "%%NH, A, M;" SUBCOMMAND -
) = -1: NEXT
10770 \text{ ZU} = 1: \text{ ZV} = .5: \text{ ZW} = 10:
ZE = \emptyset: ZZ = \emptyset
10780 RETURN
1Ø79Ø '
10800 '----- 11200 FOR ZL = 1 TO Z3
10810 ' "%%F, NAME;" SUBCOMMAND - 11210 FOR ZQ = 0 TO ZJ - 2 STEP
 SET FILE NAME
10820 IF ZN <> 1 THEN ZE = ZM: G
OTO 10830 ELSE ZF$ = Z1$: CLOSE
1Ø83Ø RETURN
10840 '----
10850 ' "%%SN,M;" SUBCOMMAND - S
ET SCALE FACTORS
10860 IF ZN <> 2 THEN ZE = ZM: G
OTO 10870 ELSE ZU = Z1: ZV = Z2
10870 RETURN
1Ø88Ø '
10890 '----
10900 ' "%%MX,Y;" SUBCOMMAND - S
ET GRAPHICS POSITION
10910 IF ZN <> 2 THEN ZE = ZM: G
OTO 1Ø92Ø ELSE ZX = Z1: ZY = Z2
1Ø92Ø RETURN
10930 '
```

```
10940 '-----
              10950 ' "%%WN;" SUBCOMMAND - SET
              WIDTH TO N PIXELS
              10960 IF ZN <> 1 THEN ZE = ZM: G
              OTO 10970 ELSE ZW = Z1
              10970 RETURN
              1Ø98Ø '
              10990 '-----
              11000 ' "%RN,M;" SUBCOMMAND - RE
              AD CHARACTERS FROM DISK
              11010 IF ZN <> 2 THEN ZE = ZM: G
              OTO 1114Ø ELSE ZB = Z1: ZC = Z2
              11Ø2Ø IF ZO <> Ø THEN IF ZO < ZB
              THEN GOTO 11040 ELSE CLOSE 2
              11030 OPEN "I", #2, ZF$
              11Ø4Ø IF EOF( 2 ) GOTO 1113Ø
              11Ø5Ø INPUT#2, C$( ZI )
              11\emptyset6\emptyset ZO = ( ASC( LEFT$( C$( ZI
              ), 1 ) ) - 128 ) * 128 +
                                    ASC( MID$(
             C$(ZI), 2, 1)) - 128
              11070 IF NOT( ( ZO >= ZB AND ZO
              11090 E(ZJ + 1) = ZI

11100 ZJ = ZJ + 2
 11110 ZI = ZI + 1
            1113Ø CLOSE 2
              1115Ø '
              11160 '-----
               EQUATE HERSHEY TO ASCII
              1118Ø ' EQUATES AS ENTRIES TO E
              ENTRIES
1119Ø IF (ZN \ll 3) THEN ZE = Z
        M: GOTO 11300
              1122\emptyset IF E( ZQ ) = Z1 THEN GOTO
              1126Ø
              1123Ø NEXT
              1124\emptyset ZE = ZM
             1125Ø GOTO 1127Ø
           1126\emptyset \text{ AX}(\text{ Z2 }) = \text{ZQ}
              1127\emptyset Z1 = Z1 + 1
              1128\emptyset Z2 = Z2 + 1
              1129Ø NEXT ZL
              11300 RETURN
              1131Ø '
              11320 '-----
             1133Ø ' "%%C;" SUBCOMMAND - TOGG
              LES CONTROL CODE FLAG
              1134Ø IF ZN <> Ø THEN ZE = ZM: G
              ото 1136Ø
              1135\emptyset ZZ = ZZ XOR 1
              1136Ø RETURN
```

```
1137Ø '
                                           1179Ø
1138Ø '----
                                          1163\emptyset Z1 = VAL( MID$( ZA$, ZM, Z
1139Ø ' NORMAL CHARACTER - MAY B
                                          F - ZM))
E ASCII Ø THROUGH 255
                                          1164\emptyset Z1$ = MID$( ZA$, ZM, ZF -
114\emptyset\emptyset ZA = ASC( ZB$ )
                                          ZM )
1141Ø IF ( ZA >= 32 ) THEN GOTO
                                          11650 \text{ ZM} = \text{ZF} + 1: \text{IF ZF} \iff 4 \text{ TH}
1144Ø ELSE IF ZZ <> Ø THEN GOTO
                                          EN ZN = ZN + 1
11440
                                          1166\emptyset IF MID$( ZA$, ZF, 1 ) = ";
1142\emptyset IF ZA = 1\emptyset THEN ZY = INT(
                                          " THEN GOTO 1179Ø
ZY + 32 * ZV ): GOTO 1145Ø
                                          1167Ø FOR ZF = ZM TO LEN( ZA$ )
1143Ø IF ZA <> 13 THEN GOTO 1145
                                          1168\emptyset \text{ IF MID$( ZA$, ZF, 1 ) = ";}
\emptyset ELSE ZX = INT( 16 * ZU ): GOTO
                                          " OR MID$ ( ZA$, ZF, 1 ) = "," TH
                                          EN GOTO 1171Ø
 1145Ø
1144Ø GOSUB 1186Ø
                                          1169Ø NEXT ZF
11450 \text{ ZM} = \text{ZM} + 1
                                          117\emptyset\emptyset ZE = ZF - 1: ZM = ZE: GOTO
1146Ø GOTO 1Ø63Ø
                                           1179Ø
1147Ø '
                                          1171\emptyset Z2 = VAL( MID$( ZA$, ZM, Z
11480 '================
                                          F - ZM)
                                          1172\emptyset \text{ ZM} = \text{ZF} + 1: \text{ZN} = \text{ZN} + 1:
_____
                                          IF MID$ ( ZA$, ZF, 1 ) = ";" THEN
1149Ø
                                           GOTO 1179Ø
11500 ' PARSE SUBCOMMAND LINE SU
                                          1173\emptyset FOR ZF = ZM TO LEN( ZA$)
BROUTINE
                                          1174\emptyset IF MID$( ZA$, ZF, 1 ) = ";
                                          " THEN GOTO 1177Ø
1151Ø ' RETURNS ZN = # ARGS; Z1
= ARG1; Z2 = ARG2; Z3 = ARG3; ZE
                                          1175Ø NEXT ZF
 = CP OF
                            ERROR; Z
                                          1176\emptyset ZE = ZF - 1: ZM = ZE: GOTO
S = SUBCOMMAND FUNCTION
                                           1179Ø
1152Ø '
                                          1177\emptyset Z3 = VAL( MID$( ZA$, ZM, Z
1153\emptyset \text{ ZN} = \emptyset
                                          F - ZM)
11540 \text{ ZC} = MID$ ( ZA$, ZM + 2, 1
                                          1178\emptyset \text{ ZM} = \text{ZF} + 1: \text{ZN} = \text{ZN} + 1
                                          1179Ø RETURN
1155Ø ZS = INSTR( "IFSMWRNC", ZC
                                          118ØØ '
                                          1156\emptyset IF ZS = \emptyset THEN ZS = INSTR(
 "ifsmwrnc"
             , ZC$ )
1157\emptyset IF ZS = \emptyset THEN ZE = ZM
                                          1182Ø '
11580 \text{ ZM} = \text{ZM} + 3
                                          1183Ø ' DISPLAY CHARACTER SUBROU
1159\emptyset FOR ZF = ZM TO LEN( ZA$ )
11600 IF MID$( ZA$, ZF, 1 ) = ";
                                          11840 ' DISPLAYS A GIVEN HERSHEY
" OR MID$ ( ZA$, ZF, 1 ) = "," TH
                                           CHARACTER # REFERENCED BY ASCII
EN GOTO 1163Ø
                                           CODE
1161Ø NEXT ZF
                                          1185Ø '
1162\emptyset ZE = ZF - 1: ZM = ZE: GOTO
                                          1186\emptyset IF AX( ZA ) = -1 THEN ZE =
```

1988 -- The Year of the Hard Disk!

The CoCo XT hard disk interface from Burke & Burke lets you connect up to 2 low cost, PC compatible 5-120 Megabyte capacity hard drives to your CoCo. You buy the drive, Western Digital WD1002-WX1 or WD1002-27X (RLL) controller, and a case from the PC dealer of your choice. Just plug them into the CoCo XT, plug the CoCo XT into your Multi-PAK, and you have a 20 Meg OS9 hard disk system for under \$450!

Great for multi-user systems! The CoCo XT interface uses advanced "NO HALT" hard disk controllers, which do not halt your CoCo and do not disable or use interrupts during hard disk access. You get full type-ahead, and the system clock does not lose time during hard disk access. Fully compatible with most RS-232 expansion ports!

CoCo XT (with anodized housing, 50 page user manual, hard disk back-up utility and new, Version 2.0 drivers for use with both OS9 & HYPER-I/O) — \$69.95. Or choose the CoCo XT-RTC (includes real-time clock / calendar with battery backup) — \$99.95

THE PROFESSIONAL TOUCH: XT-ROM — Automatically boots OS9 from your hard disk. Installs in the BIOS ROM socket of your hard disk controller — \$19.95.

Announcing the Dynamic Disk Interface!

Got the 35-track floppy disk blues? Burke & Burke proudly presents HYPER-I/O Version 2.0 — the program that modifies the RS-DOS Disk BASIC in your CoCo 1, 2, or 3 to provide a "Dynamic Disk Interface". This program lets you use your existing BASIC and RS-DOS software with hard disk interfaces (such as the CoCo XT), RAM Disks, and any mix of lipopy drives from 160K to 720K each. HYPER-I/O can even read standard disks in those quad-density, 160 track floppy drives. Fully RESET protected, user-configurable, expandable, OS9 compatible, EPROM-able HYPER-I/O may soon be THE RS-DOS enhancement of choice for the CoCo 1, CoCo 2, and CoCo 3!

HYPER-I/O (64K, includes 50 page user manual , BASIC & OS9 utilities) -- \$29.95. HYPER-III (RAM Disk and Print Spooler for CoCo 3 HYPER-I/O) --\$19.95

OS9 Directory Assistants WILD lets you use wild cards with OS9's commands. MV rapidly moves files, and even entire directories, from place to place on your hard or floppy disks. WILD & MV -- one disk, two great utilities, only \$19.95 OS9: wild asm /d0/src/*.src o=/d1/abs/release/*.abs OS9: mv /d1/abs/release /d1/release



wurke & wurke

P.O. Box 1283 Palatine, IL 60078-1283 (312) 397-2898





ILLINOIS RESIDENTS PLEASE ADD 7% SALES TAX. COD's add \$2.20. Shipping (within the USA) \$2.00 per CoCo XT; \$1.50 per disk or ROM. Please allow 2 weeks for delivery (overnight delivery also available for in-stock items). Telephone orders accepted (312) 397-2898.

RAINBOV CERTIFICATION



Protect and highlight your important magazine collection with sturdy RAINBOW binders



Distinctive, Durable RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THE RAINBOW safe in our quality, distinctive binders that provide com-

plete protection.

These attractive red vinyl binders showcase your collection and ensure your RAINBOWS are in mint condition for future use. Each binder is richly embossed with the magazine's name in gold on the front and spine. They make a handsome addition to any room.

Put an End to Clutter

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two binders, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

Special Discounts on Past Issues

To help you complete your collection of THE RAIN-BOW, we're offering a special discount on past issues

of the magazine.

When you place an order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" page in this issue.

Know Where to Look

You may purchase the "Official And Compleat Index To THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.

YES. Please send me	set(s) of RAINBOW	binders through the coco SIG of Del
Take advantage of these special offers wit	h your binder purchase:	
Save \$1 off the single issue cover price for enclose a back issue order form from a red	or back issues. Minimum c cent issue indicating maga	order of 6 magazines. Please zines wanted.
Purchase the "Official and Compleat Index	k to THE RAINBOW" for \$	1. (Regular price \$2.50.)
(These offers good only with the purchase of a RAINBOV	v binder set)	
Name		
Address		
City	State	
☐ My check in the amount of is enclose	ed. (In order to hold down	costs, we do not bill.)
Charge to: ☐ VISA ☐ MasterCard	☐ American Express	
Account NumberSignature	Expirat	tion Date

Mail to: Rainbow Binders, The Falsoft Building, P.O. Box 385, Prospect, KY 40059.

Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling. If your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST All other inquiries call (502) 228-4492.

ZM: GOTO 1218Ø $1187\emptyset \ ZK = E(AX(ZA) + 1)$ 1188Ø IF ZW <> 999 THEN GOTO 119 $1189\emptyset \text{ ZF} = -(\text{ASC}(\text{MID}\$(C\$(\text{ZK}))$, 3, 1)) - 128) + ASC(MID\$(C\$ (ZK), 4, 1)) - 128 11900 ZF = (ZF / 2) * ZU $1191\emptyset ZX = INT(ZX + ZF)$ 1192Ø HDRAW "BM" + STR\$(ZX) + "," + STR\$(ZY) $1193\emptyset \text{ ZL} = 5$ 11940 ' START AT FIRST X/Y COORD INATE, BYPASS WIDTH 1195Ø IF LEN(C\$(ZK)) <= 6 TH EN GOTO 1213Ø $1196\emptyset$ ZF = ASC(MID\$(C\$(ZK), ZL, 1)) - 128 $1197\emptyset ZG = ASC(MID\$(C\$(ZK),$ ZL + 1, 1)) - 12811980 ZL = ZL + 21199Ø ZF=ZF*ZU:ZG=ZG*ZV:ZF=INT(Z X+ZF): ZG=INT(ZY+ZG)12000 HDRAW "BM" + STR\$(ZF) + "," + STR\$ (ZG) 12010 ' GET REMAINING X/Y COORDI NATES AND DRAW LINE SEGMENTS $12\emptyset2\emptyset$ ZF = ASC(MID\$(C\$(ZK), ZL, 1)) - 128 $12\emptyset3\emptyset$ ZG = ASC(MID\$(C\$(ZK), ZL + 1, 1)) - 128

 $12\emptyset 4\emptyset ZL = ZL + 2$ 12050 IF (ZF = -64) AND (ZG =-64) THEN GOTO 1213Ø $12\emptyset6\emptyset$ IF NOT((ZF = -64 AND ZG $= \emptyset$)) THEN 1211 \emptyset 12070 ZF = ASC(MID\$(C\$(ZK), ZL, 1)) - 128 12080 ZG = ASC(MID\$(C\$(ZK), ZL + 1, 1) - 128 $12\emptyset9\emptyset ZL = ZL + 2$ 12100 ZF = ZF * ZU: ZG = ZG * ZV : ZF = INT(ZX + ZF): ZG = INT(ZY)+ ZG): HDRAW "BM" + STR\$(ZF) + "," + STR\$(ZG) : GOTO 1212Ø 1211Ø ZF = ZF * ZU: ZG = ZG * ZV : ZF = INT(ZX + ZF): ZG = INT(ZY)+ ZG): HDRAW "M" + STR\$(ZF) + "," + STR\$(ZG) 1212Ø GOTO 12Ø2Ø $1213\emptyset$ IF ZW <> 999 THEN ZX = ZX + ZW: GOTO 1218Ø $1214\emptyset$ ZF = -(ASC(MID\$(C\$(ZK) 3, 1) - 128) + ASC(MID\$(C\$ - 128 (ZK), 4, 1)) $1215\emptyset \text{ ZF} = (\text{ ZF} / 2) * \text{ZU}$ $1216\emptyset ZX = ZX + ZF$ 1218Ø RETURN 12190 '================

Listing 3: EXAMPLE

5Ø ' DEMONSTATION 1 FOR HERSHEY SCREEN - FONTS 52 CLEAR 7ØØØ 54 DIM E(3 $\emptyset\emptyset$), C\$(15 \emptyset), AX(255) 56 HSCREEN 4 58 PCLS 6Ø ZA\$="%%I;%%FHERSHMAS/;%%R5Ø1, 526; % R6Ø1, 626; % R699, 699; % N699 ,32,1;%%N5Ø1,65,26;%%N6Ø1,97,26; ":GOSUB 1ØØØØ 62 ZA\$="%%S1.Ø,Ø.4;%%W2Ø;%%M32,1 6; This is Simple Text": GOSUB 10 64 ZA\$="%%W999;%%M32,36;This is Proportional Text": GOSUB 10000 66 ZA\$="%%I;%%FHERSHMAS/;%%R699, 699;%%R3ØØ1,3Ø26;%%R31Ø1,3126;%% N3ØØ1,65,26;%%N31Ø1,97,26;%%N699 ,32,1;%%S1.Ø,Ø.4;%%W999;%%M32,56 ;This is Complex Text": GOSUB 10 ØØØ

68 ZA\$="%%I;%%FHERSHMAS/;%%R699, 699;%%R2Ø51,2Ø76;%%R2151,2176;;% %N2Ø51,65,26;%%N2151,97,26;%%N69 9,32,1;%%S1.Ø,Ø.4;%%W999;%%M32,7 6; This is Italics": GOSUB 10000 7Ø ZA\$="%%S2.Ø,1.5;%%M32,1Ø3;Lar ge and Tall": GOSUB 10000 72 ZA\$="%%I;%%FHERSHMAS/;%%R699, 699;%%R33Ø1,3325;%%N33Ø1,65,26;% %N699,32,1;%%S1.5,Ø.6;%%W999;%%M 32,14Ø; DEUTSCHLAND": GOSUB 1ØØØØ 74 ZA\$="%%R3ØØ1,3ØØ3;%%N3ØØ1,65, 3;": GOSUB 1ØØØØ 76 ZA\$="%%SØ.3,Ø.15;%%M32,17Ø;AB C%%SØ.5,Ø.2;%%M62,17Ø;ABC%%SØ.75 ,Ø.3;%%M112,17Ø;ABC%%S1.Ø,Ø.4;%% M177,17Ø;ABC%%S1.5,Ø.6;%%M27Ø,17 Ø; ABC% %S2.Ø,Ø.8; %% M4ØØ, 17Ø; ABC%% S3.Ø,1.6;%%M56Ø,17Ø;A": GOSUB 1Ø ØØØ 78 GOTO 78

189

Racksellers

Jefferson News Co.

Anderson News Co. M & B Electronics

Madison Books Trade 'N' Books

Injun John's, Inc.

Electronic World

Book Nook

A & W Graphics Co.

TRI-TEK Computers

Livingston's Books Books, Etc.

Computer Library

Lyon Enterprises Software Plus

Levity Distributors Stef-Jen, Inc.

Bookland Bookends Bookstore

Tower Magazine

Sawyer's News, Inc. Harding Way News

Aurora Newsstand

Hathaway's

News Gallery

The Book Train

Paperbacks Unlimited Computer Literacy

Booksmith

Bookworks

Castro Kiosk

DeLauer's News Agency Deibert's Readerama

Advance Radio, Inc. Strawflower Electronics

Butler & Mayes Booksellers Circus of Books (2 Locations)

Midnight Special Bookstore Computer Literacy Bookshops

El Camino College Bookstore

Readmore Book & Magazine City Newsstand

Delmar Co. Milford News Stand Newark Newsstand Normar, Inc.—The Smoke Shop

Anderson News Co.

Vaughn Electronics/Radio Shack Hot Off the Press Newsstand Anderson News Co.

McDowell Electronics

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

Poling Place Bookstore

Record Junction, Inc. Radio Shack Dealer

Sunny's at Sunset Anderson News Co

Ellers News Center

Act One Video Smokehouse Newsstand

Martin Music Radio Shack

Radio Shack

Book Shelf, Inc. Johnson News Agency

Software or Systems

B. Dalton Booksellers

Northgate Mall

Empire Periodicals Bill's TV Radio Shack

Sheridan Village Westlake Shopping Center Illinois News Service

Sangamon Center North

North Shore Distributors

Radio Shack White Cottage Electronics

Gallery Book Shop Finn News Agency, Inc.

Bookland, Inc. Borders Bookshop

Indiana News

Southside News

Gallery Book Shop

Radio Shack Mitting's Electronics

Interstate Book Store Thackery's Books, Inc.

Kramers Books & Gifts

Southside Drug

Crossroads, Inc.

Lloyd's Radio

Micro Computer Systems, Inc.

Town & Country Shopping Ctr. Book Emporium

Book Emporium Norris Center Bookstore

Book Emporium K-Mart Plaza

Book Emporium

Book Emporium

Book Emporium

Book Emporium

D & D Electronics

Paper Place

Koch's Books

Miles Books

Book Nook

DuBey's News Center Computrac

Border's Bremen Electronics/Radio Shack

ALABAMA

Birmingham Brewton Greenville Madison Montgomery

ALASKA

ARIZONA

Cottonwood Lake Havasu City Phoenix Sierra Vista Tempe

ARKANSAS

Fayetteville Ft. Smith Little Rock CALIFORNIA

Berkeley Citrus Heights Grass Valley Half Moon Bay Hollywood

La Jolla Los Angeles Marysville Napa Oakland Sacramento San Francisco

Santa Monica

Santa Rosa Stockton

Sunnyvale

COLORADO

Aurora Colorado Springs Denver Glenwood Springs Grand

Junction Longmont

DELAWARE Middletown

Milford Newark Wilmington

DISTRICT OF COLUMBIA Washington,

DC

Chronichles News Room World News, Inc.

Great American Book Co. Software, Software, Inc.

FLORIDA Boca Raton

Clearwater Dania

The Avid Reader The Open Door Dania News & Books Software Plus More Bob's News & Book-Store Davie Ft. Lauderdale Clarks Out of Town News Mike's Electronics Distributor

Gainesville Jacksonville

North Miami Beach Panama City Pinellas Park

Almar Bookstore Boyd-Ebert Corp. Anderson News Co. Wolf's Newsstand

White's of Downtown Bookstore

Paper Chase Book Co.

The Book Nook

FLORIDA (cont'd)

South Pasadena

Tallahassee

Titusville

GEORGIA Bremen Forest Park Jesup Marietta Thomasville Toccoa

IDAHO Moscow

ILLINOIS Belleville Champaign Decatur

East Moline Evanston Kewanee Lisle Lombard Newton Peoria

Springfield Sunnyland West Frankfort

INDIANA Angola

Berne Bloomington Columbus Crawfordsville Dyer Franklin Garrett Indianapolis

Lebanon Martinsville Wabash

IOWA Davenport Des Moines Fairfield Ottumwa

Hutchinson

Wellington Wichita

KENTUCKY Hazard Henderson Louisville

Paducah

Bangor

LOUISIANA Baton Rouge New Orleans MAINE

Daniel Boone Gulf Mart Matt's News & Gifts Hawley-Cooke Booksellers (2 Locations) Radio Shack

Crossroads, inc. Palmer News, Inc. Town Crier of Topeka, Inc. Dandy's/Radio Shack Dealer Amateur Radio Equipment Co.

City News Stand Sidney's News Stand Uptown The Book Rack

Magazines, Inc.

MAINE (cont'd)

Brockton Caribou Sanford MARYLAND

College Park MASSACHUSETTS

Boston Brockton Cambridge lpswich Littleton Swansea MICHIGAN

Allen Park Birmingham Durand E. Detroit

Harrison Hillsdale Holland Howell Muskegon Niles Perry Riverview Roseville

MINNESOTA

Burnsville Crystal Duluth Edina Minneapolis Minnetonka St. Paul

Willmar MISSOURI

Farmington Flat River Florissant Jefferson City Kirksville Moberly St. Louis St. Robert

MONTANA Butte Whitefish NEBRASKA

Lincoln Omaha NEVADA Carson City Las Vegas

NEW HAMPSHIRE Manchester

NEW JERSEY Atlantic City Cedar Knolls Clinton Marmora

West Lebanon

Rockaway **NEW MEXICO** Alamogordo Albuquerque

Santa Fe **NEW YORK**

Amherst Brockport Brooklyn Elmira Heights Fredonia

Voyager Bookstore Radio Shack Books-N-Things Radio Shack

University Bookstore

Eastern Newsstand Voyager Bookstore Out Of Town News Ipswich News Computer Plus North Shore News Co. Newsbreak, Inc.

Book Nook, Inc. Border's Book Shop Robbins Electronics Merit Book Center Harrison Radio Shack Electronics Express/Radio Shack Fris News Company Howell Auto Parts Curt's Sound & Home Arcade Center The Eight Bit Corner Michiana News Service Perry Computers Riverview Book Store New Horizons Book Shop

Shinder's Burnsville Shinder's Crystal Gallery Carlson Books Shinder's Leisure Lane Shinder's (2 Locations) Shinder's Ridge Square Shinder's Roseville Shinder's Annex Shinder's Maplewood Shinder's St. Pauls The Photo Shop

Ray's TV & Radio Shack Ray's TV & Radio Shack Book Brokers Unlimited Cowley Distributing T&R Electronics Audio Hut Book Emporium Bailey's TV & Radio

Plaza Books Consumer Electronics of Whitefish

Nebraska Bookstore Nelson News

Bookcellar Hurley Electronics Steve's Books & Magazines

Radio Shack Associate Store Bookwrights Verham News Corp.

Atlantic City News Agency Village Computer & Software Micro World II Outpost Radio Shack Dave's Elect. Radio Shack Software Station

New Horizons Computer Systems Front Page Newsstand Page One Newsstand Downtown Subscription

Village Green-Buffalo Books Lift Bridge Book Shop, Inc. Cromland, Inc. Southern Tier News Co., Inc. On Line: Computer Access Center NEW YORK (cont'd)

Huntington Johnson City New York

Oscar's Bookshop Unicom Electronics Barnes & Noble-Sales Annex Coliseum Books

Eastern Newsstand Grand Central Station, Track 37 200 Park Ave., (Pan Am #1) 55 Water Street World Trade Center #2 First Stop News Idie Hours Bookstore International Smoke Shop

Penn Book Software City State News Walden Books World Wide Media Services

Universal Computer Service Pawling Rochester

Village Green World Wide News Spectrum Projects Woodhaven

NORTH CAROLINA

News Center in Cary Village University News & Sundry Cary Chapel Hill Charlotte Newsstand Int'l Papers & Paperback Computer Plus C² Books & Comics Havlock Hickory

Michele's, Inc. K & S Newsstand Jacksonville Kernersville Marion Winston-Salem Boomers Rhythm Center K & S Newsstand (3 Locations) Rainbow News Ltd.

OHIO

Akron Blanchester Canton Chardon Cleveland Columbiana Columbus

Dayton

Dublin

Churchill News & Tobacco JR Computer Control Little Professor Book Center Thrasher Radio & TV Erieview News Fidelity Sound & Electronics B5 Software

Micro Center The Newsstand Books & Co. Huber Heights Book & Card

Wilke News Wright News & Books Book Barn

News-Readers Wilke's University Shoppe Fairborn Findley Open Book The News Shop Kent Lakewood

Lakewood International News Edu-Caterers Lima Miamisburg Wilke News Bookmark Newscenter Parma Toledo Leo's Book & Wine Shop Warren Book Nook, Inc Xenia Youngstown Fine Print Books Plaza Book & Smoke Shop

OKLAHOMA Oklahoma City

Merit Micro Software Thomas Sales, Inc. dba Radio Shack Steve's Book Store Takleguah Tulsa

OREGON Portland

Libra Books - Book Mark Rich Cigar Store, Inc. Sixth & Washington News Capitol News Center Checkmate Book

PENNSYLVANIA

Salem

Allentown Altoona Bryn Mawr Feasterville King of Prussia Malvern Phoenixville Reading Temple West Chester York

Owl Services Newborn Enterprises Bryn Mawr News Global Books Gene's Books Personal Software Stevens Radio Shack Smith's News & Card Center Software Corner Chester County Book Co. Micro World The Computer Center of York

RHODE ISLAND

Bellevue News Warwick Software Connection

SOUTH CAROLINA

Charleston Hts. Clemson Florence Greenville Spartanburg Union

Software Haus, Inc. Clemson Newsstand Ray's #1 Palmetto News Co. Fleming's Electronics

Tollgate Bookstore

TENNESSEE Brentwood

Chattanooga Dickson Knoxville

Guild Books & Periodicals Highland Electronics Anderson News Co. Davis-Kidd Bookseller Computer Center Davis-Kidd Booksellers Memphis Nashville Mosko's Place R.M. Mills Bookstore

Bookworld #5

Anderson News Co.

Smyrna

TEXAS Big Spring Brenham Desoto Elgin Harlington

Poncho's News Moore's Electronics Maxwell Books The Homing Pigeon Book Mark

K & S Newsstand

Delker Electronics

UTAH Valley Book Center Provo

VIRGINIA Hampton

I-O Computers Turn The Page Richmond Volume I Bookstore

WASHINGTON Port Angeles Seattle

Port Book & News Adams News Co., Inc. Bulldog News B & I Magazines & Books Nybbles 'N Bytes

WEST VIRGINIA Huntington Logan Madison Parkersburg

Charleston

South

Tacoma

Nick's News Stan's Electronics & Radio Shack Communications, LTD Valley News Service

Spring Hill News

Badger Periodicals

WISCONSIN Appleton Cudahy Kenosha

Cudahy News & Hobby R.K. News, Inc. Pic A Book
University Bookstore
Juneau Village Reader
Little Professor Book Center Milwaukee Racine Waukesha Holt Variety

ARGENTINA

Information Telecommunicationes

Banff Radio Shack

L & K Sports & Music

AUSTRALIA Kingsford

Blaxland Computers Paris Radio Electronics

Paul Tercier

CANADA: ALBERTA

Banff Blairmore Bonnyville Brooks Calgary Claresholm Drayton Valley Edmonton Edson Fairview Fox Creek

Ft. Saskatchewan

Grande Cache Grande Centre Hinton Innisfail Lecombe Leduc Lethbridge

Okotoks

Billy's News Radio Shack Associated Stores Langard Electronics CMD Micro Radio Shack, asd D.N.R. Furniture & TV Fox City Color & Sound A.S.C. Radio Shack

Double "D" A.S.C. Radio Shack

Ft. Mall Radio Shack, ASC The Stereo Hut

The Book Nook Jim Cooper L & S Stereo Brian's Electronics Radio Shack Associated Stores Datatron Lloyd Radio Shack Okotoks Radio Shack

ALBERTA (cont'd)

St. Paul Stettler Strathmore Taber Westlock Wetaskiwin Radio Shack Associated Stores Tavener Software Walter's Electronics Stettler Radio Shack Wheatland Electronics Pynewood Sight & Sound Westlock Stereo Radio Shack

BRITISH COLUMBIA

Burnaby Burns Lake Campbell River Chilliwack Coortenay Dawson Creek Golden Kelowna Langley N. Vancouver Nelson Parksville Penticton

Charles Parker Rick's Music & Stereo Bell Radio & TV Taks Home Furnishings Telesoft Marketing Langley Radio Shack Microwest Distributors Oliver's Books Parksville TV Four Corner Grocerv Sidney Electronics Wall's Home Furniture Kotyk Electronics

Compulit

VI. Video Works

TRS Electronics

House Tip Top Radio & TV

MANITOBA Altona Lundar Morden Selkirk Virden Winnipeg

Sidney

Smithers

100 Mile

L.A. Wiebr Ltd. Central Sound Jodi's Sight & Sound G.L. Enns Elec. J & J Electronics Ltd.

NEW BRUNSWICK Moncton Sussex

Jeffries Enterprises Dewitt Elec.

NEWFOUNDLAND Botwood

Segport Flec Carbonear Slade Realties **NOVA SCOTIA**

ONTARIO Angus Aurora Concord Exceter Hanover Huntsville Kingston Listowel South River

Micro Computer Services Compu Vision Ingram Software
J. Macleane & Sons Modern Appliance Centre Huntsville Elec. Donny "B" T.M. Computers

Modern Appliance Centre Max TV Dennis TV

Telstar News Kotyk Electronics

D&S Computer Place Cornerstone Sound

Regina CoCo Club Software Supermarket

Grant's House of Sound

Everybody's Software Library Gec. Laberge Radio Shack

Atlantic News

QUEBEC LaSalle Pont. Rouge Ville St. Gabriel

Messageries de Presse Benjamin Enr. Boutique Bruno Laroche Gilles Comeau Enr/Radio Shack

SASKATCHEWAN Assinibola Estevan Moose Jaw Nipiwan Regina

Saskatoon Shellbrooke Tisdale Unity

YUKON Whitehorse

JAPAN Tokyo

PUERTO RICO San Juan

America Ado, Inc

Software City

Paul's Service

H & O Holdings

Also available at all B. Dalton Booksellers, and selected Coles — in Canada, Waldenbooks, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.

Advertisers Index

We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning THE RAINBOW when you contact these firms.

A to Z Unlimited175
After Five Software81
Alpha Products21
Ark Royal Games93
Burke & Burke
Cer-Comp143, 145
Cinsoft57
CJN Enterprises117
Clearbrook Software
Group89
CoCo Gallery Live49
Cognitec29
Colorware
Computer Center173
Computer Island183
Computer Plus3
Computerware97
CY-BURNET-ICS169
D.P. Johnson163
Dayton Associates of
W. R. Hall, Inc132, 133
Delphi106, 107
DiecomIFC, IBC
Disto/CRC185
E.Z. Friendly Software
Federal Hill Software139
Frank Hogg Laboratory54, 55
George Aftamonow45
Gimmesoft95
Glen Calafati14
Hard Drive Specialists 193
Hawkes Research
Services
HJL Products105
Howard Medical66, 194
J & R Electronics45
K—SOFT111
KLC Software159
Metric Industries83
Micro Works, The85
Microcom Software9, 11, 13, 15
Microtech Consultants
Inc
MicroWorld
Other Guys CoCo, The71

Owl-Ware151, 152, 153
Performance Peripherals16
Perry Computers165
Preble's Programs, DrBC
PXE Computing
R.A.D. Products18
R.G.B. Computer Systems 18
R.J.F. Software117
Rainbow Binder188
Rainbow Bookshelf120, 121
Rainbow Gift Subscription 17
Rainbow on Tape and Disk41
RAINBOWfest50, 51
Saint Johns Gallery37
Sardis Technologies177
SD Enterprises27, 67, 109
SEESOF33

Soft-BYTE159	-
Software House, The39	
SpectroSystems53	1
Speech Systems	-
Sugar Software155	,
Sundog Systems	
T & D Software147, 178, 179)
Tandy/Radio Shack114, 115	,
Tepco43	,
Three C's Projects175	,
Tom Mix Software141	
True Data Products 100, 101	1
Vidicom Corporation25	,
Wasatchware81	
Woodstown Electronics61	No.
Zebra Systems65	;

Call: Belinda Kirby Advertising Representative The Falsoft Building 9509 U.S. Highway 42


9509 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059

(502) 228-4497

Call:
Kim Vincent
Advertising Representative
The Falsoft Building
9509 U.S. Highway 42

P.O. Box 385 Prospect, KY 40059

(502) 228-4492



The Best Money Can Buy . . . **HDS Floppy Drive Controller Board**



Reduce your I/O errors with the Hard Drive Specialist Floppy Drive Controller for the Color Computer. Gold edge card connectors, advanced design, and the absence of potentiometers make it the best available. Our newest version controller allows the use of either (two 24 pin ROMS), or (one 24 pin and one 28 pin ROM). Using this board with the standard Radio Shack ROM gives you 100% compatibility with all Radio Shack software.

Completed and Tested Board with Radio Shack ROM (Includes Case, and DOS Instructions) Completed and Tested Board without ROM . . . \$79. (Includes Case) Bare Board with Instruction manual \$30. Parts Kit For Bare Board without ROM \$30.

Radio Shack ROM (current version) \$20.

Ordering Information:

Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.

DOUBLE SIDED! \$199. \$129.
\$199. \$129. Drive\$319.

HARD DRIVE SPECIALIST

1-713-480-6000 Order Line 1-800-231-6671 16208 Hickory Knoll Houston, Texas 77059

Corporate/School:

FAX Order Number (312) 278-9513

CONTROLLERS

The DC-4 is a scaled-down version of the popular DC-2 without a parallel port. It includes a switch with 2 ROM sockets, JDOS, manual and such features as gold connectors and metal box. It accesses double sided drives and accepts RSDOS 1.1 for Radio Shack compat-

\$65 (\$2 Shipping)

RS 1.1 R.S. ROM Chip \$25



DC-2

J&M Disk Controller with parallel port/Hard Drive expansion bus makes a revival with the CoCo 3.

(\$2 Shipping)

DISK DRIVE SPECIALS

Howards Drive 0 gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller for only. Add \$34 for a Disto DC-3 replacement, (\$5 shipping)

DOUBLE SIDED DOUBLE DENSITY 360K



Separate Disk Drive Components

DD-3 An MPI 52 double-sided, double density, 360K disk drive in a full height case and heavy-duty power supply.

(\$2 shipping)

DRIVE ONE

DC6 NEW FROM DISTO \$

Super Controller II works with CoCo 1, 2 & 3. It buffers keyboard input so that no keystrokes are lost when disk is reading or writing. Especially useful with OS-9, but also works with BASIC.

TEAC 55B bare drive, ½ height, double-sided, double density with all mounting hardware, needs CA-2 below to fit R.S. 501.

(\$2 shipping)

Serial to parallel converter converts the CoCo 4 pin serial output to run a parallel printer like Star or Epson. Includes all cables. Add \$10 for modem attachment. (\$2 shipping) \$68_45

CA-1 Cable that connects the disk controller to the drive.

One Drive

Two Drive

GUARANTEE — Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out, test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping).

EPSON LX-800 \$239

Friction and tractor feed included

3K Buffer

NLQ on front buttons

Package includes free SP-C serial to parallel converter and Epson tutorial



Star NX-10 Only \$238 FREE SP-C serial to parallel converter while supplies last (\$5 st

WORD PACK RS BASIC SCREEN EDITOR

- Works on CoCo 1, 2 & 3
- Now with 80 column support

MYDOS by Chris Hawks

- Simplify your directory
- Accesses double sided drives
- Use J&M Printer Port on CoCo 3

CoCo MAX by Colorware

- Specify II or III
 Includes high res interface
- Animation
- Printers supported include, R.S. 105, 106, 130; Star: & Epson

(\$2 shipping on software)

MONITORS

Sony KV-1311CR

(\$15 shipping)

Vivid Color

Vertically flat 13" screen

Monitor/Trinitron TV with remote control

- 640 X 240 resolution at 15MHZ .37 mm Dot
- RGB analog & digital; TTL; and composite inputs
- VCR inputs
- Cable to CoCo 3 \$36

MAGNAVOX 7622

12" Amber Screen offers 900 dots x 350 lines resolution at 20 MHz on a dark glass anti-glare CRT with built-in audio and 1 year warranty

(\$7 Shipping)

(\$9 Shipping)

7652 Green Screen Same Specs Same Price

20 MEG HARD DRIVE

- · pre-installed, formatted and ready to run
- equivalent to 125 R.S. 501's on line
- Includes Western Digital WD1002-WK1 Controller
- · will also work with IBM & clones
- and Seagate 20 Meg Hard Drive
- complete package includes 20 meg drive, case & power supply, controller and interface that plugs into slot #3 of multipack interface.
- 1 year warranty

BASIC driver lets you access this hard drive without need for OS-9 \$49.95

oward Medical Computers

1690 N. Elston Chicago, IL 60622 INQUIRIES AND ORDER STATUS

(800) 443-1444 ==== (278-1440 ===

8:00 - 5:00 Mon. - Fri. 10:00 - 3:00 Sat-

WE ACCEPT VISA . MASTERCARD . AMERICAN EXPRESS C.O.D. OR CHECKS . SCHOOL PO'S

Shipping charges are for 48 states APO and Canada order slightly higher.



DR.PREBLE'S PROGRAMS

Introducing PYRAMIX

For your Color Computer 3!

PYRAMIX is a 100% machine language game written exclusively to take advantage of all the power in your 128K CoCo 3. The colors are brilliant, the graphics sharp, the action hot.

PTRAMIX features the finest in animation, graphics, sound effects and game play available today. It has all the extras you want, too, such as a pause option, RGB and CMP modes, keyboard or joystick play, help screen, multiple skill level, and the ability to backup your disk.

Best of all is the low price! Available today, for only \$24.95 on disk + s/h!


And Lightning Strikes!

LICHTNING RAM DISK is the most versatile RAM disk for your 512K Color Computer 3! LIGHTNING RAM DISK will allow you to use up to 4 mechanical drives and 2 RAM drives simultaneously for a total of 6 Drives! This RAM DISK will also work simultaneously with our amazing LIGHTNING PRINTER SPOOLER! \$19.95 on disk + 2/h.


LIGHTNING PRINTER SPOOLER for the 128K or 512K Color Computer 3. Multitask your computer! Dump more than 400K of text to the spooler "instantly." Then, continue your keyboard work while it all prints out! Also compatible with our LIGHTNING RAM DISK above. \$14.95 on disk + s/h.

LIGHTHING BACKUP utility for your 512K Color Computer 3 reads your master disk once and then makes superfast multiple disk backups on all your drives! No need to format blank disks. Supports 35, 40 or 80 tracks, double or single sided disks and adjustable step rate. \$14.95 on disk + s/h.

Order all 3 for only \$44.95 - s/h







BASIC FREEDOM! No one wants to be chained down. And yet, if you type in BASIC programs, you have subject to involuntary servitude! The cu BASIC's limited EDIT command.

Demand Your BASIC PREEDOM! Programmed by Chris BabCock for ColorVenture, this software gives you a full screen editor for typing in and editing BASIC programms! Move the cursor anywhere on the screen. Insert, delete or add text. It's the same concept as in a word processor, except you never have the leave BASIC BASIC PREEDOM is an invisible machine language program which you can turn on and off at will. Even pressing RESET will not hurt your BASIC PREEDOM! Simple, yet powerful with an easy to read manual. Many extra "nice touches" included, like KEY REPEAT and LOMERCASE INTERPRETER which lets you type BASIC commands in upper or lower case for ease of programming. Translation to uppercase is automatic for commands. Text in quotes is not affected.

For [0] 1 2 or 3!

SPECIAL COCO 3 VERSION lets you work in 32, 40, or 80 column display modes. A separate version is available for the CoCo 1 and 2. Available on disk for \$24.95 + s/b.

MENTAL FREEDOM by Dr. Preble! IMAGINE! Some day, a computer so advanced that it responds to your very thoughts and emotions. Imagine, some day, thought-controlled graphics: levitation and materialization! PLUG IN YOUR MIND and UNHOOK YOUR JOYSTICKS—that day is now! The Radio Shack Color Computer has many advanced capabilities, just waiting to be tapped. Dr. Preble's Programs combines the advanced technology of the CoCo with the ammazing Radio Shack Biofeedback Monitor to bring you "Mental Freedom."

THOUGHT-CONTROLLED VIDEO CHALLENGE? Unlike any video game you have ever played, our Thoughtware tests. your ability to handle stress, to remain calm under adverse circumstances. LIGHINING FAST reflexes will do you no good here, unless you first tame the fickle dragon of your mind. Are you the secretely nervous type? Many people can keep a "Poker Face" even when they are worried so that others may not notice; but can you really stop the worry itself? Find out with Mental Freedom!

AND IT TALKS! Did you know that the CoCo can produce incredibly realistic digital speech without a special speech synthesizer? The voice quality is so good, it sounds human! Honest. Best of all, no extra hardware is needed for speech, just some clever programming by Dr. Preble.

MENTAL FREEDOM - Next time your friends ask what your computer can do, show them Dr Preble's Thoughtware! Requires Radio Shack's Biofeedback Monitor Catalogue #63-675. Hental Freedom - DISK only \$24.95 + s/h

Dr. Proble's Preseripitors



Vocal Freedom!

512K Digital Voice Recorder for your CoCo 1, 2, or 3!

Vacal Freedom lets you ..

- Record voice or any sound into RAM

 Record and playback at 2 speeds
 Save and Load voice to disk
 Select normal or high fidelity
 Record more than 2 minutes of speech if
 you have a 512K CoCo 3
 Fully comparible with CoCo 1 and 2
 Features Sound Activated Playback.
 Messages will playback automatically for
 your family when any noise is made.
 Could also scare off provlers.

Yocal Freedom includes special cable. Requires only a low cost amplifier (RS cat. #277-1008) and any microphone.

On Disk, only \$39.95 + s/h

GIFO... Undaro Res I

Incorporate digitally recorded voices or sound into your own programs. Requires Vocal Freedom, above.

disk, only \$14.95 + s/h

VDOS, the UnDISK: Save multiple programs in memory. Or save multiple graphic pictures in memory. Works with or without a disk. Let's you SAVE, LOAD and KILL stored programs or graphics. DIRECTORY function lists files, gives the start, end and execution addresses of machine language programs and number of free bytes remaining. Own a RAM disk without buying a disk drive! Requires 64K CoCo 1 or 2. Available on tape or disk for \$24.95 + shipping/handling.

VDUMP, for the UnDISK: Backup all your UnDISK files to a single tape file for easy reloading A <u>must</u> for VDOS users! On tape for \$14.95 + shipping/handling.

VPRINT, for the UnDISK: Paper printout for UnDISK Directory. On tape, \$9.95 + shipping/handling.

Check, money order, Mastercard Visa or C.O.D. For Shipping in U.S.A. or Canada add \$2.50, to other Countries, add \$5.00.





Check Money Order or con



Order From Dr. Preble's Programs 6540 Outer Loop Louisville, KY 40228 (502) 969-1818 24 HOUR ORDER LINE

For CoCo

Dress up your Disk Directory with colorful messages and borders. Create useful help messages. Add that professional touch to your cre-

ations! Only \$9.95

Disk Directory

Dazzler

Rz For Intellectual Stimulation CoCo Programs, 11.D.

CoCoBraille . " > . " > . ! + !

Emboss Grade 1 or Grade 2 Braille using your CoCo 1, 2 or 3 and a Brother Daisy Wheel printer! Fast Print to Braille conversion algorithm Braille conversion algorithm converts word processor files, program listings and data files into touch readable Braille. For use by the blind or the sighted. No knowledge of the Braille code is necessary. Just send print to the program and out comes Braille! Note: The complex Grade 2 conversion is very good and though not always perfect, quite readable. Requires 64K or more. Brother IR series printer or the IF-50 interface series required. interface series required. Low Cost! Similar software costs 3 times as much. Only

CRO SECRE